

Open-Xchange Server 6 Minor Release v6.20.2

Feature Overview

**Handling of Internationalized Domain Names, Default
Selection for CSV-Import, Improved Mail filter API,
Retention of iTip / iMip messages after processing**

v.1.1

Topics

1. About this Release.....	3
2. OX6 - Administration, Technical Extensions, Plug-In's, etc.....	4
2.1. Improved Mail Filter API	4
2.2. Handling of Internationalized Domain Names	4
2.3. CSV (Contacts) import option is selected by default	4
2.4. No Module Prefix for Window Meta Object "title set"	4
2.5. Minimal Backend Requirements for OLOX2	5
2.6. Retain iTip / iMip Messages after Processing	5

1. About this Release

This release covers a number of user interface and backend improvements.

The main improvements are:

- Handling of Internationalized Domain Name
- Default Selection for CSV-Import
- Improved Mail filter API
- Retain iTip / iMip messages after processing

In addition we have included new and improved versions of the different OXTender's.

The Open-Xchange preview server <https://www.ox.io/> gives you access to the latest developer version where you can check out all the new features included in the next software release. This means it is not necessary to install the Open-Xchange Server.

2. OX6 - Administration, Technical Extensions, Plug-In's, etc.

2.1. Improved Mail Filter API

With the new 6.20.2 release of Open-Xchange, the current Mail Filter API is improved. The mail filter GUI 3 additional features are: Notification by SMS to the destination number, Notification by FAX to the destination number;, FAX forwarding.

2.2. Handling of Internationalized Domain Names

This release of Open-Xchange provides the possibility of working with internationalized domain names. With the new implementation, the user interface displays the special character domains.

In addition if a user enters the domain as an encoded format, Open-Xchange will recognize this. With this new functionality the user can enter names in encoded or non-encoded formats.

2.3. CSV (Contacts) import option is selected by default

With the new version it is possible to change the default setting on the user interface import page via plugin. With the plugin administrator can select the default value with

```
importFolderDestination = { module: "contacts", file_type: "csv" };
```

The following values are possible: calendar, tasks and contacts

The setting "contacts" allows the following file types: csv, vcard

Additionally there is a further optional parameter "id" for the selection of folders.

2.4. No Module Prefix for Window Meta Object "title set"

Open-Xchange has changed the object "metadata" which is provided to the event "OX_Window_Ready". The current metadata provides the title of the user interface windows. Currently this is the same string as for the main window title. This is changed for 3rd Party Applications to allow the creation of new window titles. This implementation removes the current prefix of the Meta object.

2.5. Minimal Backend Requirements for OLOX2

The updater XML for OLOX2 is extended with a new attribute. This attribute tells the OLOX2 client which version it **minimally** must have to still be still. This version should be read from a properties configuration file. In a second iteration the USM JSON interface needs to read the same property, or an additional one from the same file, to be able to block the login from a **too OLD** OLOX2.

2.6. Retain iTip / iMip Messages after Processing

After an email with an iTip / iMip attachment has been handled (i.e. turned into an appointment etc.), the email should not be deleted, but saved. These emails may contain important data, and are necessary for forwarding appointments to other people.