



**OX Guard**  
**Release Notes for Patch Release #2978**

January 21, 2016

## Copyright notice

---

©2016 by Open-Xchange AG. All rights reserved. Open-Xchange and the Open-Xchange logo are trademarks or registered trademarks of Open-Xchange AG. All other company and/or product names may be trademarks or registered trademarks of their owners. Information contained in this document is subject to change without notice.

## 1 Shipped Product and Version

Open-Xchange Guard 2.0.0-rev17

Find more information about product versions and releases at [http://oxpedia.org/wiki/index.php?title=AppSuite:Versioning\\_and\\_Numbering](http://oxpedia.org/wiki/index.php?title=AppSuite:Versioning_and_Numbering)

## 2 Bugs fixed since previous Public Release

This section provides a summary of bugfixes and changes that have been applied subsequently to shipping Patch Release #2966.

### **42122 "reset guard security password" doesn't ask for changing temp password**

After choosing "reset guard security password" the user is able to use the current session to decrypt guard mail and appsuite doesn't ask to change temp password. Only a relogin changed this behavior.

Now, after password reset, trigger password change prompt when opening next email.

### **42754 No answer below answered e-mail in guard possible**

An User with a mail formatted in HTML, send through guard. He wasn't able to answer to that e-mail and to place an answer below the last lines.

This has been fixed by adding a blank space below the reply text to allow the editor to insert.

### **43166 NullPointerException on "guard test"**

This was caused by an unusual scenario with the displayName set to null. Currently, the backend prevents this from happening.

Guard test will now properly handle this.

## 3 Changes relevant for Administrators

### 3.1 Changes of Configuration Files

#### **Change #2995 Default language settings overwritten with updates. Move setting to guard.properties file**

The configuration file setting `com.openexchange.guard.defaultLanguage` will be added to the configuration file. This value will be used for the default language if not specified by the client.  
Added

```
# Default Language
```

```
# Set to fallback language if not specified by the client. Will be  
# used for the templates sent out. Please make sure the translations are  
# present in the l10n directory
```

```
# com.openexchange.guard.defaultLanguage=en_US
```

## 4 Tests

The Open-Xchange QA team has successfully verified all bug fixes that could be reproduced within a lab environment.

To avoid side effects, the shipped packages have gone through automated regression test on both, a Continuous Integration System and a dedicated server setup for system and integration testing.

All changes have been checked for potential side-effects and effect on behavior. Unless explicitly stated within this document, we do not expect any side-effects.

## 5 Fixed Bugs

42122, 42754, 43166,