



Cloud Plugins
Release Notes for Release 1.6.0

2017-06-02

Copyright notice

©2017 by OX Software GmbH. All rights reserved. Open-Xchange and the Open-Xchange logo are trademarks or registered trademarks of Open-Xchange AG. All other company and/or product names may be trademarks or registered trademarks of their owners. Information contained in this document is subject to change without notice.

1 General Information

1.1 Warnings

Warning

It is mandatory to restart the **open-xchange** service on all middleware nodes after performing the update.

Warning

When updating only custom packages, it may be necessary to invalidate the browser cache to make the changes visible. An invalidation of the cache will be done automatically when updating OX core UI packages at the same time, but not if you are updating only custom UI plug-ins. In the latter case, please call the following command on all Apache nodes with the same value for <timestamp> :

```
/opt/open-xchange/sbin/touch-appsuite --timestamp=<timestamp>
```

Warning

Custom configuration or template files are potentially not updated automatically. After the update, please always check for files with a **.dpkg-new** or **.rpmnew** suffix and merge the changes manually. Configuration file changes are listed in their own respective section below but don't include changes to template files. For details about all the configuration files and templates shipped as part of this delivery, please read the relevant section of each package.

1.2 Install Package Repository

This delivery is part of a public software repository:

```
https://software.open-xchange.com/components/cloud-plugins/stable/1.6.0/DebianJessie
https://software.open-xchange.com/components/cloud-plugins/stable/1.6.0/RHEL6
https://software.open-xchange.com/components/cloud-plugins/stable/1.6.0/RHEL7
```

Licensed customers should also configure a restricted software updates repositories by using their credentials:

```
https://software.open-xchange.com/components/cloud-plugins/updates/1.6.0/DebianJessie
https://software.open-xchange.com/components/cloud-plugins/updates/1.6.0/RHEL6
https://software.open-xchange.com/components/cloud-plugins/updates/1.6.0/RHEL7
```

1.3 Build Dependencies

This delivery was build and tested with following dependencies:

```
frontend-7.8.4-rev3,plugins-1.3.0-rev3
```

2 Shipped Product and Version

2.1 Package open-xchange-aps2-upsell-ui

UI plugin for aps2 based upsell

Version: 1.6.0-3

Type: OX Frontend Plugin

Depends on: open-xchange-appsuite-manifest (>=7.8.4)

2.1.1 Installation

Install on OX middleware nodes with package installer **apt-get** or **yum**:

```
<package installer> install open-xchange-aps2-upsell-ui
```

2.1.2 Configuration

For details, please see appendix A
/opt/open-xchange/etc/settings/aps2-upsell.yml (page 8)

2.2 Package open-xchange-cloudplugins

The Open-Xchange cloud plugin bundles

Version: 1.6.0-3

Type: OX Middleware Plugin

Depends on: libnet-ldap-perl, open-xchange-admin-soap-reseller (>=7.8.4), open-xchange-cassandra (>=7.8.4), open-xchange-rest (>=7.8.4)

Conflicts with: open-xchange-authentication, open-xchange-authentication-database, open-xchange-authentication-imap, open-xchange-authentication-ldap

2.2.1 Installation

Install on OX middleware nodes with package installer **apt-get** or **yum**:

```
<package installer> install open-xchange-cloudplugins
```

2.2.2 Configuration

For details, please see appendix A
/opt/open-xchange/etc/plugin/mailstore-cloudplugins.properties (page 9)
/opt/open-xchange/etc/cloudplugins-authentication.properties (page 9)
/opt/open-xchange/etc/cloudplugins-master-auth-servlet.properties (page 9)
/opt/open-xchange/etc/cloudplugins-cassandra.properties (page 9)
/opt/open-xchange/etc/cloudplugins.properties (page 10)
/opt/open-xchange/etc/doveadm-config.properties (page 11)
/opt/open-xchange/etc/nginx-auth-servlet.properties (page 11)

2.3 Package open-xchange-cloudplugins-aps2-upsell

APS2 Upsell for Open-Xchange AppSuite

Version: 1.6.0-3

Type: OX Middleware Plugin

Depends on: open-xchange-core (>=7.8.4)

2.3.1 Installation

Install on OX middleware nodes with package installer **apt-get** or **yum**:

```
<package installer> install open-xchange-cloudplugins-aps2-upsell
```

2.3.2 Configuration

For details, please see appendix A
/opt/open-xchange/etc/cloudplugins-aps2-upsell.properties (page 12)

2.4 Package open-xchange-cloudplugins-blackwhitelist-ldap

Implementation of blacklist whitelist for cloudplugins within LDAP

Version: 1.6.0-3

Type: OX Middleware Plugin

Depends on: open-xchange-cloudplugins (>=1.6.0), open-xchange-core (>=7.8.4), open-xchange-plugins-blackwhitelist (>=1.3.0)

2.4.1 Installation

Install on OX middleware nodes with package installer **apt-get** or **yum**:

```
<package installer> install open-xchange-cloudplugins-blackwhitelist-ldap
```

2.4.2 Configuration

For details, please see appendix A
/opt/open-xchange/etc/cloudplugins-blackwhitelist-ldap.properties (page 12)

2.5 Package open-xchange-cloudplugins-saml

SAML backend for any default Identity Server This package contains an SAML backend for any Identity Server, that fully supports the SAML protocol.

Version: 1.6.0-3

Type: OX Middleware Plugin

Depends on: open-xchange-cloudplugins (>=1.6.0), open-xchange-saml-core (>=7.8.4)

2.5.1 Installation

Install on OX middleware nodes with package installer **apt-get** or **yum**:

```
<package installer> install open-xchange-cloudplugins-saml
```

2.5.2 Configuration

For details, please see appendix A
/opt/open-xchange/etc/cloudplugins-saml.properties (page 14)

2.6 Package open-xchange-externalcontent-ui

External content portal plugin

Version: 1.6.0-3

Type: OX Frontend Plugin

Depends on: open-xchange-appsuite-manifest (>=7.8.4)

2.6.1 Installation

Install on OX middleware nodes with package installer **apt-get** or **yum**:

```
<package installer> install open-xchange-externalcontent-ui
```

2.6.2 Configuration

For details, please see appendix A

/opt/open-xchange/etc/settings/externalcontent.properties (page 14)

2.7 Package open-xchange-oxaas-mail-notify-ws

OXaaS mail over quota servlet bundle This package implements OXaaS mail quota notify servlet which will return an overquota mail via rest api.

Version: 1:1.6.0-3

Type: OX Middleware Plugin

Depends on: open-xchange-cloudplugins (>=1.6.0), open-xchange-core (>=7.8.4), open-xchange-
imap (>=7.8.4), open-xchange-smtp (>=7.8.4)

2.7.1 General Functionality

The plugin is available to everyone that has correctly setup configuration.

List of features implemented by this plugin:

- Configuration for templates are done on a config-cascade base
- `com.openexchange.oxaas.mail.quota.notify.prefix` with default value `notify.oxaas.over.quota`
- The above prefix is used for the templates where each template must have `#{prefix}.#{quotavalue}.[html|subject|text].tmpl` files present.
- Default files are provided for 90% and 100% with the prefix `notify.oxaas.over.quota`.
- `com.openexchange.noreply.address` must be set via config-cascade, otherwise this feature won't work.
- `com.openexchange.oxaas.mail.quota.ignoreFooterImage` can be set via config-cascade to disable footerImage added as attachment to the mail.

2.7.2 Installation

Install on OX middleware nodes with package installer **apt-get** or **yum**:

```
<package installer> install open-xchange-oxaas-mail-notify-ws
```

2.7.3 Configuration

For details, please see appendix A

/opt/open-xchange/etc/oxaas-drive-quota-notification.properties (page 14)

/opt/open-xchange/etc/oxaas-quota-notification-templates.properties (page 14)

2.7.4 Templates

```
/opt/open-xchange/templates/notify.oxaas.over.quota.100.subject.tmpl
/opt/open-xchange/templates/notify.oxaas.over.quota.100.html.tmpl
/opt/open-xchange/templates/notify.oxaas.over.quota.90.subject.tmpl
/opt/open-xchange/templates/notify.oxaas.over.quota.90.html.tmpl
/opt/open-xchange/templates/notify.oxaas.over.quota.90.text.tmpl
/opt/open-xchange/templates/notify.oxaas.over.quota.100.text.tmpl
```

2.8 Package open-xchange-oxaas-mail-unread-ws

OXaaS mail custom mail servlet bundle This package implements OXaaS mail servlet to gather information via rest api.

Version: 1:1.6.0-3

Type: OX Middleware Plugin

Depends on: open-xchange-cloudplugins (>=1.6.0), open-xchange-core (>=7.8.4), open-xchange-
imap (>=7.8.4)

2.8.1 General Functionality

API to fetch the user related unread count for INBOX

List of features implemented by this plugin:

- API is reachable at <http://localhost:8009/preliminary/api/oxaas/mail/unread/<useridentifier>>
- API is secured by oxaas-mail-unread.properties where it is possible to add configuration for each brand that should have this feature enabled
- Set `com.openexchange.oxaas.mail.unread.ws.basic.usernames=hosterone`
- Set `com.openexchange.oxaas.mail.unread.ws.basic.hosterone.brand=internalBrandForhosterone`
- Set `com.openexchange.oxaas.mail.unread.ws.basic.hosterone.password=verySecretPassword`

2.8.2 Installation

Install on OX middleware nodes with package installer **apt-get** or **yum**:

```
<package installer> install open-xchange-oxaas-mail-unread-ws
```

2.8.3 Configuration

For details, please see appendix A

`/opt/open-xchange/etc/oxaas-mail-unread.properties` (page 14)

Find more information about product versions and releases at http://oxpedia.org/wiki/index.php?title=AppSuite:Versioning_and_Numbering and <http://documentation.open-xchange.com/>.

3 Bugs fixed with this Release

This section provides a summary of bug fixes and changes that have been applied subsequently to shipping Release 1.4.1. Some of the announced bug fixes may have already been fixed at the

existing code-base via Patch Releases.

51625 [L3] unable to use "+" in user passwords

Resolution: FIXED

OXTN: 2017021010000427, 2017021310000145

Affected Packages: open-xchange-cloudplugins

Jira CP-48 configuration files containing passwords are readable by all system users

Status: Done

Affected Packages: open-xchange-cloudplugins

Jira CP-46 local authentication failure without ldap binding

Status: Done

Affected Packages: open-xchange-cloudplugins

Jira CP-49 Remove default passwords from configuration files

Status: Done

Affected Packages: open-xchange-cloudplugins

open-xchange-cloudplugins-blackwhitelist-ldap

Jira CP-33 Bug: property com.openexchange.cloudplugins.pool.timeout is not used

Status: Done

Affected Packages: open-xchange-cloudplugins

Jira OBS-45 Change user identifier after creation

Status: Done

Affected Packages: open-xchange-cloudplugins

Labels: devprodstaging

4 Changes relevant for Operators

4.1 Changes of Configuration Files

Change #1 /opt/open-xchange/etc/cloudplugins-blackwhitelist-ldap.properties

```
-com.openexchange.cloudplugins.blackwhitelist.connector.ldap.passwd=appsuite  
+com.openexchange.cloudplugins.blackwhitelist.connector.ldap.passwd=
```

Package: open-xchange-cloudplugins-blackwhitelist-ldap

Change #2 /opt/open-xchange/etc/cloudplugins-cassandra.properties

```
-com.openexchange.cloudplugins.cassandraHost = 127.0.0.1  
-com.openexchange.cloudplugins.cassandraPort = 9042
```

Package: open-xchange-cloudplugins

Change #3 /opt/open-xchange/etc/cloudplugins.properties

```
+com.openexchange.cloudplugins.passwordcheck.ldapbind=true
```

Package: open-xchange-cloudplugins

Change #4 /opt/open-xchange/etc/doveadm-config.properties


```
-com.openexchange.cloudplugins.dovecot.apiSecret=secret  
+com.openexchange.cloudplugins.dovecot.apiSecret=
```

Package: open-xchange-cloudplugins

Change #5 /opt/open-xchange/etc/cloudplugins-unifiedquota.properties

(FILE REMOVED)

Package: open-xchange-cloudplugins

4.2 Changes of Behaviour

Change #Jira MW-482 As a developer, I would like to access HTTP request query parameters in AuthenticationService implementations

Status: Done

Affected Packages: open-xchange-cloudplugins

Change #Jira CP-17 OXaaS quota backend service implementation

Status: Done

Affected Packages: open-xchange-cloudplugins

Change #Jira MW-602 Make SMS service SPI multi-tenant capable

Status: Done

Source Directory: com.openexchange.cloudplugins.sms.twilio

Change #Jira CP-21 Improve master auth responses

Status: Done

Affected Packages: open-xchange-cloudplugins

Change #Jira CP-20 Feature Request: import password hashes

Status: Done

Affected Packages: open-xchange-cloudplugins

Change #Jira MW-442 OXaaS quota backend service implementation

Status: Done

Affected Packages: open-xchange-cloudplugins

Change #Jira CP-34 local authentication without ldap.bind and reduced authentication connections

Status: Done

Affected Packages: open-xchange-cloudplugins

5 Tests

Not all defects that got resolved could be reproduced within the lab. Therefore, we advise guided and close monitoring of the reported defect when deploying to a staging or production environment. Defects which have not been fully verified, are marked as such.

To avoid side effects, the shipped packages have gone through automated regression test on both, a Continuous Integration System and a dedicated server set-up for system and integration testing. All changes have been checked for potential side-effects and effect on behaviour. Unless explicitly stated within this document, we do not expect any side-effects.

6 Fixed Bugs

51625, Jira CP-48, Jira CP-46, Jira CP-49, Jira CP-33, Jira OBS-45,

A Configuration Files

File 1 /opt/open-xchange/etc/settings/aps2-upsell.yml

```
1 # Signal Upsell availability for certain capabilities
2 io.ox/core//upsell:
3   enabled:
4     active_sync: true
5     webmail: true
6     tasks: true
7     portal: true
8     infostore: true
9     contacts: true
10    calendar: true
11    guard: true
12    messenger: true
13    text: true
14
15 # Put in teaser texts in sidebars for certain capabilities
16
17 com.parallels/aps2/upsell//teaser/sidebars:
18   mail:
19     active_sync:
20       capability: active_sync
21       teaser_en_US: Sync with your phone
22       teaser_de_DE: Synchronisation mit Ihrem Telefon
23     guard:
24       capability: guard
25       teaser_en_US: Protect your mails
26       teaser_de_DE: Beschützen Sie Ihre E-Mails
27     space:
28       capability: always
29       teaser_en_US: Get more storage
30       teaser_de_DE: Holen Sie sich mehr Speicherplatz
31   contacts:
32     active_sync:
33       capability: active_sync
34       teaser_en_US: Sync with your phone
35       teaser_de_DE: Synchronisation mit Ihrem Telefon
36   calendar:
37     active_sync:
38       capability: active_sync
39       teaser_en_US: Sync with your phone
40       teaser_de_DE: Synchronisation mit Ihrem Telefon
41   tasks:
42     active_sync:
43       capability: active_sync
44       teaser_en_US: Sync with your phone
45       teaser_de_DE: Synchronisation mit Ihrem Telefon
46   drive:
47     guard:
48       capability: guard
49       teaser_en_US: Protect your files
50       teaser_de_DE: Beschützen Sie Ihre Dateien
51     text:
52       capability: text
53       teaser_en_US: Edit files in your browser
54       teaser_de_DE: Bearbeiten Sie Dateien direkt im Browser
55     space:
56       capability: always
57       teaser_en_US: Get more storage
58       teaser_de_DE: Holen Sie sich mehr Speicherplatz
```

File 2 /opt/open-xchange/etc/plugin/mailstore-cloudplugins.properties

```
1 MAILSTORE_CLOUD_STORAGE=com.openexchange.admin.cloudplugins.storage.mysqlStorage.  
MailstoreCloudMySQLStorage
```

File 3 /opt/open-xchange/etc/cloudplugins-authentication.properties

```
1 # Regex to validate host HTTP Header value  
2 com.openexchange.authentication.cloudplugins.host.regex= [0-9a-zA-Z.]*  
3  
4 #Regex to validate user name  
5 com.openexchange.authentication.cloudplugins.user.regex= [0-9a-zA-Z.@]*  
6  
7 # Setting to control the start of the own authenticationService  
8 # Default: true  
9 com.openexchange.authentication.cloudplugins.enableauthentication=true
```

File 4 /opt/open-xchange/etc/cloudplugins-master-auth-servlet.properties

```
1 #  
2 # login name of httpauth user to access the master auth api  
3 #  
4 com.openexchange.cloudplugins.master.auth.httpauth.login=  
5  
6 #  
7 # password of httpauth user  
8 #  
9 com.openexchange.cloudplugins.master.auth.httpauth.password=
```

File 5 /opt/open-xchange/etc/cloudplugins-cassandra.properties

```
1 # turn on/off cassandra integration  
2 # possible values: true/false  
3 com.openexchange.cloudplugins.useCassandra = false  
4  
5 # keyspace to use in cassandra  
6 com.openexchange.cloudplugins.cassandraKeyspace = ox  
7  
8 # comma separated list of brands which logins should be recorded to cassandra  
9 com.openexchange.cloudplugins.cassandra.loginrecorder.remoteipfor.brands=  
10  
11 # comma separated list of brands where alias creation and deletion time should be recorded  
12 # to cassandra  
com.openexchange.cloudplugins.cassandra.loginrecorder.createdeletealias.brands=
```

File 6 /opt/open-xchange/etc/cloudplugins.properties

```
1  
2 # ldap url for read access  
3 com.openexchange.cloudplugins.read.ldapurl=ldap://localhost:389  
4  
5 # admin dn for read access  
6 com.openexchange.cloudplugins.read.binddn=cn=oxadmin,o=oxcs
```

```
7
8 # admin dn password for read access
9 com.openexchange.cloudplugins.read.bindpassword=
10
11 # ldap url for write access
12 com.openexchange.cloudplugins.write.ldapurl=ldap://localhost:389
13
14 # admin dn for write
15 com.openexchange.cloudplugins.write.binddn=cn=oxadmin,o=oxcs
16
17 # admin dn password for write access
18 com.openexchange.cloudplugins.write.bindpassword=
19
20 # tree for brands
21 com.openexchange.cloudplugins.branddn=ou=brands,o=oxcs
22
23 # tree for other stuff like mailstores
24 com.openexchange.cloudplugins.configdn=ou=config,o=oxcs
25
26 # tree for contexts
27 com.openexchange.cloudplugins.contextdn=ou=contexts,o=oxcs
28
29 # password for doveadm service
30 com.openexchange.cloudplugins.doveadmPassword=
31
32 # This timeout only works since Java 6 SE to time out waiting for a response.
33 com.openexchange.cloudplugins.read.timeout=10000
34
35 # Algorithm to use to encrypt passwords
36 # valid values are: SSHA and SSHA-384
37 com.openexchange.cloudplugins.password.algorithm=SSHA
38
39 # how long should the random salts be
40 com.openexchange.cloudplugins.password.algorithm.saltlength=64
41
42 # HTTP Header from which the brand name is fetched
43 com.openexchange.cloudplugins.header=host
44
45 # can a user change the password without providing the old one?
46 # default is false
47 com.openexchange.capability.password.change.without.old.password=false
48
49 # use ldapbind as password verification (true) or retrieve password digest from
50 # ldap using provided read credentials and do the check locally (false)
51 # NOTE: local password check only works when setting
52 com.openexchange.cloudplugins.password.algorithm to SSHA or SSHA384
53 # and all existing users must have the userPassword encoded with any of those mechanisms.
54 com.openexchange.cloudplugins.passwordcheck.ldapbind=true
55
56 # Comma separated list of brands that where aliases should be moved into deleted tree
57 com.openexchange.cloudplugins.store.deleted.alias.brands=
58
59 # jndi ldap pool configuration
60 # see http://docs.oracle.com/javase/jndi/tutorial/ldap/connect/config.html for more
61 # information
62 com.openexchange.cloudplugins.pool=true
63 com.openexchange.cloudplugins.pool.initsize=1
64 com.openexchange.cloudplugins.pool.maxsize=20
65 com.openexchange.cloudplugins.pool.prefsize=10
66 com.openexchange.cloudplugins.pool.timeout=300000
67 com.openexchange.cloudplugins.pool.protocol=plain
68
69 # Allowed encryption methods for LDAP userPassword
70 # internal default: MD5,SHA,CRYPT,SSHA,SSHA384
71 com.openexchange.cloudplugins.setPasswordHash.allowedMethods=MD5,SHA,CRYPT,SSHA,SSHA384
```

File 7 /opt/open-xchange/etc/doveadm-config.properties

```
1 # Api secret
2 com.openexchange.cloudplugins.dovecot.apiSecret=
3
4 # Dovecot port
5 com.openexchange.cloudplugins.dovecot.port=8080
6
7 # Protocol to use
8 com.openexchange.cloudplugins.dovecot.protocol=http://
9
10 # Dovecot host
11 com.openexchange.cloudplugins.dovecot.host=localhost
12
13 # Path to dovecot commands
14 com.openexchange.cloudplugins.dovecot.path=/doveadm/v1
15
16 # How many contexts per request should be transmitted
17 com.openexchange.cloudplugins.dovecot.contextChunks=100
18
19 # Max number of http connections
20 com.openexchange.cloudplugins.dovecot.maxConnections=100
21
22 # Max number of http connections per host
23 com.openexchange.cloudplugins.dovecot.maxConnectionsPerHost=100
24
25 # The connection timeout in milliseconds
26 com.openexchange.cloudplugins.dovecot.connectionTimeout=5000
27
28 # The socket read timeout in milliseconds
29 com.openexchange.cloudplugins.dovecot.socketReadTimeout=15000
```

File 8 /opt/open-xchange/etc/nginx-auth-servlet.properties

```
1 # Regex to validate brandName value
2 com.openexchange.cloudplugins.nginx.auth.servlet.brandName.regex= [0-9a-zA-Z.]*
3
4 # Regex to validate user name
5 com.openexchange.cloudplugins.nginx.auth.servlet.uid.regex= [0-9a-zA-Z.@]*
```

File 9 /opt/open-xchange/etc/cloudplugins-aps2-upsell.properties

```
1 com.openexchange.cloudplugins.aps2.upsell.apiEndpoint=
2 com.openexchange.cloudplugins.aps2.upsell.apiClientId=
3 com.openexchange.cloudplugins.aps2.upsell.apiClientToken=
4
5 com.openexchange.cloudplugins.aps2.upsell.featureLevels=webmail, basic, advanced, pro
6 com.openexchange.cloudplugins.aps2.upsell.features=webmail, portal, contacts, calendar,
7     tasks, activeSync, documents, guard, messenger
8
9 com.openexchange.cloudplugins.aps2.upsell.names.featureLevel.webmail.en_US=Bronze
10 com.openexchange.cloudplugins.aps2.upsell.names.featureLevel.basic.en_US=Silver
11 com.openexchange.cloudplugins.aps2.upsell.names.featureLevel.advanced.en_US=Gold
12 com.openexchange.cloudplugins.aps2.upsell.names.featureLevel.pro.en_US=Platinum
13
14 com.openexchange.cloudplugins.aps2.upsell.names.featureLevel.webmail.de_DE=Bronze
15 com.openexchange.cloudplugins.aps2.upsell.names.featureLevel.basic.de_DE=Silber
16 com.openexchange.cloudplugins.aps2.upsell.names.featureLevel.advanced.de_DE=Gold
17 com.openexchange.cloudplugins.aps2.upsell.names.featureLevel.pro.de_DE=Platinum
18
19
20 com.openexchange.cloudplugins.aps2.upsell.names.features.webmail.en_US=Mail
21 com.openexchange.cloudplugins.aps2.upsell.names.features.portal.en_US=Portal
```

```

22 com.openexchange.cloudplugins.aps2.upsell.names.features.contacts.en_US=Address Book
23 com.openexchange.cloudplugins.aps2.upsell.names.features.calendar.en_US=Calendar
24 com.openexchange.cloudplugins.aps2.upsell.names.features.tasks.en_US=Tasks
25 com.openexchange.cloudplugins.aps2.upsell.names.features.activeSync.en_US=Active Sync
26 com.openexchange.cloudplugins.aps2.upsell.names.features.documents.en_US=Documents
27 com.openexchange.cloudplugins.aps2.upsell.names.features.guard.en_US=Guard
28 com.openexchange.cloudplugins.aps2.upsell.names.features.messenger.en_US=Messenger
29
30
31 com.openexchange.cloudplugins.aps2.upsell.names.features.webmail.de_DE=E-Mail
32 com.openexchange.cloudplugins.aps2.upsell.names.features.contacts.de_DE=Adressbuch
33 com.openexchange.cloudplugins.aps2.upsell.names.features.calendar.de_DE=Kalender
34 com.openexchange.cloudplugins.aps2.upsell.names.features.tasks.de_DE=Aufgaben
35 com.openexchange.cloudplugins.aps2.upsell.names.features.activeSync.de_DE=Mobile
    Synchronisation
36 com.openexchange.cloudplugins.aps2.upsell.names.features.documents.de_DE=Online Office

```

File 10 /opt/open-xchange/etc/cloudplugins-blackwhitelist-ldap.properties

```

1 # Identifier of this blackwhitelist connector: cloudplugins_blackwhitelist_ldap
2 # ldap uri
3 com.openexchange.cloudplugins.blackwhitelist.connector.ldap.uri=remote.url.for.ldap
4
5 # ldap port
6 com.openexchange.cloudplugins.blackwhitelist.connector.ldap.port=389
7
8 # ldap user
9 com.openexchange.cloudplugins.blackwhitelist.connector.ldap.user=cn=oxadmin,o=oxcs
10
11 # ldap password
12 com.openexchange.cloudplugins.blackwhitelist.connector.ldap.passwd=
13
14 # ldap base, can be empty
15 com.openexchange.cloudplugins.blackwhitelist.connector.ldap.base=ou=lists,o=oxcs
16
17 # ldap search filter
18 # possible template values {{usercontext}}
19 # usercontext is build as 'userid + "@" + contextid'
20 com.openexchange.cloudplugins.blackwhitelist.connector.ldap.searchFilter=
    oxLocalMailrecipient={{usercontext}}
21
22 # ldap DN to create when an entry is missing
23 # possible template values {{usercontext}}, {{brand}}
24 # usercontext is build as 'userid + "@" + contextid'
25 # brand is searched from default LDAP
26 com.openexchange.cloudplugins.blackwhitelist.connector.ldap.user.dn=oxLocalMailrecipient
    ={{usercontext}},bn={{brand}},ou=lists,o=oxcs
27
28 # ldap maximum pool size
29 com.openexchange.cloudplugins.blackwhitelist.connector.ldap.pool.size=10
30
31 # ldap max requests before connection is closed
32 # can be set to -1 to be disabled
33 com.openexchange.cloudplugins.blackwhitelist.connector.ldap.pool.max.requests=2000
34
35 # ldap max lifetime in seconds for each connection in the pool
36 com.openexchange.cloudplugins.blackwhitelist.connector.ldap.pool.max.lifetime=120
37
38 # config to enable LDAP SSL connection over ldaps
39 com.openexchange.cloudplugins.blackwhitelist.connector.ldap.useSSL=false
40
41 # Setting to check if memory backed test mock should be started
42 # This connector is identified by cloudplugins.blwl.test
43 # Default: false
44 com.openexchange.cloudplugins.blackwhitelist.connector.ldap.test=false

```

File 11 /opt/open-xchange/etc/cloudplugins-saml.properties

```

1  # The properties for cloud setup SAML bundle
2
3  ### General settings
4  #####
5
6  # This setting is used to disable other authentication strategies and will internally
   register a DisabledAuthenticationService
7  # Default: false
8  com.openexchange.cloudplugins.saml.disableOtherAuthentication=false
9
10 # The id inside the saml response which holds the user information
11 com.openexchange.cloudplugins.saml.id="default_id"
12
13 # URL of where the users are redirected after logout
14 com.openexchange.cloudplugins.saml.logout.redirect.url="https://www.google.com"
15
16 # Regex to validate host HTTP Header value
17 com.openexchange.cloudplugins.saml.host.regex=[0-9a-zA-Z.]*
18
19 # Regex to validate user name
20 com.openexchange.cloudplugins.saml.user.regex=[0-9a-zA-Z.@]*
21
22 # The domain to use for OXaaS LDAP authentication operations.
23 # Uses the host name when empty or not set.
24 com.openexchange.cloudplugins.saml.domain=
25
26 # The URL to redirect to in case the SAML back-end fails to look up the authenticated user
27 # When left empty or not set, an HTTP 500 error page is sent instead.
28 com.openexchange.cloudplugins.saml.failure.redirect=
29
30
31
32 ### Key-store/certificate settings
33 #####
34
35 # The full path to a Java keystore containing the IdPs certificate.
36 #
37 # Default: <empty>
38 com.openexchange.cloudplugins.saml.keyStore=
39
40 # Password to open the keystore.
41 #
42 # Default: <empty>
43 com.openexchange.cloudplugins.saml.keyStorePass=
44
45 # The alias of the IdP certificate entry within the above specified
46 # keystore.
47 #
48 # Default: <empty>
49 com.openexchange.cloudplugins.saml.certAlias=
50
51 # The alias of the signingKey entry within the above specified
52 # keystore.
53 #
54 # Default: <empty>
55 com.openexchange.cloudplugins.saml.signingKeyAlias=
56
57 # The password of the signingKey entry within the above specified
58 # keystore.
59 #
60 # Default: <empty>
61 com.openexchange.cloudplugins.saml.signingKeyPassword=
62
63 # The alias of the decryptionKey entry within the above specified
64 # keystore.
65 #
66 # Default: <empty>
67 com.openexchange.cloudplugins.saml.decryptionKeyAlias=

```

```
68
69 # The password of the decryptionKey entry within the above specified
70 # keystore.
71 #
72 # Default: <empty>
73 com.openexchange.cloudplugins.saml.decryptionKeyPassword=
```

File 12 /opt/open-xchange/etc/settings/externalcontent.properties

```
1 io.ox.externalcontent//widget/widgetName=External Content
2 io.ox.externalcontent//widget/widgetName.en_GB=
3 io.ox.externalcontent//widget/widgetName.de_DE=
```

File 13 /opt/open-xchange/etc/oxaas-drive-quota-notification.properties

```
1 # Config-cascade aware setting to control the quotas that should be monitored
2 com.openexchange.oxaas.mail.quota.drive.quotas=90,100
3
4 # Config-cascade aware setting to control if the admin should also receive a mail, in case
   the filestore is context-wide
5 com.openexchange.oxaas.mail.quota.drive.updateAdmin=false
6
7 # Config-cascade aware setting to control how often a mail should be sent
8 # Default is 86400 (1 day)
9 # Set to 0 to ignore that and always send a new mail
10 com.openexchange.oxaas.mail.quota.drive.mail.seconds=86400
```

File 14 /opt/open-xchange/etc/oxaas-quota-notification-templates.properties

```
1 # Config cascade-aware property to control the prefix of the users templates
2 # For each prefix and each user configured percentage
3 com.openexchange.oxaas.mail.quota.notify.prefix=notify.oxaas.over.quota
```

File 15 /opt/open-xchange/etc/oxaas-mail-unread.properties

```
1 # Value holding the usernames for basic authentication
2 # must be the username for basic auth split by ,
3 # e.g hosterone,hostertwo
4 com.openexchange.oxaas.mail.unread.ws.basic.usernames=
5
6 # Setting to control basic auth username
7 # example would be com.openexchange.oxaas.mail.unread.ws.basic.hosterone.brand=
   internalBrandForhosterone
8 #com.openexchange.oxaas.mail.unread.ws.basic.[username].brand=
9
10 # Setting to control basic auth password
11 # example would be com.openexchange.oxaas.mail.unread.ws.basic.hosterone.password=
   verySecretPassword
12 #com.openexchange.oxaas.mail.unread.ws.basic.[username].password=
```