



Mobile API Facade
Release Notes for Release 1.0.6

2018-03-15

Copyright notice

©2018 by OX Software GmbH. All rights reserved. Open-Xchange and the Open-Xchange logo are trademarks or registered trademarks of Open-Xchange AG. All other company and/or product names may be trademarks or registered trademarks of their owners. Information contained in this document is subject to change without notice.

Contents

1	General Information	2
2	Shipped Product and Version	2
3	Bugs fixed with this Release	2
4	Changes relevant for Operators	2
4.1	Changes of Behaviour	2
5	Changes relevant for Developers	2
5.1	Changes of the HTTP API	2
6	Tests	2
7	Fixed Bugs	3

1 General Information

none

2 Shipped Product and Version

Mobile API Facade 1.0.6

Find more information about product versions and releases at http://oxpedia.org/wiki/index.php?title=AppSuite:Versioning_and_Numbering and <http://documentation.open-xchange.com/>.

3 Bugs fixed with this Release

This section provides a summary of bug fixes and changes that have been applied .

57336 Client id in middleware ending with dash when apps provide empty string as client id

Bug impact and solution description;On login when the apps provide an empty string (instead of null) as client ID, the facade uses the client ID "open-xchange-mobile-api-facade-" against the middleware. Note the dash at the end of the string. The client ID should be "open-xchange-mobile-api-facade".

OMFACADE-439 Handle possible null value

Coverity found a potential problem in null handling when parsing a response from a weakforce server. We added a check for null and throw a proper error.

4 Changes relevant for Operators

4.1 Changes of Behaviour

Change #OMFACADE-431 Distinguish brandings when force upgrading

When customers have different brands of the OX Mail app that run against the same server its now possible to force upgrades of them undependently of each other. See https://oxpedia.org/wiki/index.php?title=AppSuite:OX_Facade for configuration details.

5 Changes relevant for Developers

5.1 Changes of the HTTP API

Change #OMFACADE-437 Endpoint to return all accounts with data

Change #OMFACADE-438 Unsubscribe from Push on Logout

Its possible to run into a race condition when the is first unsubscribed from push and later logged out. We mitigated this by including the needed push information into the logout endpoint.

6 Tests

Open-Xchange has successfully verified all bug fixes that could be reproduced within a lab environment.

To avoid side effects, the shipped packages have gone through automated regression test on both, a Continuous Integration System and a dedicated server set-up for system and integration testing. All changes have been checked for potential side-effects and effect on behaviour. Unless explicitly stated within this document, we do not expect any side-effects.

7 Fixed Bugs

57336, OMFACADE-439,