



OX App Suite Engineering Services Plugins  
**Release Notes for Release 1.6.2**  
2021-02-10

## Copyright notice

---

©2021 by OX Software GmbH. All rights reserved. Open-Xchange and the Open-Xchange logo are trademarks or registered trademarks of OX Software GmbH. All other company and/or product names may be trademarks or registered trademarks of their owners. Information contained in this document is subject to change without notice.

# Contents

- 1 General Information** **4**
- 1.1 Warnings 4
- 1.2 Delivery Comment 4
- 1.3 Install Package Repository 4
- 1.4 Build Dependencies 4
- 1.5 Notice 4
- 2 Group Contact Storage** **5**
- 2.1 Installation and Configuration 5
- 2.2 Group Folders 5
- 2.3 Global Address Book 6
- 3 Session based ownCloud File Storage** **6**
- 3.1 Installation and Configuration 6
- 4 Shipped Packages and Version** **7**
- 4.1 Package open-xchange-appsuite-alternative-login-screen 7
- 4.1.1 Installation 7
- 4.1.2 Configuration 7
- 4.2 Package open-xchange-appsuite-appcontrol-dropdown-links 8
- 4.2.1 General Functionality 8
- 4.2.2 Prerequisites 8
- 4.2.3 Installation 8
- 4.2.4 Configuration 8
- 4.3 Package open-xchange-appsuite-blackwhitelist 9
- 4.3.1 Installation 9
- 4.3.2 Configuration 9
- 4.4 Package open-xchange-appsuite-dumpster 9
- 4.4.1 General Functionality 9
- 4.4.2 Usage 9
- 4.4.3 Prerequisites 9
- 4.4.4 Changes to Core Functionality 9
- 4.4.5 Installation 10
- 4.4.6 Configuration 10
- 4.5 Package open-xchange-appsuite-external-content-popup 10
- 4.5.1 Description 10
- 4.5.2 Installation 10
- 4.5.3 Configuration 10
- 4.6 Package open-xchange-appsuite-gdpr 10
- 4.6.1 Installation 10
- 4.7 Package open-xchange-appsuite-login-links 11
- 4.7.1 General Functionality 11
- 4.7.2 Configuration 11
- 4.7.3 Prerequisites 11
- 4.7.4 Installation 11
- 4.8 Package open-xchange-appsuite-mandatory-wizard 11
- 4.8.1 General Functionality 11
- 4.8.2 Installation 11
- 4.8.3 Configuration 12
- 4.9 Package open-xchange-appsuite-minimal-api-app 12
- 4.9.1 Specification 12
- 4.9.2 Installation 12
- 4.9.3 Configuration 12
- 4.10 Package open-xchange-appsuite-minimal-api-consent 12
- 4.10.1 Specification 12
- 4.10.2 Installation 13
- 4.10.3 Configuration 13

4.11 Package open-xchange-appsuite-onboarding-qrcode . . . . .	13
4.11.1 General Functionality . . . . .	13
4.11.2 Installation . . . . .	13
4.11.3 Configuration . . . . .	13
4.12 Package open-xchange-appsuite-unsubscribe . . . . .	13
4.12.1 General Functionality . . . . .	14
4.12.2 Prerequisites . . . . .	14
4.13 Unsubscribe Modes . . . . .	14
4.14 Providers/Adapters . . . . .	14
4.14.1 Installation . . . . .	14
4.14.2 Configuration . . . . .	14
4.15 Package open-xchange-authentication-masterpassword . . . . .	14
4.15.1 Installation . . . . .	15
4.15.2 Configuration . . . . .	15
4.16 Package open-xchange-ldap-client . . . . .	15
4.16.1 Installation . . . . .	15
4.16.2 Configuration . . . . .	15
4.17 Package open-xchange-metrics-http . . . . .	15
4.17.1 General Functionality . . . . .	15
4.17.2 Installation . . . . .	16
4.17.3 Configuration . . . . .	16
4.18 Package open-xchange-metrics-imap . . . . .	16
4.18.1 General Functionality . . . . .	16
4.18.2 Installation . . . . .	16
4.18.3 Configuration . . . . .	17
4.19 Package open-xchange-minimal-api . . . . .	17
4.19.1 General Functionality . . . . .	17
4.19.2 Installation . . . . .	17
4.19.3 Configuration . . . . .	17
4.20 Package open-xchange-minimal-api-calendar . . . . .	17
4.20.1 General Functionality . . . . .	17
4.20.2 Installation . . . . .	17
4.21 Package open-xchange-minimal-api-jwt . . . . .	18
4.21.1 General Functionality . . . . .	18
4.21.2 Installation . . . . .	18
4.22 Package open-xchange-minimal-api-mail . . . . .	18
4.22.1 General Functionality . . . . .	18
4.22.2 Installation . . . . .	18
4.23 Package open-xchange-plugins-antiphishing . . . . .	19
4.23.1 General Functionality . . . . .	19
4.23.2 Installation . . . . .	19
4.23.3 Configuration . . . . .	19
4.24 Package open-xchange-plugins-antiphishing-vadesecure . . . . .	19
4.24.1 General Functionality . . . . .	19
4.24.2 Installation . . . . .	20
4.24.3 Configuration . . . . .	20
4.25 Package open-xchange-plugins-blackwhitelist . . . . .	20
4.25.1 Installation . . . . .	20
4.25.2 Configuration . . . . .	21
4.26 Package open-xchange-plugins-blackwhitelist-sieve . . . . .	21
4.26.1 Installation . . . . .	21
4.26.2 Configuration . . . . .	21
4.27 Package open-xchange-plugins-contact-storage-group . . . . .	21
4.27.1 Installation . . . . .	21
4.27.2 Configuration . . . . .	21
4.28 Package open-xchange-plugins-contact-whitelist-sync . . . . .	21
4.28.1 Installation . . . . .	22
4.28.2 Configuration . . . . .	22

4.29 Package open-xchange-plugins-nextcloud-oauth-session . . . . .	22
4.29.1 Installation . . . . .	22
4.29.2 Configuration . . . . .	22
4.30 Package open-xchange-plugins-onboarding-maillogin . . . . .	22
4.30.1 General Functionality . . . . .	23
4.30.2 Installation . . . . .	23
4.30.3 Configuration . . . . .	23
4.31 Package open-xchange-plugins-owncloud-oauth-session . . . . .	23
4.31.1 Installation . . . . .	23
4.31.2 Configuration . . . . .	24
4.32 Package open-xchange-plugins-unsubscribe . . . . .	24
4.32.1 General Functionality . . . . .	24
4.32.2 Installation . . . . .	24
4.32.3 Configuration . . . . .	24
4.33 Package open-xchange-plugins-unsubscribe-vadesecure . . . . .	24
4.33.1 General Functionality . . . . .	25
4.33.2 Installation . . . . .	26
4.33.3 Configuration . . . . .	26
4.34 Package open-xchange-sms-twilio . . . . .	26
4.34.1 Installation . . . . .	26
4.34.2 Configuration . . . . .	26
4.35 Package open-xchange-sql-client . . . . .	26
4.35.1 General Functionality . . . . .	26
4.35.2 Installation . . . . .	27
4.35.3 Configuration . . . . .	27
4.36 Package open-xchange-util-imap . . . . .	27
4.36.1 Installation . . . . .	27

**A Configuration Files 27**

## 1 Shipped Product and Version

OX App Suite Engineering Services Plugins 1.6.2

Find more information about product versions and releases at [http://oxpedia.org/wiki/index.php?title=AppSuite:Versioning\\_and\\_Numbering](http://oxpedia.org/wiki/index.php?title=AppSuite:Versioning_and_Numbering) and <http://documentation.open-xchange.com/>.

## 2 Changes relevant for Operators

### 2.1 Changes of Configuration Files

#### Change #1 /opt/open-xchange/etc/nextcloud\_oauth.properties

```
+com.openexchange.plugins.file.storage.nextcloud.oauth.webdav.url=  
+com.openexchange.plugins.file.storage.nextcloud.oauth.displayName=Nextcloud  
+com.openexchange.capability.filestorage_nextcloud_oauth=  
+com.openexchange.capability.filestorage_nextcloud=
```

Package: open-xchange-plugins-nextcloud-oauth-session

### 2.2 Changes of Behavior

#### Change #PLG-152 Add dependency from minimal-api-app to minimal-api-consent package

Status: Done

Resolution: Fixed

Components: minimal-api

Affected Packages: open-xchange-appsuite-minimal-api-app

#### Change #PLG-155 New package signing key

Open-Xchange updated the package build signing key algorithm and key length.



##### Info

Mixed packages, signed with either new or old package key, can be installed in parallel once the new key has been imported. Please see follow documentation for how to import the new key:

[https://www.oxpedia.org/wiki/index.php?title=Importing\\_OX\\_Buildkey](https://www.oxpedia.org/wiki/index.php?title=Importing_OX_Buildkey)

Status: Done

Resolution: Done

Source Directory: plugins-packages

#### Change #PLG-157 documentation: add template to contact info

Status: Done

Resolution: Done

Source Directory: documentation

#### Change #PLG-161 Enable automatic session based account creation also for nextcloud

Status: Done

Resolution: Done

Affected Packages: open-xchange-plugins-nextcloud-oauth-session

open-xchange-plugins-owncloud-oauth-session

#### Change #PLG-162 Use the new popup synchronization API

The package open-xchange-appsuite-onboarding-qr-code has been marked as deprecated for Core 7.10.5.

Status: Done

Resolution: Done

Components: external-content-popup

Affected Packages: open-xchange-appsuite-external-content-popup

### **Change #PLG-163 Deprecate o-x-appsuite-onboarding-qrcode starting with 7.10.5**

Since 7.10.5, the functionality of the open-xchange-appsuite-onboarding-qrcode plugin is included in the core OX App Suite UI. The plugin is therefore deprecated and conflicts with OX App Suite version 7.10.5 and later.

#### **Info**

Please uninstall the packages open-xchange-appsuite-onboarding-qrcode and open-xchange-appsuite-onboarding-qrcode-static when upgrading OX App Suite to 7.10.5 or to any later version.

Status: Done

Resolution: Done

Components: onboarding-qrcode

Affected Packages: open-xchange-appsuite-onboarding-qrcode

### **Change #PLG-166 appcontrol dropdown plugin needs adjustments for 7.10.5**

Status: Done

Resolution: Done

Affected Packages: open-xchange-appsuite-appcontrol-dropdown-links

## **3 Tests**

To avoid side effects, the shipped packages have gone through automated regression test on both, a Continuous Integration System and a dedicated server set-up for system and integration testing. All changes have been checked for potential side-effects and effect on behavior. Unless explicitly stated within this document, we do not expect any side-effects.

### **3.1 Test Report**

#### **Test T1683957 Check background image (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

Alternative Loginscreen changes this three points: - Background image - Button "Learn More" - Rename "User name" field to "Email" Configured are those in the as-config.yml

#### **Test T1683958 Check button "Learn More..." (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

#### **Test T1683959 Check field "Username" is named "Email" (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

#### **Test T1683960 Change host filter in as-config (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

The alternative login is shown on all configured hosts (or all when using "host: all"). This is configured in the as-config.yml

#### **Test T1683961 Installation and Configuration (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

#### **Test T1683966 Installation and Configuration (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

**Test T1683967 Reject own address (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

[Jira ES-20](#)[Jira ES-25](#)**Test T1683968 Add/remove address (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

[Jira ES-19](#)[Jira ES-21](#)[Jira ES-23](#)[Jira ES-24](#)[Jira ES-26](#)[Jira ES-28](#)[Jira ES-29](#)**Test T1683969 Custom rule name (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

[Jira ES-18](#)[Jira ES-22](#)**Test T1683970 Edit entry (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

[Jira ES-27](#)[Jira ES-80](#)**Test T1683971 Change mail spam handling (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

[Jira ES-132](#)**Test T1683972 Installation and Configuration (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

**Test T1683973 Reject own address (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

[Jira ES-20](#)[Jira ES-25](#)**Test T1683974 Add/remove address (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

[Jira ES-19](#)[Jira ES-21](#)[Jira ES-23](#)[Jira ES-24](#)[Jira ES-26](#)[Jira ES-28](#)[Jira ES-29](#)**Test T1683975 Edit entry (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

[Jira ES-27](#)[Jira ES-80](#)**Test T1683976 Setup a default/test configuration for SMS(Twilio) integration with OX (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

For user story

[Jira ES-93](#) Setup test configuration for SMS(Twilio) integration with OX



**Test T1683977 OX SMS (Twilio) sending functionality to cell phone for Device Setup (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

[Jira ES-93](#) OX sms sending functionality to cell phone for device Setup

**Test T1683978 Installation (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

[Jira PLG-17](#)

**Test T1683979 Configuration (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

**Test T1683980 Testing MBeans statistics (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

**Test T1683981 Configuration of custom login displayed in onboarding wizard (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

[Jira ES-237](#)

**Test T1683982 Configuration option login (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

**Test T1683983 Configuration option login\_name (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

**Test T1683984 Configuration option email (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

**Test T1683985 Configuration option attr (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

**Test T1683986 Recover deleted mail (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

**Test T1683987 Installation and Configuration (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

**Test T1683988 Installation and Configuration (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

[Link](#)

**Test T1683989 Test with example app (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

[Jira PLG-39](#)

**Test T1683990 Test with Postman (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

- Test T1683991** 3rd party consent settings (plugins-1.6.2-rev3\_(with\_7.10.5))  
Status: Passed  
[Jira PLG-40](#)
- Test T1683992** Set default consent (plugins-1.6.2-rev3\_(with\_7.10.5))  
Status: Passed  
[Jira PLG-39](#)
- Test T1683993** Installation and Configuration (plugins-1.6.2-rev3\_(with\_7.10.5))  
Status: Passed  
[Link](#)
- Test T1683994** Native Buttons (plugins-1.6.2-rev3\_(with\_7.10.5))  
Status: Passed  
[Link](#) "Native" Buttonname means this button comes with the window and not via injection on html.
- Test T1683995** Show external content popup on every login (plugins-1.6.2-rev3\_(with\_7.10.5))  
Status: Passed  
[Jira PLG-92](#)
- Test T1683996** Disable the first step (plugins-1.6.2-rev3\_(with\_7.10.5))  
Status: Passed
- Test T1683997** Display external content popup (plugins-1.6.2-rev3\_(with\_7.10.5))  
Status: Passed
- Test T1683998** Multiple languages (plugins-1.6.2-rev3\_(with\_7.10.5))  
Status: Passed
- Test T1683999** Show external content popup on mobile (plugins-1.6.2-rev3\_(with\_7.10.5))  
Status: Passed
- Test T1684000** Installation and configuration (plugins-1.6.2-rev3\_(with\_7.10.5))  
Status: Passed  
[Jira PLG-50](#)
- Test T1684001** Links on the login page (plugins-1.6.2-rev3\_(with\_7.10.5))  
Status: Passed
- Test T1684002** Installation (plugins-1.6.2-rev3\_(with\_7.10.5))  
Status: Passed  
[Link](#) [Link](#)
- Test T1684003** Configuration of SQL Client Library (plugins-1.6.2-rev3\_(with\_7.10.5))  
Status: Passed  
[Link](#) [Link](#)
- Test T1684004** Configuration of the sync plugin (plugins-1.6.2-rev3\_(with\_7.10.5))  
Status: Passed

**Test T1684005 RDB normal approach (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

**Test T1684006 RDB tombstone approach (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

**Test T1684010 Installation and configuration (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

[Jira PLG-88](#)**Test T1684011 Use the wizard (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

**Test T1684012 Provider configured, headerName header's value has mailto: and url (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

**Test T1684023 headerName header's value contains mailto: (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

**Test T1684027 Install only packages (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

The following packages are used in different custom projects and can't be tested on it's own.

**Test T1684028 Installation (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

[Jira OXQA-229](#)**Test T1684029 Configuration Option 1 (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

[Jira OXQA-229](#)**Test T1684030 Configuration Option 2 (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

[Jira OXQA-229](#)**Test T1684031 Configuration Option 3 (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

[Jira OXQA-229](#)**Test T1684032 Configuration Option 4 (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

[Jira ES-60](#)**Test T1684033 Installation and Configuration (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

**Test T1684034 Create several groups with different user assignments (UI) (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

**Test T1684035 Create several groups with different user assignments (CLT) (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

**Test T1684036 Exclude group (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed

**Test T1684084 Disabled 3rd party consent settings (plugins-1.6.2-rev3\_(with\_7.10.5))**

Status: Passed