



OX App Suite Engineering Services Plugins  
**Release Notes for Release 1.6.3**  
2021-03-30

## Copyright notice

---

©2021 by OX Software GmbH. All rights reserved. Open-Xchange and the Open-Xchange logo are trademarks or registered trademarks of OX Software GmbH. All other company and/or product names may be trademarks or registered trademarks of their owners. Information contained in this document is subject to change without notice.

## Contents

<b>1 Shipped Product and Version</b>	<b>2</b>
<b>2 Changes relevant for Operators</b>	<b>2</b>
2.1 Changes of Configuration Files . . . . .	2
2.2 Changes of Behavior . . . . .	3
<b>3 Tests</b>	<b>5</b>
3.1 Test Report . . . . .	5

## 1 Shipped Product and Version

OX App Suite Engineering Services Plugins 1.6.3

Find more information about product versions and releases at [http://oxpedia.org/wiki/index.php?title=AppSuite:Versioning\\_and\\_Numbering](http://oxpedia.org/wiki/index.php?title=AppSuite:Versioning_and_Numbering) and <http://documentation.open-xchange.com/>.

## 2 Changes relevant for Operators

### 2.1 Changes of Configuration Files

#### Change #1 /opt/open-xchange/etc/plugins-mx-checker.properties

```
+com.openexchange.plugins.mx.checker.connector=
```

Package: open-xchange-plugins-mx-checker

#### Change #2 /opt/open-xchange/etc/meta/blackwhitelist.yml

```
-io.ox/mail//blackwhitelist/editable:  
- protected: false  
-io.ox/mail//blackwhitelist/showAddButton:  
- protected: false  
-io.ox/mail//blackwhitelist/showEditButton:  
- protected: false  
-io.ox/mail//blackwhitelist/showSaveButton:  
- protected: false  
+io.ox/mail//blackwhitelist/showDeleteButton:  
+ protected: false
```

Package: open-xchange-appsuite-blackwhitelist

#### Change #3 /opt/open-xchange/etc/settings/blackwhitelist.properties

```
-io.ox/mail//blackwhitelist/editable = false  
-io.ox/mail//blackwhitelist/showAddButton = false  
-io.ox/mail//blackwhitelist/showEditButton = false  
-io.ox/mail//blackwhitelist/showSaveButton = false  
+io.ox/mail//blackwhitelist/showDeleteButton = true
```

Package: open-xchange-appsuite-blackwhitelist

#### Change #4 /opt/open-xchange/etc/meta/externalcontentpopup.yml

```
-io.ox/externalcontentpopup//popup/en_US/generation:  
- protected: false
```

Package: open-xchange-appsuite-external-content-popup

#### Change #5 /opt/open-xchange/etc/settings/externalcontentpopup.properties

```
-io.ox/externalcontentpopup//popup/en_US/hasSeen = 0
```

Package: open-xchange-appsuite-external-content-popup

#### Change #6 /opt/open-xchange/etc/meta/mx-checker.yml

```
+io.ox/mx-checker//suppress:  
+ protected: false
```

Package: open-xchange-appsuite-mx-checker

### Change #7 /opt/open-xchange/etc/settings/mx-checker.properties

```
+io.ox/mx-checker//apiModule = plugins/mx-checker  
+io.ox/mx-checker//suppressDays = 1  
+io.ox/mx-checker//suppress = false
```

Package: open-xchange-appsuite-mx-checker

## 2.2 Changes of Behavior

### Change #PLG-146 Create Antiphishing settings preferences and update UI

Status: Done

Resolution: Fixed

Components: appsuite-antiphishing

Affected Packages: open-xchange-appsuite-antiphishing

### Change #PLG-163 Deprecate o-x-appsuite-onboarding-qrcode starting with 7.10.5

Since 7.10.5, the functionality of the open-xchange-appsuite-onboarding-qrcode plugin is included in the core OX App Suite UI. The plugin is therefore deprecated and conflicts with OX App Suite version 7.10.5 and later.



#### Info

Please uninstall the packages open-xchange-appsuite-onboarding-qrcode and open-xchange-appsuite-onboarding-qrcode-static when upgrading OX App Suite to 7.10.5 or to any later version.

Status: Done

Resolution: Done

Components: onboarding-qrcode

Affected Packages: open-xchange-appsuite-onboarding-qrcode

### Change #PLG-169 Improve black/whitelist UI layout

Status: Done

Previous Issue Keys: CLD-133

Resolution: Fixed

Components: appsuite-blackwhitelist

Affected Packages: open-xchange-appsuite-blackwhitelist

### Change #PLG-171 Mail Record Validation

Status: Done

Resolution: Fixed

Components: appsuite-mail-record-validation

Affected Packages: open-xchange-plugins-mx-checker

### Change #PLG-173 Create Mail Record Validation Service

Status: Done

Resolution: Done

Components: appsuite-mail-record-validation

Affected Packages: open-xchange-plugins-mx-checker

### Change #PLG-174 Create Mail Record Validation UI Banner

Status: Done

Resolution: Fixed

Components: appsuite-mail-record-validation

Affected Packages: open-xchange-appsuite-mx-checker

**Change #PLG-175 dynamically change name in settings based on actual capabilities**

Status: In Progress

Affected Packages: open-xchange-appsuite-blackwhitelist

**Change #PLG-176 rewording and political correctness**

naming of everything in feature should consider not using black/white but something like block/allow (using block instead of black was asked by some customers because of political correctness)? to be validated looking around in web I found these as possible alternatives "When appropriate, I use: \* Exclude List \* Allow List In other contexts, I use: \* Block List \* Allow List Sometimes, I find it appropriate to use: \* Reject List \* Permit List Or, in specific contexts, I use: \* Minus List \* Plus List And in some other contexts, I use: \* Exclusions \* Inclusions It's usually obvious which is the best fit for the context. "

Status: Backlog

Affected Packages: open-xchange-appsuite-blackwhitelist

**Change #PLG-178 selection and deletion via checkboxes should be configurable**

Status: Done

Resolution: Fixed

Affected Packages: open-xchange-appsuite-blackwhitelist

**Change #PLG-179 general feature ui restyling**

Status: Done

Resolution: Fixed

Affected Packages: open-xchange-appsuite-blackwhitelist

**Change #PLG-180 deletion actions should ask for confirmation**

Status: Done

Resolution: Fixed

Affected Packages: open-xchange-appsuite-blackwhitelist

**Change #PLG-181 provide translation for revamped ui**

Status: Done

Resolution: Done

Components: Documentation & Translation

Affected Packages: open-xchange-appsuite-blackwhitelist

**Change #PLG-182 Remove Nextcloud and ownCloud oauth session packages**

The following packages are removed and will be replaced by a different component:

- open-xchange-plugins-nextcloud-oauth-session
- open-xchange-plugins-owncloud-oauth-session

Status: Done

Resolution: Fixed

Components: owncloud-oauth

Source Directory: Jenkinsfile

com.openexchange.plugins.file.storage.nextcloud.oauth

com.openexchange.plugins.file.storage.owncloud.oauth

open-xchange-plugins-nextcloud-oauth-session

open-xchange-plugins-owncloud-oauth-session

plugins-packages

## 3 Tests

To avoid side effects, the shipped packages have gone through automated regression test on both, a Continuous Integration System and a dedicated server set-up for system and integration testing. All changes have been checked for potential side-effects and effect on behavior. Unless explicitly stated within this document, we do not expect any side-effects.

### 3.1 Test Report

**Test T1691260 Check background image (plugins-1.6.3-rev3)**

Status: Passed

Alternative Loginscreen changes this three points: - Background image - Button "Learn More" - Rename "User name" field to "Email" Configured are those in the as-config.yml

**Test T1691261 Check button "Learn More..." (plugins-1.6.3-rev3)**

Status: Passed

**Test T1691262 Check field "Username" is named "Email" (plugins-1.6.3-rev3)**

Status: Passed

**Test T1691263 Change host filter in as-config (plugins-1.6.3-rev3)**

Status: Passed

The alternative login is shown on all configured hosts (or all when using "host: all"). This is configured in the as-config.yml

**Test T1691264 Installation and Configuration (plugins-1.6.3-rev3)**

Status: Passed

**Test T1691269 Installation and Configuration (plugins-1.6.3-rev3)**

Status: Passed

**Test T1691270 Reject own address (plugins-1.6.3-rev3)**

Status: Passed

[Jira ES-20](#)

[Jira ES-25](#)

**Test T1691271 Add/remove address (plugins-1.6.3-rev3)**

Status: Passed

[Jira ES-19](#)

[Jira ES-21](#)

[Jira ES-23](#)

[Jira ES-24](#)

[Jira ES-26](#)

[Jira ES-28](#)

[Jira ES-29](#)

**Test T1691272 Custom rule name (plugins-1.6.3-rev3)**

Status: Passed

[Jira ES-18](#)

[Jira ES-22](#)

**Test T1691273 Edit entry (plugins-1.6.3-rev3)**

Status: Passed

[Jira ES-27](#)

**Test T1691274 Change mail spam handling (plugins-1.6.3-rev3)**

Status: Passed

[Jira ES-132](#)**Test T1691275 Installation and Configuration (plugins-1.6.3-rev3)**

Status: Passed

**Test T1691276 Reject own address (plugins-1.6.3-rev3)**

Status: Passed

[Jira ES-20](#)[Jira ES-25](#)**Test T1691277 Add/remove address (plugins-1.6.3-rev3)**

Status: Passed

[Jira ES-19](#)[Jira ES-21](#)[Jira ES-23](#)[Jira ES-24](#)[Jira ES-26](#)[Jira ES-28](#)[Jira ES-29](#)**Test T1691278 Edit entry (plugins-1.6.3-rev3)**

Status: Passed

[Jira ES-27](#)**Test T1691279 Setup a default/test configuration for SMS(Twilio) integration with OX (plugins-1.6.3-rev3)**

Status: Passed

For user story

[Jira ES-93](#) Setup test configuration for SMS(Twilio) integration with OX**Test T1691280 OX SMS (Twilio) sending functionality to cell phone for Device Setup (plugins-1.6.3-rev3)**

Status: Passed

[Jira ES-93](#) OX sms sending functionality to cell phone for device Setup**Test T1691281 Installation (plugins-1.6.3-rev3)**

Status: Passed

[Jira PLG-17](#)**Test T1691282 Configuration (plugins-1.6.3-rev3)**

Status: Passed

**Test T1691283 Testing MBeans statistics (plugins-1.6.3-rev3)**

Status: Passed

**Test T1691284 Configuration of custom login displayed in onboarding wizard (plugins-1.6.3-rev3)**

Status: Passed

[Jira ES-237](#)**Test T1691285 Configuration option login (plugins-1.6.3-rev3)**

Status: Passed



- Test T1691286 Configuration option login\_name (plugins-1.6.3-rev3)**  
Status: Passed
- Test T1691287 Configuration option email (plugins-1.6.3-rev3)**  
Status: Passed
- Test T1691288 Configuration option attr (plugins-1.6.3-rev3)**  
Status: Passed
- Test T1691289 Recover deleted mail (plugins-1.6.3-rev3)**  
Status: Passed
- Test T1691290 Installation and Configuration (plugins-1.6.3-rev3)**  
Status: Passed
- Test T1691291 Installation and Configuration (plugins-1.6.3-rev3)**  
Status: Passed  
[Link](#)
- Test T1691292 Test with example app (plugins-1.6.3-rev3)**  
Status: Passed  
[Jira PLG-39](#)
- Test T1691293 Test with Postman (plugins-1.6.3-rev3)**  
Status: Passed
- Test T1691294 3rd party consent settings (plugins-1.6.3-rev3)**  
Status: Passed  
[Jira PLG-40](#)
- Test T1691295 Set default consent (plugins-1.6.3-rev3)**  
Status: Passed  
[Jira PLG-39](#)
- Test T1691296 Disabled 3rd party consent settings (plugins-1.6.3-rev3)**  
Status: Passed
- Test T1691297 Installation and Configuration (plugins-1.6.3-rev3)**  
Status: Passed  
[Link](#)
- Test T1691298 Native Buttons (plugins-1.6.3-rev3)**  
Status: Passed  
[Link](#) "Native" Buttonname means this button comes with the window and not via injection on html.
- Test T1691299 Show external content popup on every login (plugins-1.6.3-rev3)**  
Status: Passed  
[Jira PLG-92](#)

- Test T1691300** Disable the first step (plugins-1.6.3-rev3)  
Status: Passed
- Test T1691301** Display external content popup (plugins-1.6.3-rev3)  
Status: Passed
- Test T1691302** Multiple languages (plugins-1.6.3-rev3)  
Status: Passed
- Test T1691303** Show external content popup on mobile (plugins-1.6.3-rev3)  
Status: Passed
- Test T1691304** Installation and configuration (plugins-1.6.3-rev3)  
Status: Passed  
[Jira PLG-50](#)
- Test T1691305** Links on the login page (plugins-1.6.3-rev3)  
Status: Passed
- Test T1691306** Installation (plugins-1.6.3-rev3)  
Status: Passed  
[Link](#) [Link](#)
- Test T1691307** Configuration of SQL Client Library (plugins-1.6.3-rev3)  
Status: Passed  
[Link](#) [Link](#)
- Test T1691308** Configuration of the sync plugin (plugins-1.6.3-rev3)  
Status: Passed
- Test T1691309** RDB normal approach (plugins-1.6.3-rev3)  
Status: Passed
- Test T1691310** RDB tombstone approach (plugins-1.6.3-rev3)  
Status: Passed
- Test T1691311** Installation and configuration (plugins-1.6.3-rev3)  
Status: Passed  
[Jira PLG-89](#)
- Test T1691312** QR Code for Calendar + Address Book on iPhone (plugins-1.6.3-rev3)  
Status: Passed  
[Jira PLG-89](#)
- Test T1691313** Check Android (plugins-1.6.3-rev3)  
Status: Passed
- Test T1691314** Installation and configuration (plugins-1.6.3-rev3)  
Status: Passed

[Jira PLG-88](#)

**Test T1691315 Use the wizard (plugins-1.6.3-rev3)**

Status: Passed

**Test T1691316 Provider configured, headerName header's value has mailto: and url (plugins-1.6.3-rev3)**

Status: Passed

**Test T1691317 Provider is configured headerName header's value has some e-mail addresses in mailto: (plugins-1.6.3-rev3)**

Status: Passed

**Test T1691318 Provider is configured, headerName, header's value has only url (plugins-1.6.3-rev3)**

Status: Passed

**Test T1691319 Provider is configured, mailing list without headerName header's value (plugins-1.6.3-rev3)**

Status: Passed

**Test T1691320 Provider is configured 'usual' mail (not a mailing list) (plugins-1.6.3-rev3)**

Status: Passed

**Test T1691321 provider is NOT configured, headerName header's value has mailto: and url (plugins-1.6.3-rev3)**

Status: Passed

**Test T1691322 Provider is configured, recipient is mailing list, headerName header's value has list of e-mail addresses with mailto: and url (plugins-1.6.3-rev3)**

Status: Passed

**Test T1691323 headerName header's value is URL (plugins-1.6.3-rev3)**

Status: Passed

**Test T1691324 headerName header's value contains mailto: and url (plugins-1.6.3-rev3)**

Status: Passed

**Test T1691325 headerName header's value has list of e-mail addresses with mailto: (plugins-1.6.3-rev3)**

Status: Passed

**Test T1691326 Recipient is mailing list headerName header's value has list of e-mail addresses with mailto: and url (plugins-1.6.3-rev3)**

Status: Passed

**Test T1691327 headerName header's value contains mailto: (plugins-1.6.3-rev3)**

Status: Passed

**Test T1691328 mailing list without headerName header's value (plugins-1.6.3-rev3)**

Status: Passed

**Test T1691329 Spam function (plugins-1.6.3-rev3)**

Status: Passed

**Test T1691330 'usual' mail (not a mailing list) (plugins-1.6.3-rev3)**

Status: Passed

**Test T1691331 Install only packages (plugins-1.6.3-rev3)**

Status: Passed

The following packages are used in different custom projects and can't be tested on it's own.

**Test T1691332 Installation (plugins-1.6.3-rev3)**

Status: Passed

[Jira OXQA-229](#)

**Test T1691333 Configuration Option 1 (plugins-1.6.3-rev3)**

Status: Passed

[Jira OXQA-229](#)

**Test T1691334 Configuration Option 2 (plugins-1.6.3-rev3)**

Status: Passed

[Jira OXQA-229](#)

**Test T1691335 Configuration Option 3 (plugins-1.6.3-rev3)**

Status: Passed

[Jira OXQA-229](#)

**Test T1691336 Configuration Option 4 (plugins-1.6.3-rev3)**

Status: Passed

[Jira ES-60](#)