



OX App Suite Engineering Services Plugins
Release Notes for Release 1.6.4
2021-05-12

Copyright notice

©2021 by OX Software GmbH. All rights reserved. Open-Xchange and the Open-Xchange logo are trademarks or registered trademarks of OX Software GmbH. All other company and/or product names may be trademarks or registered trademarks of their owners. Information contained in this document is subject to change without notice.

Contents

1 Shipped Product and Version	2
2 Changes relevant for Operators	2
2.1 Changes of Configuration Files	2
2.2 Changes of Behavior	2
3 Tests	2
3.1 Test Report	2
4 Known Issues and Errata	9

1 Shipped Product and Version

OX App Suite Engineering Services Plugins 1.6.4

Find more information about product versions and releases at http://oxpedia.org/wiki/index.php?title=AppSuite:Versioning_and_Numbering and <http://documentation.open-xchange.com/>.

2 Changes relevant for Operators

2.1 Changes of Configuration Files

Change #1 /opt/open-xchange/etc/trustedidentity.properties

```
+com.openexchange.plugins.trustedidentity.key=  
+com.openexchange.plugins.trustedidentity.issuer=  
+com.openexchange.plugins.trustedidentity.expiration=5m  
+com.openexchange.plugins.trustedidentity.peer.publicKeyFile=  
+com.openexchange.plugins.trustedidentity.peer.algorithm=  
+com.openexchange.plugins.trustedidentity.peer.encryptionMethod=  
+com.openexchange.plugins.trustedidentity.peer.publicKeyCacheTtl=
```

Package: open-xchange-plugins-trustedidentity

2.2 Changes of Behavior

Change #PLG-183 Trusted Identity Provider

Status: Done

Previous Issue Keys: CP-279

Resolution: Done

Affected Packages: open-xchange-appsuite-trustedidentity-upsell
open-xchange-plugins-trustedidentity

Change #PLG-195 Trusted identity for "Password recovery" link

Status: Done

Resolution: Fixed

Affected Packages: open-xchange-appsuite-appcontrol-dropdown-links
open-xchange-appsuite-trustedidentity-link

3 Tests

To avoid side effects, the shipped packages have gone through automated regression test on both, a Continuous Integration System and a dedicated server set-up for system and integration testing. All changes have been checked for potential side-effects and effect on behavior. Unless explicitly stated within this document, we do not expect any side-effects.

3.1 Test Report

Test T1695140 Check background image (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

Alternative Loginscreen changes this three points: - Background image - Button "Learn More" - Rename "User name" field to "Email" Configured are those in the as-config.yml

Test T1695141 Check button "Learn More..." (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

Test T1695142 Check field "Username" is named "Email" (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

Test T1695143 Change host filter in as-config (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

The alternative login is shown on all configured hosts (or all when using "host: all"). This is configured in the as-config.yml

Test T1695144 Installation and Configuration (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

Test T1695145 Installation and Configuration (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

Test T1695146 Reject own address (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

[Jira ES-20](#)[Jira ES-25](#)**Test T1695147** Add/remove address (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

[Jira ES-19](#)[Jira ES-21](#)[Jira ES-23](#)[Jira ES-24](#)[Jira ES-26](#)[Jira ES-28](#)[Jira ES-29](#)**Test T1695148** Custom rule name (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

[Jira ES-18](#)[Jira ES-22](#)**Test T1695149** Edit entry (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

[Jira ES-27](#)**Test T1695150** Change mail spam handling (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

[Jira ES-132](#)**Test T1695151** Installation and Configuration (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

Test T1695152 Reject own address (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

[Jira ES-20](#)[Jira ES-25](#)

Test T1695153 Add/remove address (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

[Jira ES-19](#)[Jira ES-21](#)[Jira ES-23](#)[Jira ES-24](#)[Jira ES-26](#)[Jira ES-28](#)[Jira ES-29](#)**Test T1695154 Edit entry (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))**

Status: Passed

[Jira ES-27](#)**Test T1695155 Setup a default/test configuration for SMS(Twilio) integration with OX (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))**

Status: Passed

For user story

[Jira ES-93](#) Setup test configuration for SMS(Twilio) integration with OX**Test T1695156 OX SMS (Twilio) sending functionality to cell phone for Device Setup (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))**

Status: Passed

[Jira ES-93](#) OX sms sending functionality to cell phone for device Setup**Test T1695157 Installation (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))**

Status: Passed

[Jira PLG-17](#)**Test T1695158 Configuration (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))**

Status: Passed

Test T1695159 Testing MBeans statistics (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

Test T1695160 Configuration of custom login displayed in onboarding wizard (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

[Jira ES-237](#)**Test T1695161 Configuration option login (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))**

Status: Passed

Test T1695162 Configuration option login_name (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

Test T1695163 Configuration option email (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

Test T1695164 Configuration option attr (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

- Test T1695165** Recover deleted mail (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))
Status: Passed
- Test T1695166** Installation and Configuration (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))
Status: Passed
- Test T1695167** Installation and Configuration (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))
Status: Passed
[Link](#)
- Test T1695168** Test with example app (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))
Status: Passed
[Jira PLG-39](#)
- Test T1695169** Test with Postman (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))
Status: Passed
- Test T1695170** 3rd party consent settings (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))
Status: Passed
[Jira PLG-40](#)
- Test T1695171** Set default consent (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))
Status: Passed
[Jira PLG-39](#)
- Test T1695172** Disabled 3rd party consent settings (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))
Status: Passed
- Test T1695173** Installation and Configuration (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))
Status: Passed
[Link](#)
- Test T1695174** Native Buttons (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))
Status: Passed
[Link](#) "Native" Buttonname means this button comes with the window and not via injection on html.
- Test T1695175** Show external content popup on every login (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))
Status: Passed
[Jira PLG-92](#)
- Test T1695176** Disable the first step (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))
Status: Passed
- Test T1695177** Display external content popup (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))
Status: Passed
- Test T1695178** Multiple languages (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))
Status: Passed
- Test T1695179** Show external content popup on mobile (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))
Status: Failed

Test T1695180 Installation and configuration (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

[Jira PLG-50](#)

Test T1695181 Links on the login page (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

Test T1695182 Installation (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

[Link](#) [Link](#)

Test T1695183 Configuration of SQL Client Library (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

[Link](#) [Link](#)

Test T1695184 Configuration of the sync plugin (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

Test T1695185 RDB normal approach (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

Test T1695186 RDB tombstone approach (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

Test T1695187 Installation and configuration (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

[Jira PLG-88](#)

Test T1695188 Use the wizard (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Failed

Test T1695189 Provider configured, headerName header's value has mailto: and url (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Failed

Test T1695190 Provider is configured headerName header's value has some e-mail addresses in mailto: (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

Test T1695191 Provider is configured, headerName, header's value has only url (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

Test T1695192 Provider is configured, mailing list without headerName header's value (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

Test T1695193 Provider is configured 'usual' mail (not a mailing list) (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

Test T1695194 Provider is configured, recipient is mailing list, headerName header's value has list of e-mail addresses with mailto: and url (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

Test T1695195 headerName header's value is URL (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

Test T1695196 headerName header's value contains mailto: and url (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

Test T1695197 headerName header's value has list of e-mail addresses with mailto: (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

Test T1695198 Recipient is mailing list headerName header's value has list of e-mail addresses with mailto: and url (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

Test T1695199 headerName header's value contains mailto: (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

Test T1695200 mailing list without headerName header's value (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

Test T1695201 Spam function (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Failed

Test T1695202 'usual' mail (not a mailing list) (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

Test T1695203 Install only packages (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

The following packages are used in different custom projects and can't be tested on it's own.

Test T1695204 Installation (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

[Jira OXQA-229](#)

Test T1695205 Configuration Option 1 (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

[Jira OXQA-229](#)

Test T1695206 Configuration Option 2 (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

[Jira OXQA-229](#)

Test T1695209 Installation and Configuration (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

Test T1695210 Create several groups with different user assignments (UI) (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

Test T1695211 Exclude group (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

Test T1695212 Either use display name or group name as contacts folder name (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

Test T1695214 Installation and Configuration (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

Test T1695215 Trusted identity for "Password recovery" link (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

Test T1695216 Trusted Identity Upsell with wizard (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

Test T1695217 Trusted Identity Upsell without wizard (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

Test T1695218 Installation and Configuration (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

Test T1695219 Appcontrol dropdown links as external link in Help (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

Test T1695220 Appcontrol dropdown links as ox application in Settings (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

Test T1695221 Appcontrol dropdown links as ox application in Account (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))

Status: Passed

Test T1695222 Appcontrol dropdown links on mobile device (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))
Status: Passed

Test T1695223 MX Checker: Installation and configuration (plugins-1.6.4-rev2_RW-1938_(with_7.10.5))
Status: Passed

4 Known Issues and Errata

- Test T1695179 failed by OXUIB-839 which needs to be fixed in the core UI component.
- Test T1695188 failed by PLG-199 which has been state as none blocker and will fixed in a follow-up patch.
- Test T1695189 failed by PLG-201 which has been state as none blocker and will fixed in a follow-up patch.
- Test T1695201 failed by PLG-201 which has been state as none blocker and will fixed in a follow-up patch.

- **Bug PLG-199: Mandatory wizard: old pictures are used in wizard**

Status: New

Project: Plugins

Priority: Medium

Severity: 3

Components: appsuite-mandatory-wizard

- **Bug PLG-201: Unsubscribe plugin: Report spam for several mails gives Error**

Status: Accepted

Root Cause Description:

issue happen if ALL of the selected mail are unsubscribable. in that case there are no mails which can be reported as spam.. being the list of mail to signal as spam empty it trigger error.

Solution Description:

Handle the missing case presenting to the user an informative dialog explaining that all of the selected mails are newsletters and they can mark as spam individually

Project: Plugins

Priority: Medium

Severity: 3

Components: appsuite-safeunsubscribe, plugins-safeunsubscribe

Affected Packages: open-xchange-appsuite-unsubscribe