



OX App Suite Engineering Services Plugins
Release Notes for Release 1.6.5
2021-07-21

Copyright notice

©2021 by OX Software GmbH. All rights reserved. Open-Xchange and the Open-Xchange logo are trademarks or registered trademarks of OX Software GmbH. All other company and/or product names may be trademarks or registered trademarks of their owners. Information contained in this document is subject to change without notice.

Contents

1 Shipped Product and Version	2
2 Bugs fixed with this Release	2
3 Changes relevant for Operators	3
3.1 Changes of Configuration Files	3
3.2 Changes of Behavior	3
4 Tests	4
4.1 Test Report	4
5 Fixed Bugs	12

1 Shipped Product and Version

OX App Suite Engineering Services Plugins 1.6.5

Find more information about product versions and releases at http://oxpedia.org/wiki/index.php?title=AppSuite:Versioning_and_Numbering and <http://documentation.open-xchange.com/>.

2 Bugs fixed with this Release

This section provides a summary of bug fixes and changes that have been applied subsequently to shipping Release 1.6.4. Some of the announced bug fixes may have already been fixed at the existing code-base via Patch Releases.

PLG-73 Secret configuration settings not excluded from support tarball

Renamed configuration properties to exclude them from the support tarball
`com.openexchange.plugins.sms.twilio.accountSID` -> `com.openexchange.plugins.sms.twilio.secret.accountSID`
`com.openexchange.plugins.sms.twilio.authToken` -> `com.openexchange.plugins.sms.twilio.secret.authToken`
`com.openexchange.plugins.sms.twilio.messageservicesid` -> `com.openexchange.plugins.sms.twilio.secret.messageservicesid`

Status: Done

Root Cause Description:

Properties do not contain a keyword that will cause oxsysreport to redact.

Solution Description:

Add "secret" to the property names.

Resolution: Verified

Severity: 3

Components: sms-twilio (mw)

Verified with Builds: plugins-1.6.5-rev1

Affected Packages: open-xchange-sms-twilio

PLG-206 mxchecker fixit link missing

Status: Done

Root Cause Description:

There could be two possible root cause: * API doesn't return a fix link (actionURL), or returns an empty one * API returns status of bad mx and/or bad spf and also a propagating status

Solution Description:

* if bad mx and/or bad spf and no actionURL provided, no banner shown * if bad mx and/or bad spf and actionURL provided, show banner with fix link whatever propagating status is

Resolution: Verified

Severity: 3

Components: onboarding-maillogin (mw)

Verified with Builds: plugins-1.6.5-rev1

Labels: L3

Affected Packages: open-xchange-appsuite-mx-checker

PLG-226 Wrong copy in wizard steps

Status: Done

Root Cause Description:

Texts were not changed when changing the logos # The example configuration file used a language-neutral image for step 5, which does not include the dropdown with text.

Solution Description:

Fixed texts and translations # Configure language-specific images for step 5, which show the dropdown in the corresponding languages.

Resolution: Verified

Severity: 3

Components: mandatory-wizard (ui)

Verified with Builds: plugins-1.6.5-rev2

Labels: L3

Affected Packages: open-xchange-appsuite-mandatory-wizard

3 Changes relevant for Operators

3.1 Changes of Configuration Files

Change #1 /opt/open-xchange/etc/twilio.properties

```
-com.openexchange.plugins.sms.twilio.accountSID=ACCOUNT_SID
+com.openexchange.plugins.sms.twilio.secret.accountSID=ACCOUNT_SID
-com.openexchange.plugins.sms.twilio.authToken=AUTH_TOKEN
+com.openexchange.plugins.sms.twilio.secret.authToken=AUTH_TOKEN
-com.openexchange.plugins.sms.twilio.messageservicesid=SERVICE_SID
+com.openexchange.plugins.sms.twilio.secret.messageservicesid=SERVICE_SID
```

Package: open-xchange-sms-twilio

Change #2 /opt/open-xchange/etc/settings/mandatorywizard.properties

```
-io.ox/mandatorywizard//step5Image/en_US = "apps/themes/io.ox.mandatorywizard/static/
-io.ox/mandatorywizard//step5Image/it_IT = "apps/themes/io.ox.mandatorywizard/static/
-io.ox/mandatorywizard//step5Image/fr_FR = "apps/themes/io.ox.mandatorywizard/static/
-io.ox/mandatorywizard//step5Image/es_ES = "apps/themes/io.ox.mandatorywizard/static/
-io.ox/mandatorywizard//step5Image/de_DE = "apps/themes/io.ox.mandatorywizard/static/
+io.ox/mandatorywizard//step5Image/en_US = "apps/themes/io.ox.mandatorywizard/static/
+io.ox/mandatorywizard//step5Image/it_IT = "apps/themes/io.ox.mandatorywizard/static/
+io.ox/mandatorywizard//step5Image/fr_FR = "apps/themes/io.ox.mandatorywizard/static/
+io.ox/mandatorywizard//step5Image/es_ES = "apps/themes/io.ox.mandatorywizard/static/
+io.ox/mandatorywizard//step5Image/de_DE = "apps/themes/io.ox.mandatorywizard/static/
```

Package: open-xchange-appsuite-mandatory-wizard

3.2 Changes of Behavior

Change #PLG-194 Fix ANT build problem introduced with develop-8.0

Status: Done

Resolution: Fixed

Components: ldap-client (mw)

Affected Packages: open-xchange-ldap-client

Change #PLG-205 Use a capability for the MX Checker

Status: Done

Resolution: Fixed

Components: mx-checker (mw)

Affected Packages: open-xchange-appsuite-mx-checker

Change #PLG-227 Enhanced "Forgot your password"

Status: Done

Resolution: Fixed

Components: alternative-login-screen, enhanced-forgot-password-ui

Affected Packages: open-xchange-appsuite-alternative-login-screen

Change #PLG-228 Survey plugin for OX surveys

Status: Done

Resolution: Fixed

Components: survey-ui

Affected Packages: open-xchange-appsuite-survey

Change #PLG-230 Make logo in mandatory wizard optional

Status: Done

Resolution: Fixed

Components: mandatory-wizard (ui)

Affected Packages: open-xchange-appsuite-mandatory-wizard

4 Tests

Not all defects that got resolved could be reproduced within the lab. Therefore, we advise guided and close monitoring of the reported defect when deploying to a staging or production environment. Defects which have not been fully verified, are marked as such.

To avoid side effects, the shipped packages have gone through automated regression test on both, a Continuous Integration System and a dedicated server set-up for system and integration testing. All changes have been checked for potential side-effects and effect on behavior. Unless explicitly stated within this document, we do not expect any side-effects.

4.1 Test Report

Test T1701680 Check background image (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

Test T1701681 Check button "Learn More..." (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

Test T1701682 Check field "Username" is named "Email" (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

Test T1701683 Change host filter in as-config (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

The alternative login is shown on all configured hosts (or all when using "host: all"). This is configured in the as-config.yml

Test T1701684 Installation and Configuration (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

Test T1701685 Run automated tests (local) (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

Test T1701686 Installation and Configuration (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

Test T1701687 Reject own address (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

[Jira ES-20](#)[Jira ES-25](#) --- ***Automated tests*** Sieve plugin: add own email - ? ES-17.10: not possible to add own email**Test T1701688 Add/remove address (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))**

Status: Passed

[Jira ES-19](#)[Jira ES-21](#)[Jira ES-23](#)[Jira ES-24](#)[Jira ES-26](#)[Jira ES-28](#)[Jira ES-29](#) --- ***Automated tests*** Sieve plugin: add emails in settings - ? ES-17.20: add, edit and delete email in settings ? ES-17.21: add incorrect email in settings ? ES-17.22: add email that already exists ? ES-17.23: add more emails as maximum, use filter, remove selected Sieve plugin: add emails in mail - ? ES-17.30: add email in mail ? ES-17.31: block the same email ? ES-17.32: add multiple emails in mail**Test T1701689 Edit entry (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))**

Status: Passed

[Jira ES-27](#) --- ***Automated tests*** Sieve plugin: add emails in settings - ? ES-17.20: add, edit and delete email in settings**Test T1701690 Custom rule name (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))**

Status: Passed

[Jira ES-18](#)[Jira ES-22](#) --- ***Automated tests*** Sieve plugin loaded - ? ES-17.00: sieve plugin extensions are in place Sieve plugin: blacklist name is configurable - ? ES-18: blacklist name is configurable**Test T1701691 Change mail spam handling (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))**

Status: Passed

[Jira ES-132](#)**Test T1701692 Run automated tests (local) (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))**

Status: Passed

Test T1701693 Installation and Configuration (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

Test T1701694 Reject own address (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

[Jira ES-20](#)[Jira ES-25](#)**Test T1701695 Add/remove address (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))**

Status: Passed

[Jira ES-19](#)[Jira ES-21](#)[Jira ES-23](#)[Jira ES-24](#)

[Jira ES-26](#)

[Jira ES-28](#)

[Jira ES-29](#)

Test T1701696 Edit entry (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

[Jira ES-27](#)

Test T1701697 Run automated tests (local) (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

Test T1701698 Setup a default/test configuration for SMS(Twilio) integration with OX (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

[Jira ES-93](#) Setup test configuration for SMS(Twilio) integration with OX

Test T1701699 OX SMS (Twilio) sending functionality to cell phone for Device Setup (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

[Jira ES-93](#) OX sms sending functionality to cell phone for device Setup

Test T1701700 Installation (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

[Jira PLG-17](#)

Test T1701701 Configuration of custom login displayed in onboarding wizard (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

[Jira ES-237](#)

Test T1701702 Configuration option login (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

Test T1701703 Configuration option login_name (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

Test T1701704 Configuration option email (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

Test T1701705 Configuration option attr (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

Test T1701706 Recover deleted mail (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

Test T1701707 Installation and Configuration (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

Test T1701708 Installation and Configuration (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

[Link](#)

- Test T1701709** Test with example app (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed
[Jira PLG-39](#)
- Test T1701710** Test with Postman (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed
- Test T1701711** 3rd party consent settings (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed
[Jira PLG-40](#)
- Test T1701712** Set default consent (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed
[Jira PLG-39](#)
- Test T1701713** Disabled 3rd party consent settings (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed
- Test T1701714** Installation and Configuration (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed
[Link](#)
- Test T1701715** Native Buttons (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed
[Link](#) "Native" Buttonname means this button comes with the window and not via injection on html.
- Test T1701716** Show external content popup on every login (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed
[Jira PLG-92](#)
- Test T1701717** Disable the first step (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed
- Test T1701718** Display external content popup (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed
- Test T1701719** Multiple languages (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed
- Test T1701720** Show external content popup on mobile (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed
- Test T1701721** Run automated tests (local) (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed
- Test T1701722** Installation and configuration (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed
[Jira PLG-50](#)

- Test T1701723** Links on the login page (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed
- Test T1701724** Run automated tests (local) (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed
- Test T1701725** Installation (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed
[Link](#) [Link](#)
- Test T1701726** Configuration of SQL Client Library (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed
[Link](#) [Link](#)
- Test T1701727** Configuration of the sync plugin (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed
- Test T1701728** RDB normal approach (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed
- Test T1701729** RDB tombstone approach (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed
- Test T1701730** Installation and configuration (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed
[Jira](#) [PLG-88](#)
- Test T1701731** Use the wizard (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed
- Test T1701732** Run automated tests (local) (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed
- Test T1701733** Provider configured, headerName header's value has mailto: and url (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed
- Test T1701734** Provider is configured headerName header's value has some e-mail addresses in mailto: (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed
- Test T1701735** Provider is configured, headerName, header's value has only url (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed
- Test T1701736** Provider is configured, mailing list without headerName header's value (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed

Test T1701737 Provider is configured 'usual' mail (not a mailing list) (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed

Test T1701738 provider is NOT configured, headerName header's value has mailto: and url (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed

Test T1701739 Provider is configured, recipient is mailing list, headerName header's value has list of e-mail addresses with mailto: and url (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed

Test T1701740 Installation and Configuration (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed

Test T1701741 Spam function with unsafe mode (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed

Test T1701742 headerName header's value is URL (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed

Test T1701743 headerName header's value contains mailto: and url (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed

Test T1701744 headerName header's value has list of e-mail addresses with mailto: (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed

Test T1701745 Recipient is mailing list headerName header's value has list of e-mail addresses with mailto: and url (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed

Test T1701746 headerName header's value contains mailto: (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed

Test T1701747 mailing list without headerName header's value (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed

Test T1701748 'usual' mail (not a mailing list) (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed

Test T1701749 Spam function with safe mode (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))
Status: Passed

Test T1701750 Installation and Configuration (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

Test T1701751 Install only packages (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

The following packages are used in different custom projects and can't be tested on it's own.

Test T1701752 Installation (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

[Jira OXQA-229](#)**Test T1701753 Configuration Option 1 (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))**

Status: Passed

[Jira OXQA-229](#)**Test T1701754 Configuration Option 2 (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))**

Status: Passed

[Jira OXQA-229](#)**Test T1701755 Configuration Option 3 (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))**

Status: Passed

[Jira OXQA-229](#)**Test T1701757 Installation and Configuration (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))**

Status: Passed

Test T1701758 Create several groups with different user assignments (UI) (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

Test T1701759 Exclude group (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

Test T1701760 Either use display name or group name as contacts folder name (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

Test T1701761 Run automated tests (local) (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

Test T1701762 Installation and Configuration (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

Test T1701763 Appcontrol dropdown links as external link in Help (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

Test T1701764 Appcontrol dropdown links as ox application in Account (plugins-1.6.5-rev2_RW-

2097_(with_7.10.5))

Status: Passed

Test T1701765 Appcontrol dropdown links as ox application in Settings (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

Test T1701766 Appcontrol dropdown links on mobile device (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

Test T1701767 Installation and Configuration (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

Test T1701768 Trusted identity for "Password recovery" link (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

Test T1701769 Trusted Identity Upsell with wizard (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

Test T1701770 Trusted Identity Upsell without wizard (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

Test T1701771 Run automated tests (local) (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

Test T1701772 MX Checker: Installation and configuration (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

Test T1701773 Installation and Configuration (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

Test T1701774 Settings pane (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

Test T1701775 URL check: Do not scan links (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

Test T1701776 URL check: Only scan links in emails I receive within OX App Suite (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

Test T1701777 Anti-Phishing: translations (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

Test T1701778 Enhanced "Forgot your password" (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

It checks if there's a placeholder %email% in configured forgotPassword url in as-config file: if no placeholder found, it will append a parameter user={value from email field} at the end of forgotPassword url, whenever the email field value changes

Test T1701779 Use the wizard on mobile device (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

Test T1701780 Optional logo in mandatory wizard (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

Test T1701781 Installation and Configuration (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

Test T1701782 Survey popup (plugins-1.6.5-rev2_RW-2097_(with_7.10.5))

Status: Passed

5 Fixed Bugs

[PLG-73](#), [PLG-206](#), [PLG-226](#),