



Release Notes for Patch Release #3490

August 15, 2016

Copyright notice

©2016 by OX Software GmbH. All rights reserved. Open-Xchange and the Open-Xchange logo are trademarks or registered trademarks of Open-Xchange AG. All other company and/or product names may be trademarks or registered trademarks of their owners. Information contained in this document is subject to change without notice.

1 Shipped Product and Version

Open-Xchange AppSuite backend 7.8.2-rev6

Open-Xchange AppSuite frontend 7.8.2-rev6

Find more information about product versions and releases at http://oxpedia.org/wiki/index.php?title=AppSuite:Versioning_and_Numbering

2 Bugs fixed since previous Public Release

This section provides a summary of bugfixes and changes that have been applied subsequently to shipping Patch Release #3467.

46346 Smtplib account information not shown

In the account settings for mail the smtp settings are displayed, but username and password were not shown.

Fixed an enum issue to solve this.

46677 While subscribing to mail-folders not all "subscribable" folders get displayed

After a Appsuite refresh some "subscribable" folders disappeared.

This has been fixed by dropping "subfolders" attribute if all=false to avoid bad model updates.

46968 Upsell-Trigger within "onboarding-wizard" not working

Upsell i-Frame for onboarding wizard didn't work.

Added missing capability file to solve this.

47182 Separate email addresses with semicolon not working

Separate email addresses with semicolon after two or more were added as one didn't work.

This has been fixed by stopping edit more after first model update.

47348 Password dialog for external accounts after update

For some users the "recovery/secret?action=check" call permanently signals that the currently used password is outdated and the new one is prompted.

Various DEBUG logging was added to class 'com.openexchange.secret.impl.CryptoSecretEncryptionService', which is supposed to be enabled to affected users using '/opt/open-xchange/sbin/lofconf' command-line tool, also did some other improvements for this. Also see Software Change 3482 below.

47429 Vacation rule jumps to top

The position of the vacation notice was reset to the top if this rule has changed.

Now the position is kept if the rule was edited.

47438 Open-xchange-manage-group-resource: standard group guest delete and edit buttons active

Standard group guest delete and edit buttons were active.

Now edit or delete for guest group is disabled.

47467 Menu is displayed wrong

Email option menu was displayed wrong if the topbanner was active.

This has been fixed by adding proper z-index to top banner.

47467 Menu is displayed wrong

Email option menu was displayed wrong if the topbanner was active.

This has been fixed by adding proper z-index to top banner.

47510 Mobile Web ui only (tested on iPhone): Mail folder can not be added on Root-Level

Adding an IMAP folder via Mobile Web UI on root level (beside INBOX) does not work.

This has been fixed by changing check for virtual folders to allow contextmenu and deny pagechange.

47576 Rename of OX6 distribution lists not fully working in appsuite

OX6 sets display name and last name while creating a new distribution list.

Solution for distribution lists: if display name is updated last name is set to the same value.

47656 Sort menu not fully visible in horizontal mode

Sort menu was hidden by mail detail view if this part was too small.

Now the menu is always on top.

3 Changes relevant for Administrators

3.1 Changes of Configuration Files

Change #3482 Added property to enable/disable the fast crypt token check

Enhanced file 'secret.properties' by the property "com.openexchange.secret.recovery.fast.enabled" to control whether fast crypt token check is enabled or not.

That mechanism is used to check the validity of user's current secret in a fast manner and is used when triggering the "recovery/secret?action=check" call. Default is "true".

3.2 Changes of Command Line Tools

Change #3349 Added missing command-line options to 'logincounter' CLI

Added missing command-line options to 'logincounter' CLI to be able to specify JMX port, login or password

usage: logincounter

-a, --aggregate Optional. Aggregates the counts by users.

Only the total number of logins without duplicate counts (caused by multiple clients per user) is returned.

-e, --end <arg> Required. Sets the end date for the detecting range. Example: 2010-01-1 23:59:59

-H, --host <arg> The optional JMX host (default:localhost)

-h, --help Prints a help text

-l, --login <arg> The optional JMX login (if JMX has authentication enabled)

-p, --port <arg> The optional JMX port (default:9999)

-r, --regex <arg> Optional. Limits the counter to login devices that match regex.

--response-timeout <arg> The optional response timeout in seconds when reading data from server (default: 0s;infinite)

-s, --password <arg> The optional JMX password (if JMX has authentication enabled)

4 Tests

Open-Xchange has successfully verified all bug fixes that could be reproduced within a lab environment.

To avoid side effects, the shipped packages have gone through automated regression test on both, a Continuous Integration System and a dedicated server setup for system and integration testing.

All changes have been checked for potential side-effects and effect on behavior. Unless explicitly stated within this document, we do not expect any side-effects.

5 Fixed Bugs

46346, 46677, 46968, 47182, 47348, 47429, 47438, 47467, 47467, 47510, 47576, 47656,