



**OX2OX Migration Framework Scheduler Technical  
Documentation for  
2.1.0**

2021-06-28

## **Copyright notice**

---

©2021 by OX Software GmbH. All rights reserved. Open-Xchange and the Open-Xchange logo are trademarks or registered trademarks of OX Software GmbH. All other company and/or product names may be trademarks or registered trademarks of their owners. Information contained in this document is subject to change without notice.



Contents

<b>1</b>	<b>General Information</b>	<b>2</b>
1.1	Warnings	2
1.2	Delivery Comment	2
1.3	Install Package Repository	2
1.4	Build Dependencies	2
<b>2</b>	<b>Shipped Packages and Version</b>	<b>2</b>
2.1	Package open-xchange-omf-orchestrator	2
2.1.1	Installation	2
2.1.2	Configuration	2
2.2	Package open-xchange-omf-scheduler	3
2.2.1	Installation	3
2.2.2	Configuration	3
<b>A</b>	<b>Configuration Files</b>	<b>3</b>

# 1 General Information

## 1.1 Warnings



### Warning

This preview delivery is not for productive usage and not affected by service-level agreements.



### Warning

Custom configuration or template files are potentially not updated automatically. After the update, please always check for files with a **.dpkg-new** or **.rpmnew** suffix and merge the changes manually. Configuration file changes are listed in their own respective section below but don't include changes to template files. For details about all the configuration files and templates shipped as part of this delivery, please read the relevant section of each package.

## 1.2 Delivery Comment

This delivery was requested with following comment:

*OMF Scheduler 2.1.0 Preview Delivery 3*

## 1.3 Install Package Repository

This delivery is part of a restricted preview software repository:

<https://software.open-xchange.com/components/omf-scheduler/preview/2.1.0/RHEL7>  
<https://software.open-xchange.com/components/omf-scheduler/preview/2.1.0/DebianStretch>  
<https://software.open-xchange.com/components/omf-scheduler/preview/2.1.0/DebianBuster>

## 1.4 Build Dependencies

This delivery was build with following dependencies:

RedHat:RHEL-7,Debian:Stretch,Debian:Buster

# 2 Shipped Packages and Version

## 2.1 Package open-xchange-omf-orchestrator

OMF Orchestrator CLI to interoperate with the OX2OX Migration Framework.

Version: 2.1.0-3

Type: Other

### 2.1.1 Installation

Install on nodes with package installer **apt-get** or **yum**:

```
<package installer> install open-xchange-omf-orchestrator
```

### 2.1.2 Configuration

For details, please see appendix [A](#)

/opt/open-xchange/omf/orchestrator/etc/omf-orchestrator.yml (page [4](#))

## 2.2 Package open-xchange-omf-scheduler

OMF Scheduler OX2OX Migration Framework Scheduler.

Version: 2.1.0-3

Type: Other

### 2.2.1 Installation

Install on nodes with package installer **apt-get** or **yum**:

```
<package installer> install open-xchange-omf-scheduler
```

### 2.2.2 Configuration

For details, please see appendix [A](#)

/opt/open-xchange/omf/scheduler/etc/omf-scheduler.yml (page [7](#))

## A Configuration Files

### File 1 /opt/open-xchange/omf/orchestrator/etc/omf-orchestrator.yml

```

1 micronaut:
2   application:
3     name: omf
4   http:
5     services:
6       # The OMF Source HTTP REST API service configuration
7       # The url is dynamic and should not be specified here
8       source:
9         # If some sources don't have valid public certificates (e.g. use
10        # self-signed certificates), then their certificates can be added to
11        # a custom Java trust-store using the keytool command and configured
12        # here.
13        #
14        # Example:
15        # ssl:
16        #   enabled: true
17        #   trust-store:
18        #     path: file:/opt/open-xchange/omf/certs/source.p12
19        #     password: secret
20        #     type: PKCS12
21
22      # The OMF Scheduler Source HTTP REST API service configuration
23      scheduler-admin-source:
24        url: "${omf.scheduler.url}/omf/scheduler/admin/source/"
25
26      # If the scheduler does not have a valid public certificate
27      # (e.g. uses a self-signed certificate), then its certificate can be
28      # configured here.
29      ssl:
30        enabled: true
31        trust-store:
32          path: file:/opt/open-xchange/omf/certs/scheduler.p12
33          password: secret
34          type: PKCS12
35
36      scheduler-admin-target:
37        url: "${omf.scheduler.url}/omf/scheduler/admin/target/"
38
39      # If the scheduler does not have a valid public certificate
40      # (e.g. uses a self-signed certificate), then its certificate can be
41      # configured here.
42      ssl:
43        enabled: true

```

```

44     trust-store:
45         path: file:/opt/open-xchange/omf/certs/scheduler.p12
46         password: secret
47         type: PKCS12
48
49     # The OMF Scheduler Migration HTTP REST API service configuration
50     scheduler-migration:
51         url: "${omf.scheduler.url}/omf/scheduler/migration/"
52
53     # If scheduler-admin above has a custom SSL configuration,
54     # then it needs to be repeated here.
55     ssl:
56         enabled: true
57         trust-store:
58             path: file:/opt/open-xchange/omf/certs/scheduler.p12
59             password: secret
60             type: PKCS12
61
62     omf:
63         source:
64             # List source api username and passwords by identifying them
65             # with the name that will be used to create the source entry in OMF.
66             #
67             # This is not required, and the username and password can be entered
68             # for each command when working with the source.
69             #
70             # Example:
71             # mysource:
72             #     username: admin
73             #     password: secret
74         scheduler:
75             # Credentials for the scheduler
76             # On multi-user systems, specifying the password in a configuration file
77             # with proper file system permissions is preferred to specifying it on
78             # the command line, since the command line is visible to all local users.
79             #
80             # Example:
81             # username: admin
82             # password: secret
83
84             # Location of the scheduler. Only the protocol and host name need to be
85             # specified.
86             url: "https://localhost:8443"
87         ui:
88             color: true
89             unicode: true
90             expandIds: false
91         event:
92             catalog:
93                 999103:
94                     summary: "Failed to call remote source migration API to confirm cutover"
95                     message: "Failed to call remote source migration API at '{{url}}' to confirm
                                cutover: received status {{status}} {{message}}"
```

## File 2 /opt/open-xchange/omf/scheduler/etc/omf-scheduler.yml

```

1  # https://docs.micronaut.io/latest/guide/config.html#configurationProperties
2  ---
3  micronaut:
4      # SSL configuration
5      # Required for production environments.
6      # See https://docs.micronaut.io/latest/guide/index.html#https for details.
7      ssl:
8          enabled: true
9          port: 8443
10         key-store:
11             path: file:/opt/open-xchange/omf/certs/keystore.p12
12             type: PKCS12
```

```

13     password: secret
14 server:
15     dual-protocol: true
16     port: 8080
17
18 http:
19     services:
20         # The omf-source service is use to collect health status and metrics from the Source
21         # OMF nodes. The HTTP client can be configured (ex: ssl) here by referencing
22         # https://docs.micronaut.io/latest/guide/configurationreference.html#io.micronaut.
23         # http.client.ServiceHttpClientConfiguration
24         # and the subsequent sections related to micronaut.http.services.*
25         omf-source:
26             # Example SSL configuration in case a source uses a private certificate
27             # ssl:
28             #     trust-store:
29             #         path: file:/opt/open-xchange/omf/certs/source.p12
30             #         type: PKCS12
31             #         password: secret
32     application:
33         name: omf-scheduler
34         # Configure security including basic auth: https://micronaut-projects.github.io/
35         # micronaut-security/latest/guide/#basicAuth
36         # Must be set to true or the Source Controller is not secure
37     security:
38         enabled: true
39         # Change the security of the open api views to anonymous so that they can be viewed
40         # without credentials
41     intercept-url-map:
42         - pattern: /swagger/**
43         access:
44             - isAnonymous()
45         - pattern: /swagger-ui/**
46         access:
47             - isAnonymous()
48         - pattern: /rapidoc/**
49         access:
50             - isAnonymous()
51         - pattern: /redoc/**
52         access:
53             - isAnonymous()
54     # https://docs.micronaut.io/latest/guide/index.html#_configuring_caches
55     #caches:
56         #example:
57             #charset: UTF-8
58             #expire-after-access: 1h
59     metrics:
60         enabled: true
61         export:
62             # Creates an endpoint like http://host/prometheus - uses basic auth from
63             # credentials under scheduler.http.admin
64             prometheus:
65                 enabled: true
66                 step: PT1M
67                 descriptions: true
68     router:
69         # Adds api versioning: https://docs.micronaut.io/latest/guide/index.html#apiVersioning
70     versioning:
71         enabled: true
72         parameter:
73             enabled: true
74             names: 'v'
75         header:
76             enabled: true
77             names: 'X-API-VERSION'
78     # Allows the openapi views to be seen
79     static-resources:
80         swagger:
81             paths: classpath:META-INF/swagger
82             mapping: /swagger/**
83         redoc:
84             paths: classpath:META-INF/swagger/views/redoc

```

```

82     mapping: /redoc/**
83   rapidoc:
84     paths: classpath:META-INF/swagger/views/rapidoc
85     mapping: /rapidoc/**
86   swagger-ui:
87     paths: classpath:META-INF/swagger/views/swagger-ui
88     mapping: /swagger-ui/**
89 ---
90 scheduler:
91   id: 'scheduler-0'
92   hostname: ''
93   batch:
94     presync:
95       # Max number of contexts in a batch
96       size: 10
97       # Strategy to use when creating batches.
98       # Current supported strategies:
99       #   - fill-first: create batches up to the batch size then create the next batch
100      #   - fill-equal: create batches of equal size
101      strategy: fill-equal
102    cutover:
103      size: 10
104      strategy: fill-equal
105    preprovisioning:
106      size: 10
107      strategy: fill-equal
108  kafka:
109    queues:
110      batch: "omf-batch"
111      response: "omf-response"
112    resize:
113      batch: true
114      response: true
115  http:
116    admin:
117      # Basic auth creds
118      username: admin
119      password: secret
120      controller:
121        path: /omf/scheduler/admin
122    migration:
123      controller:
124        path: /omf/scheduler/migration
125  metrics:
126    cache:
127      windows.millis: 300000
128      batches.millis: 300000
129      migrationevents.millis: 300000
130      source.millis: 300000
131      target.millis: 300000
132 ---
133 jackson:
134   bean-introspection-module: true
135   serialization:
136     indent-output: true
137     writeDatesAsTimestamps: false
138 ---
139 datasources:
140   # Used to persist scheduling data
141   scheduler:
142     # url should use createDatabaseIfNotExist=true if the database will not
143     # already exist: https://dev.mysql.com/doc/connector-j/8.0/en/connector-j-reference-
144     # configuration-properties.html
145     url: jdbc:mysql://localhost:3306/scheduler?createDatabaseIfNotExist=true
146     username: root
147     password: my-secret-pw
148     driverClassName: org.mariadb.jdbc.Driver
149     dialect: MYSQL
150     maximumPoolSize: 10
151     maxLifetime: 180000
152   # Used to create/drop databases for sources. This is not really the "default" data
153   source

```



```

152 # but we need to use default because of bug https://github.com/micronaut-projects/
    micronaut-data/issues/598s
153 default:
154   url: jdbc:mysql://localhost:3306/
155   username: root
156   password: my-secret-pw
157   driverClassName: org.mariadb.jdbc.Driver
158   dialect: MYSQL
159   maximumPoolSize: 5
160   maxLifetime: 180000
161 ---
162 endpoints:
163   loggers:
164     enabled: true
165     sensitive: true
166   health:
167     discovery-client:
168       enabled: false
169     sources:
170       enabled: false
171     targets:
172       enabled: false
173   liquibase:
174     # fails with missing transition, might be fixed in later Micronaut releases
175     enabled: false
176   info:
177     enabled: true
178     sensitive: true
179     sourceCodeOrigin:
180       enabled: true
181       location: file:/opt/open-xchange/omf/scheduler/share/SourceCodeOrigin.txt
182 ---
183 zookeeper:
184   server: zookeeper:2181
185 ---
186 kafka:
187   bootstrap:
188     servers: kafka-1:9092, kafka-2:9092, kafka-3:9092
189   producers:
190     batch-producer:
191       enable.idempotence: true
192       # This enables transactions for the Batch Producer
193       # The value must be unique per application, but should
194       # not change for the same app after a crash, etc.
195       transactional.id: producer-1
196   #consumers:
197     #response-consumer:
198 ---
199 liquibase:
200   datasources:
201     scheduler:
202       change-log: 'classpath:liquibase/scheduler/liquibase-changelog.xml'
203 ---
204 jooq:
205   datasources:
206     default:
207       sql-dialect: 'MARIADB'
208     scheduler:
209       sql-dialect: 'MARIADB'
210 ---
211 logger:
212   levels:
213     ROOT: INFO
214     com.openxchange: INFO
215     omf: INFO
216     omf.scheduler.admin.AuthenticationProviderUserPassword: WARN
217 ---

```