



**OX2OX Migration Framework Scheduler Technical
Documentation for
2.1.0**

2021-09-09

Copyright notice

©2021 by OX Software GmbH. All rights reserved. Open-Xchange and the Open-Xchange logo are trademarks or registered trademarks of OX Software GmbH. All other company and/or product names may be trademarks or registered trademarks of their owners. Information contained in this document is subject to change without notice.



Contents

1	General Information	2
1.1	Warnings	2
1.2	Delivery Comment	2
1.3	Install Package Repository	2
1.4	Build Dependencies	2
2	Shipped Packages and Version	2
2.1	Package open-xchange-omf-orchestrator	2
2.1.1	Installation	2
2.1.2	Configuration	2
2.2	Package open-xchange-omf-scheduler	3
2.2.1	Installation	3
2.2.2	Configuration	3
A	Configuration Files	3

1 General Information

1.1 Warnings



Warning

This preview delivery is not for productive usage and not affected by service-level agreements.



Warning

Custom configuration or template files are potentially not updated automatically. After the update, please always check for files with a **.dpkg-new** or **.rpmnew** suffix and merge the changes manually. Configuration file changes are listed in their own respective section below but don't include changes to template files. For details about all the configuration files and templates shipped as part of this delivery, please read the relevant section of each package.

1.2 Delivery Comment

This delivery was requested with following comment:

OMF Scheduler 2.1.0 Preview Delivery 9

1.3 Install Package Repository

This delivery is part of a restricted preview software repository:

<https://software.open-xchange.com/components/omf-scheduler/preview/2.1.0/RHEL7>
<https://software.open-xchange.com/components/omf-scheduler/preview/2.1.0/DebianStretch>
<https://software.open-xchange.com/components/omf-scheduler/preview/2.1.0/DebianBuster>

1.4 Build Dependencies

This delivery was build with following dependencies:

RedHat:RHEL-7,Debian:Stretch,Debian:Buster

2 Shipped Packages and Version

2.1 Package open-xchange-omf-orchestrator

OMF Orchestrator CLI to interoperate with the OX2OX Migration Framework.

Version: 2.1.0-9

Type: Other

2.1.1 Installation

Install on nodes with package installer **apt-get** or **yum**:

```
<package installer> install open-xchange-omf-orchestrator
```

2.1.2 Configuration

For details, please see appendix [A](#)

/opt/open-xchange/omf/orchestrator/etc/omf-orchestrator.yml (page [4](#))

2.2 Package open-xchange-omf-scheduler

OMF Scheduler OX2OX Migration Framework Scheduler.

Version: 2.1.0-9

Type: Other

2.2.1 Installation

Install on nodes with package installer **apt-get** or **yum**:

```
<package installer> install open-xchange-omf-scheduler
```

2.2.2 Configuration

For details, please see appendix [A](#)

/opt/open-xchange/omf/scheduler/etc/omf-scheduler.yml (page [9](#))

A Configuration Files

File 1 /opt/open-xchange/omf/orchestrator/etc/omf-orchestrator.yml

```

1 micronaut:
2   application:
3     name: omf
4   http:
5     services:
6       # The OMF Scheduler HTTP REST API service configuration
7       scheduler-admin-source:
8         url: "${omf.scheduler.url}/omf/scheduler/admin/source/"
9         read-timeout: ${omf.http.read-timeout}
10        connect-timeout: ${omf.http.connect-timeout}
11        ssl:
12          enabled: ${omf.http.ssl.enabled}
13          trust-store:
14            path: ${omf.http.ssl.trust-store.path}
15            password: ${omf.http.ssl.trust-store.password}
16            type: ${omf.http.ssl.trust-store.type}
17
18       scheduler-admin-target:
19         url: "${omf.scheduler.url}/omf/scheduler/admin/target/"
20         read-timeout: ${omf.http.read-timeout}
21         connect-timeout: ${omf.http.connect-timeout}
22         ssl:
23           enabled: ${omf.http.ssl.enabled}
24           trust-store:
25             path: ${omf.http.ssl.trust-store.path}
26             password: ${omf.http.ssl.trust-store.password}
27             type: ${omf.http.ssl.trust-store.type}
28
29       # The OMF Scheduler Migration HTTP REST API service configuration
30       scheduler-migration:
31         url: "${omf.scheduler.url}/omf/scheduler/migration/"
32         read-timeout: ${omf.http.read-timeout}
33         connect-timeout: ${omf.http.connect-timeout}
34         ssl:
35           enabled: ${omf.http.ssl.enabled}
36           trust-store:
37             path: ${omf.http.ssl.trust-store.path}
38             password: ${omf.http.ssl.trust-store.password}
39             type: ${omf.http.ssl.trust-store.type}
40
41       # The OMF Scheduler Monitoring HTTP REST API service configuration
42       scheduler-monitoring:
43         url: "${omf.scheduler.url}/ws/omf/scheduler/workers/monitor/"

```

```

44     read-timeout: ${omf.http.read-timeout}
45     connect-timeout: ${omf.http.connect-timeout}
46     ssl:
47         enabled: ${omf.http.ssl.enabled}
48         trust-store:
49             path: ${omf.http.ssl.trust-store.path}
50             password: ${omf.http.ssl.trust-store.password}
51             type: ${omf.http.ssl.trust-store.type}
52
53 omf:
54     http:
55         read-timeout: 30s
56         connect-timeout: 10s
57         ssl:
58             enabled: true
59             # If the scheduler does not have a valid public certificate
60             # (e.g. uses a self-signed certificate), then its certificate can be
61             # configured here.
62             trust-store:
63                 path: file:/opt/open-xchange/omf/certs/scheduler.p12
64                 password: secret
65                 type: PKCS12
66         readonly: false
67         shell:
68             start.dir:
69             config:
70                 user.dir: ${user.dir}/.omf/config
71                 app.dir: /opt/open-xchange/omf/lib/scripts
72         scheduler:
73             # Credentials for the scheduler
74             # On multi-user systems, specifying the password in a configuration file
75             # with proper file system permissions is preferred to specifying it on
76             # the command line, since the command line is visible to all local users.
77             #
78             # Example:
79             # username: admin
80             # password: secret
81
82             # Location of the scheduler. Only the protocol and host name need to be
83             # specified.
84             url: "https://localhost:8443"
85         ui:
86             color: true
87             unicode: true
88             expandIds: false
89             prettyJson: false
90             highlightJson: false
91             shell:
92                 prettyJson: true
93                 highlightJson: true
94                 fancyPrompt: true
95                 rightHandPrompt: true
96             history.file: ${user.dir}/.omf_history
97
98     logger:
99         levels:
100             # change this to TRACE to see a detailed log of the HTTP traffic between the
101             # Orchestrator and the Scheduler
102             io.micronaut.http.client: INFO

```

File 2 /opt/open-xchange/omf/scheduler/etc/omf-scheduler.yml

```

1  # https://docs.micronaut.io/latest/guide/config.html#configurationProperties
2  ---
3  micronaut:
4      # SSL configuration
5      # Required for production environments.
6      # See https://docs.micronaut.io/latest/guide/index.html#https for details.

```

```

7  ssl:
8    enabled: true
9    port: 8443
10   key-store:
11     path: file:/opt/open-xchange/omf/certs/keystore.p12
12     type: PKCS12
13     password: secret
14   server:
15     dual-protocol: true
16     port: 8080
17
18   http:
19     services:
20       # The omf-source service is use to collect health status and metrics from the Source
21       # OMF nodes. The HTTP client can be configured (ex: ssl) here by referencing
22       # https://docs.micronaut.io/latest/guide/configurationreference.html#io.micronaut.
23       # http.client.ServiceHttpClientConfiguration
24       # and the subsequent sections related to micronaut.http.services.*
25     omf-source:
26       connect-timeout: 30s
27       read-timeout: 120s
28       # Example SSL configuration in case a source uses a private certificate
29       # ssl:
30       #   trust-store:
31       #     path: file:/opt/open-xchange/omf/certs/source.p12
32       #     type: PKCS12
33       #     password: secret
34     omf-target:
35       connect-timeout: 30s
36       read-timeout: 120s
37   application:
38     name: omf-scheduler
39     # Configure security including basic auth: https://micronaut-projects.github.io/
40     # micronaut-security/latest/guide/#basicAuth
41     # Must be set to true or the Source Controller is not secure
42   security:
43     enabled: true
44     # Change the security of the open api views to anonymous so that they can be viewed
45     # without credentials
46   intercept-url-map:
47     - pattern: /swagger/**
48     access:
49       - isAnonymous()
50     - pattern: /swagger-ui/**
51     access:
52       - isAnonymous()
53     - pattern: /rapidoc/**
54     access:
55       - isAnonymous()
56   # https://docs.micronaut.io/latest/guide/index.html#_configuring_caches
57   #caches:
58     #example:
59     #  charset: UTF-8
60     #  expire-after-access: 1h
61   metrics:
62     enabled: true
63     export:
64       # Creates an endpoint like http://host/prometheus - uses basic auth from
65       # credentials under scheduler.http.admin
66     prometheus:
67       enabled: true
68       step: PT1M
69       descriptions: true
70   router:
71     # Adds api versioning: https://docs.micronaut.io/latest/guide/index.html#apiVersioning
72     versioning:
73       enabled: true
74     parameter:
75       enabled: true

```

```

76     names: 'v'
77     header:
78       enabled: true
79       names: 'X-API-VERSION'
80 # Allows the openapi views to be seen
81 static-resources:
82   swagger:
83     paths: classpath:META-INF/swagger
84     mapping: /swagger/**
85   redoc:
86     paths: classpath:META-INF/swagger/views/redoc
87     mapping: /redoc/**
88   rapidoc:
89     paths: classpath:META-INF/swagger/views/rapidoc
90     mapping: /rapidoc/**
91   swagger-ui:
92     paths: classpath:META-INF/swagger/views/swagger-ui
93     mapping: /swagger-ui/**
94 ---
95 scheduler:
96   # Must be unique for each Scheduler instance.
97   # Be very careful when changing this value, as it is also used to determine the
98   # transactional ID for writing
99   # batches into Kafka topics for each Scheduler node.
100   id: 'scheduler-0'
101   hostname: ''
102   window:
103     # If more than this many batches are created as part of a new Window, don't return the
104     # list of
105     # Batch IDs as part of the Window creation result DTO, as they would just be too many
106     # to display
107     # in the first place (also affects the debug logging):
108     batch.id.threshold: 50
109     # If more than this many context IDs are assigned as part of a new Window, don't
110     # return the list of
111     # context IDs as part of the Window creation result DTO, as they would just be too
112     # many to display
113     # in the first place:
114     context.id.threshold: 50
115   batch:
116     presync:
117       # Max number of contexts in a batch
118       size: 10
119       # Strategy to use when creating batches.
120       # Current supported strategies:
121       #   - fill-first: create batches up to the batch size then create the next batch
122       #   - fill-equal: create batches of equal size
123       strategy: fill-equal
124     cutover:
125       size: 10
126       strategy: fill-equal
127     preprovisioning:
128       size: 10
129       strategy: fill-equal
130   kafka:
131     wait: false
132     queues:
133       batch: "omf-batch"
134       response: "omf-response"
135     resize:
136       batch: true
137       response: true
138     record.header.enhance: true
139     topic:
140       list:
141         timeout: -1s
142       describe:
143         timeout: -1s
144       retry:
145         attempts: 3
146         wait: 3s
147       create:

```



```

143     # whether topics should be created when a source is created or synced (true) or
144     # whether we make use of auto-creation instead (old behaviour prior to 2.1.0-6):
145     enabled: true
146     timeout: -1s
147     partitions: 2
148     replication.factor: 0
149     config:
150         retention.ms: 432000000
151 workers:
152     allow:
153         # allow Worker shutdown via the REST API
154         shutdown: false
155         # allow overriding the Sources Workers subscribe to via the REST API
156         changeSources: false
157 http:
158     admin:
159         # Basic auth creds
160         username: admin
161         password: secret
162         controller:
163             path: /omf/scheduler/admin
164     migration:
165         controller:
166             path: /omf/scheduler/migration
167 metrics:
168     monitor:
169         windows:
170             enabled: true
171             interval: 5m
172             delay: 30s
173         batches:
174             enabled: true
175             interval: 5m
176             delay: 30s
177         sources:
178             enabled: true
179             interval: 5m
180             delay: 30s
181         targets:
182             enabled: true
183             interval: 5m
184             delay: 30s
185         contextmappings:
186             enabled: true
187             interval: 5m
188             delay: 30s
189         migrationevents:
190             enabled: true
191             interval: 5m
192             delay: 30s
193 ---
194 jackson:
195     bean-introspection-module: true
196     serialization:
197         indent-output: true
198         writeDatesAsTimestamps: false
199 ---
200 datasources:
201     # Used to persist scheduling data
202     scheduler:
203         # url should use createDatabaseIfNotExist=true if the database will not
204         # already exist: https://dev.mysql.com/doc/connector-j/8.0/en/connector-j-reference-
205         # configuration-properties.html
206         url: jdbc:mysql://localhost:3306/scheduler?createDatabaseIfNotExist=true
207         username: root
208         password: my-secret-pw
209         driverClassName: org.mariadb.jdbc.Driver
210         dialect: MYSQL
211         maximumPoolSize: 10
212         maxLifetime: 180000
213     # Used to create/drop databases for sources. This is not really the "default" data
214     source

```

```

213 # but we need to use default because of bug https://github.com/micronaut-projects/
    micronaut-data/issues/598s
214 default:
215     url: jdbc:mysql://localhost:3306/
216     username: root
217     password: my-secret-pw
218     driverClassName: org.mariadb.jdbc.Driver
219     dialect: MYSQL
220     maximumPoolSize: 5
221     maxLifetime: 180000
222 ---
223 endpoints:
224     loggers:
225         enabled: true
226         sensitive: true
227     health:
228         discovery-client:
229             enabled: false
230     sources:
231         enabled: false
232     targets:
233         enabled: false
234     liquibase:
235         # fails with missing transition, might be fixed in later Micronaut releases
236         enabled: false
237     info:
238         enabled: true
239         sensitive: true
240         sourceCodeOrigin:
241             enabled: true
242             location: file:/opt/open-xchange/omf/scheduler/share/SourceCodeOrigin.txt
243 ---
244 zookeeper:
245     server: zookeeper:2181
246     blockUntilConnected: true
247     maxConnectedWaitTime: 30s
248     sessionTimeout: 1m
249     connectionTimeout: 15s
250     maxCloseWait: 15s
251     waitForShutdownTimeout: 15s
252     connectionRetry:
253         baseSleepTime: 5s
254         maxSleepTime: 30s
255         maxRetries: 50
256 ---
257 kafka:
258     bootstrap:
259         servers: kafka-1:9092, kafka-2:9092, kafka-3:9092
260     producers:
261         batch-producer:
262             enable.idempotence: true
263             # This enables transactions for the Batch Producer
264             # The value must be unique per application, but should
265             # not change for the same app after a crash, etc.
266             # Note that if you only want to allow a single Scheduler instance to be capable of
267             # writing Batches into the Kafka topics, then change this to be the same value
268             # across
269             # all Scheduler instances as Kafka will fence them (see PRODUCER_FENCED).
270             # But if you want all Scheduler instances to be able to write batches into Kafka
271             # topics,
272             # use a unique value for each Scheduler instance:
273             transactional.id: ${scheduler.id}
274     #consumers:
275         #response-consumer:
276 ---
277 mail:
278     # whether to send emails
279     enabled: false
280     window:
281         # whether to send emails when a Window succeeds:
282         success: false
283         # whether to send emails when a Window fails:

```

```
282     failure: true
283     # mandatory, must be set to be able to send emails and it
284     # must be a valid email address in the form localpart@domain, or sending will fail:
285     from: ${scheduler.id}@example.com
286     # whom to send those mails to (can be a comma separated list):
287     to:
288     cc:
289     bcc:
290     # text to include in the subject line, wrapped in []:
291     subject.id:
292     smtp:
293         host: localhost
294         port: 25
295         # leave empty for no authentication:
296         username:
297         password:
298         # SMTP, SMTPS or SMTP_TLS (SMTP with mandatory StartTLS):
299         transport: SMTP
300         # whether to allow SMTP without StartTLS:
301         smtp.plain: true
302         tls:
303             # whether to trust all SMTP server keys
304             trustall: false
305             # whether to verify SMTP server keys
306             verify: true
307     ---
308     liquibase:
309         datasources:
310             scheduler:
311                 change-log: 'classpath:liquibase/scheduler/liquibase-changelog.xml'
312     ---
313     logger:
314         levels:
315             ROOT: INFO
316             com.openxchange: INFO
317             omf: INFO
318             omf.scheduler.admin.AuthenticationProviderUserPassword: WARN
319             org.apache.kafka.clients.consumer.ConsumerConfig: WARN
320     ---
```