



OX2OX Migration Framework Target
Release Notes for Release 2.1.0
2022-03-21

Copyright notice

©2022 by OX Software GmbH. All rights reserved. Open-Xchange and the Open-Xchange logo are trademarks or registered trademarks of OX Software GmbH. All other company and/or product names may be trademarks or registered trademarks of their owners. Information contained in this document is subject to change without notice.

Contents

1	Shipped Product and Version	2
2	Bugs fixed with this Release	2
3	Changes relevant for Operators	2
3.1	Changes of Configuration Files	2
3.2	Changes of Behavior	2
4	Tests	3
5	Fixed Bugs	3

1 Shipped Product and Version

OX2OX Migration Framework Target 2.1.0

Find more information about product versions and releases at http://oxpedia.org/wiki/index.php?title=AppSuite:Versioning_and_Numbering and <http://documentation.open-xchange.com/>.

2 Bugs fixed with this Release

This section provides a summary of bug fixes and changes that have been applied subsequently to shipping Release 2.1.0. Some of the announced bug fixes may have already been fixed at the existing code-base via Patch Releases.

OMF-692 Classes of service are set after calling the migration status API

During cutover, set the classes of service in the Target LDAP before calling the Migration Status API (with SUCCESS) to avoid overwriting any changes performed by the Migration Status API through the Provisioning API.

Status: Fixed

Root Cause Description:

The {{oxCosDN}} LDAP attribute on {{oxCloudUser}} is currently set at the same time as the oxDeliveryStatus attribute to optimize performance since it doesn't require making two passes at the LDAP tree (both for querying the {{oxCloudUser}} entries and for modifying the attribute(s)).

Solution Description:

Separate the operation into two distinct ones (one to set the {{oxCosDN}}, which happens before the invocation of the Migration Status API ({{SUCCESS}}), and one to set the {{oxDeliveryStatus}}). Save the LDAP {{oxCloudUser}} lookups from the first into a cache to speed up the second.

Severity: 3

Components: Worker Cloud-Plugins

Affected Packages: open-xchange-omf-target
open-xchange-omf-worker

3 Changes relevant for Operators

3.1 Changes of Configuration Files

Change #1 /opt/open-xchange/etc/omf-worker.properties

```
+com.openexchange.omf.worker.logic.setClassesOfServiceAfterMigrationStatusApi=false  
+com.openexchange.omf.worker.mailfilter.sendUsername=false  
+com.openexchange.omf.worker.mailfilter.sendPassword=true
```

Package: open-xchange-omf-worker

3.2 Changes of Behavior

Change #OMF-691 Per-User Password Authentication for Mailfilters

Status: Done

Resolution: Done

Components: Worker Mailfilter
Affected Packages: open-xchange-omf-target
open-xchange-omf-worker

4 Tests

Not all defects that got resolved could be reproduced within the lab. Therefore, we advise guided and close monitoring of the reported defect when deploying to a staging or production environment. Defects which have not been fully verified, are marked as such.

To avoid side effects, the shipped packages have gone through automated regression test on both, a Continuous Integration System and a dedicated server set-up for system and integration testing. All changes have been checked for potential side-effects and effect on behavior. Unless explicitly stated within this document, we do not expect any side-effects.

5 Fixed Bugs

[OMF-692](#),