



OX2OX Migration Framework Target  
**Release Notes for Release 2.1.0**  
2022-03-31

## **Copyright notice**

---

©2022 by OX Software GmbH. All rights reserved. Open-Xchange and the Open-Xchange logo are trademarks or registered trademarks of OX Software GmbH. All other company and/or product names may be trademarks or registered trademarks of their owners. Information contained in this document is subject to change without notice.

# Contents

<b>1</b>	<b>Shipped Product and Version</b>	<b>2</b>
<b>2</b>	<b>Bugs fixed with this Release</b>	<b>2</b>
<b>3</b>	<b>Changes relevant for Operators</b>	<b>2</b>
3.1	Changes of Configuration Files . . . . .	2
3.2	Changes of Behavior . . . . .	3
<b>4</b>	<b>Tests</b>	<b>3</b>
<b>5</b>	<b>Fixed Bugs</b>	<b>3</b>

## 1 Shipped Product and Version

OX2OX Migration Framework Target 2.1.0

Find more information about product versions and releases at [http://oxpedia.org/wiki/index.php?title=AppSuite:Versioning\\_and\\_Numbering](http://oxpedia.org/wiki/index.php?title=AppSuite:Versioning_and_Numbering) and <http://documentation.open-xchange.com/>.

## 2 Bugs fixed with this Release

This section provides a summary of bug fixes and changes that have been applied subsequently to shipping Release 2.1.0. Some of the announced bug fixes may have already been fixed at the existing code-base via Patch Releases.

### **OMF-697 NPE: TargetContextDTO requires maxQuota even though it may not be present**

Status: Fixed

Root Cause Description:

Context with null max quota was used to create an ImmutableTargetContextDTO that does not support null max quota.

Solution Description:

Use -1 to represent no max quota when building the ImmutableTargetContextDTO.

Severity: 3

Components: Target

Affected Packages: open-xchange-omf-target

### **OMF-699 Dual provisioning is broken after OMF-509**

Status: Fixed

Root Cause Description:

Dual provisioning service methods use the wrong context search method causing the wrong exception to be thrown.

Solution Description:

Use the context search that correctly handles unmapped contexts.

Severity: 3

Components: Target

Affected Packages: open-xchange-omf-target

## 3 Changes relevant for Operators

### 3.1 Changes of Configuration Files

#### **Change #1 /opt/open-xchange/etc/omf-worker.properties**

```
+com.openexchange.omf.worker.context.quota.keepIfPresent=true
+com.openexchange.omf.worker.context.quota.defaultQuota=
```

Package: open-xchange-omf-worker

## 3.2 Changes of Behavior

### Change #[OMF-698](#) Add the ability to set a default context quota

Status: Done

Resolution: Fixed

Components: Target

Affected Packages: open-xchange-omf-target  
open-xchange-omf-worker

## 4 Tests

Not all defects that got resolved could be reproduced within the lab. Therefore, we advise guided and close monitoring of the reported defect when deploying to a staging or production environment. Defects which have not been fully verified, are marked as such.

To avoid side effects, the shipped packages have gone through automated regression test on both, a Continuous Integration System and a dedicated server set-up for system and integration testing. All changes have been checked for potential side-effects and effect on behavior. Unless explicitly stated within this document, we do not expect any side-effects.

## 5 Fixed Bugs

[OMF-697](#), [OMF-699](#),