



# **OX2OX Migration Framework Target Technical Documentation** **for** **2.1.0**

2022-03-31

## **Copyright notice**

---

©2022 by OX Software GmbH. All rights reserved. Open-Xchange and the Open-Xchange logo are trademarks or registered trademarks of OX Software GmbH. All other company and/or product names may be trademarks or registered trademarks of their owners. Information contained in this document is subject to change without notice.

# Contents

<b>1</b>	<b>General Information</b>	<b>2</b>
1.1	Warnings	2
1.2	Delivery Comment	2
1.3	Install Package Repository	2
1.4	Build Dependencies	2
1.5	Notice	2
<b>2</b>	<b>Shipped Packages and Version</b>	<b>3</b>
2.1	Package open-xchange-omf-target	3
2.1.1	Installation	3
2.1.2	Configuration	3
2.2	Package open-xchange-omf-target-guard	3
2.2.1	Installation	3
2.3	Package open-xchange-omf-worker	4
2.3.1	Installation	4
2.3.2	Configuration	4
<b>A</b>	<b>Configuration Files</b>	<b>4</b>

# 1 General Information

## 1.1 Warnings



### Warning

This preview delivery is not for productive usage and not affected by service-level agreements.



### Warning

It is mandatory to restart the **open-xchange** service on all middleware nodes after performing the update.



### Warning

Custom configuration or template files are potentially not updated automatically. After the update, please always check for files with a **.dpkg-new** or **.rpmnew** suffix and merge the changes manually. Configuration file changes are listed in their own respective section below but don't include changes to template files. For details about all the configuration files and templates shipped as part of this delivery, please read the relevant section of each package.

## 1.2 Delivery Comment

This delivery was requested with following comment:

*OMF Target 2.1.0 Preview Delivery 24*

## 1.3 Install Package Repository

This delivery is part of a restricted preview software repository:

<https://software.open-xchange.com/components/omf-target/preview/2.1.0/DebianBuster-7.10.4>  
<https://software.open-xchange.com/components/omf-target/preview/2.1.0/DebianBuster-7.10.5>  
<https://software.open-xchange.com/components/omf-target/preview/2.1.0/DebianBuster-7.10.6>  
<https://software.open-xchange.com/components/omf-target/preview/2.1.0/DebianStretch-7.10.4>  
<https://software.open-xchange.com/components/omf-target/preview/2.1.0/DebianStretch-7.10.5>  
<https://software.open-xchange.com/components/omf-target/preview/2.1.0/DebianStretch-7.10.6>  
<https://software.open-xchange.com/components/omf-target/preview/2.1.0/RHEL7-7.10.4>  
<https://software.open-xchange.com/components/omf-target/preview/2.1.0/RHEL7-7.10.5>  
<https://software.open-xchange.com/components/omf-target/preview/2.1.0/RHEL7-7.10.6>

## 1.4 Build Dependencies

This delivery was build with following dependencies:

backend-7.10.6-rev11,plugins-1.7.1-rev5,cloud-plugins-1.11.10-rev3,  
guard-2.10.6-rev6,backend-7.10.5-rev40,plugins-1.6.6-rev6,guard-2.10.5-rev13,backend-  
7.10.4-rev30,plugins-1.6.5-rev4,cloud-plugins-1.11.7-rev8,guard-2.10.4-rev7

## 1.5 Notice



### Info

Some configurations can be changed without restarting the service, please call following command

for getting a list of supported settings.

```
/opt/open-xchange/sbin/listreloadables
```

Please use following command to enable capable and changed configurations on a running system.

```
/opt/open-xchange/sbin/reloadconfiguration
```

## 2 Shipped Packages and Version

### 2.1 Package open-xchange-omf-target

OMF Migration Target Features OX2OX Migration Framework components for the migration target system.

Version: 2.1.0-24

Type: OX Middleware Plugin

Depends on:

```
open-xchange-admin (<<7.10.7)
open-xchange-admin (>=7.10.4)
open-xchange-cloudplugins (<<1.12.0)
open-xchange-cloudplugins (>=1.11.3)
open-xchange-core (<<7.10.7)
open-xchange-core (>=7.10.4)
open-xchange-grizzly (<<7.10.7)
open-xchange-grizzly (>=7.10.4)
open-xchange-mailfilter (<<7.10.7)
open-xchange-mailfilter (>=7.10.4)
open-xchange-rest (<<7.10.7)
open-xchange-rest (>=7.10.4)
open-xchange-sql-client (<<1.8.0)
open-xchange-sql-client (>=1.6.0)
```

#### 2.1.1 Installation

Install on OX middleware nodes with package installer **apt-get** or **yum**:

```
<package installer> install open-xchange-omf-target
```

#### 2.1.2 Configuration

For details, please see appendix [A](#)

/opt/open-xchange/etc/omf-target.properties (page [7](#))

/opt/open-xchange/etc/sql-client.d/omf-client-pools.yaml (page [8](#))

### 2.2 Package open-xchange-omf-target-guard

OMF Migration Target for Guard

Version: 2.1.0-24

Type: OX Middleware Plugin

Depends on:

```
open-xchange-guard (>=2.10.4)
open-xchange-omf-target (>=2.1.0)
```

#### 2.2.1 Installation

Install on OX middleware nodes with package installer **apt-get** or **yum**:

```
<package installer> install open-xchange-omf-target-guard
```

## 2.3 Package open-xchange-omf-worker

OMF Migration Worker Features OX2OX Migration Framework components for Worker nodes.

Version: 2.1.0-24

Type: OX Middleware Plugin

Depends on:

```
open-xchange-admin (<<7.10.7)
open-xchange-admin (>=7.10.4)
open-xchange-admin-reseller (<<7.10.7)
open-xchange-admin-reseller (>=7.10.4)
open-xchange-cloudplugins (<<1.12.0)
open-xchange-cloudplugins (>=1.11.6)
open-xchange-core (<<7.10.7)
open-xchange-core (>=7.10.4)
open-xchange-sql-client (<<1.8.0)
open-xchange-sql-client (>=1.6.0)
```

### 2.3.1 Installation

Install on OX middleware nodes with package installer **apt-get** or **yum**:

```
<package installer> install open-xchange-omf-worker
```

### 2.3.2 Configuration

For details, please see appendix [A](#)

/opt/open-xchange/etc/omf-worker.properties (page [22](#))

/opt/open-xchange/etc/omf-feature-mapping.yml (page [24](#))

/opt/open-xchange/etc/sql-client.d/omf-client-pools.yml (page [26](#))

## A Configuration Files

### File 1 /opt/open-xchange/etc/omf-target.properties

```
1  ###
2  ### Target Configuration
3  ###
4
5  # Set the OMF target name of this App Suite instance/cluster.
6  # The value should be defined per brand, where the brand will be matched
7  # against the brand a context will be created in by the dual-provisioning.
8  #
9  # An example for the fictitious brand 'acme':
10 #
11 # com.openexchange.omf.target.provision.target.acme=ox_acme
12 #
13 # where 'ox_acme' must match the corresponding 'name' attribute of a Target
14 # which is configured into the Scheduler using the Orchestrator's
15 # 'omf target create' command.
16 #
17 # One may also define a fallback target name that will be used if no explicit
18 # target name property matches:
19 # com.openexchange.omf.target.provision.target._=ox_brand1
20 #
21 # Note that an empty value or one that one contains whitespaces is treated
22 # as undefined.
23 #
```

```
24 # There is no default value, but if no value is defined per-brand or as a
25 # fallback by configuration, the migration database for the respective source
26 # will be queried, first looking to match the brand name against rows in the
27 # 'target' table, and as a last resort, the only 'target' row entry if there is
28 # only one.
29 #
30 # If none of those mechanisms match, the provisioning call will fail.
31 #
32 com.openexchange.omf.target.provision.target._=
33
34 ###
35 ### REST API Credentials
36 ###
37
38 # The login of the user allowed to access the webservices
39 # Parameter is mandatory
40 com.openexchange.omf.target.basic.username=
41
42 # The password of the user allowed to access the webservices
43 # Parameter is mandatory
44 com.openexchange.omf.target.basic.password=
45
46 ###
47 ### HTTPS Client Settings
48 ###
49
50 # Location of the JKS trust store file that contains the certificates of the source and
51 # the target HTTPS endpoints.
52 # Note that this configuration setting is only applied when the URL to the source and/or
53 # the
54 # target App Suite endpoints are using the HTTPS protocol.
55 #
56 # The default value is empty, which causes the use of the CA certificates that are bundled
57 # with the Java Runtime Environment.
58 #
59 # Example:
60 # com.openexchange.omf.ssl.truststore.file=/opt/open-xchange/omf/worker-keystore.jks
61 #
62 # Example for using the bundled CA certificates:
63 # com.openexchange.omf.ssl.truststore.file=
64 # com.openexchange.omf.ssl.truststore.file=
65
66 # The password to use to open the JKS trust store file.
67 # Only relevant when the configuration parameter above has been set.
68 # Leave empty if no password is necessary (which is the common practice and, hence, the
69 # default).
70 #
71 # Example with no password being needed to access the trust store file:
72 # com.openexchange.omf.ssl.truststore.password=
73 # Another example where a password is needed to access the trust store file:
74 # com.openexchange.omf.ssl.truststore.password=secret
75 com.openexchange.omf.ssl.truststore.password=
76
77 # The connect timeout for all outbound HTTP/REST requests.
78 #
79 # Example:
80 # com.openexchange.omf.http.connect.timeout=2m
81 #
82 # Defaults to 1m.
83 com.openexchange.omf.http.connect.timeout=1m
84
85 # The read timeout for all outbound HTTP/REST requests.
86 #
87 # Example:
88 # com.openexchange.omf.http.read.timeout=10m
89 #
90 # Defaults to 5m.
91 com.openexchange.omf.http.read.timeout=5m
92
93 # The write timeout for all outbound HTTP/REST requests.
94 #
95 # Example:
```

```
94 # com.openexchange.omf.http.write.timeout=10m
95 #
96 # Defaults to 5m.
97 com.openexchange.omf.http.write.timeout=5m
98
99 # The read timeout for slow outbound HTTP/REST requests.
100 #
101 # Example:
102 # com.openexchange.omf.http.slow.read.timeout=20m
103 #
104 # Defaults to 30m.
105 com.openexchange.omf.http.slow.read.timeout=30m
106
107 # The write timeout for slow outbound HTTP/REST requests.
108 #
109 # Example:
110 # com.openexchange.omf.http.slow.write.timeout=12m
111 #
112 # Defaults to 30m.
113 com.openexchange.omf.http.slow.write.timeout=30m
114
115 ###
116 ### Migration Database
117 ###
118
119 # The OMF target migration db url
120 # Should be in the format jdbc:mysql://mysql.example.com/migration
121 # Default: <empty>
122 com.openexchange.omf.target.sql.migration.url=
123
124 # The OMF target migration db user
125 # Default: <empty>
126 com.openexchange.omf.target.sql.migration.user=
127
128 # The OMF target migration db password
129 # Default: <empty>
130 com.openexchange.omf.target.sql.migration.password=
131
132 ###
133 ### File Migration Settings
134 ###
135
136 # Global Number of requests going to the source system
137 com.openexchange.omf.target.files.migration.concurrency.global.limit=25
138
139 # Number of requests going to the source system that are initiated by a single inbound
    request
140 com.openexchange.omf.target.files.migration.concurrency.single.limit=5
141
142 ###
143 ### Provisioning Configuration
144 ###
145 #
146 # Configuration required for the premigration mappings
147 #
148 #com.openexchange.omf.target.premigration.[reseller].password=
149
150 ###
151 ### Mail Filter Migration Settings
152 ###
153
154 # Skip adding mail filters that have more redirects than the max redirects
155 # configured on the sieve server. If true, then all other filters will be added
156 # and the failed rules will be passed back to the client. If false, then an
157 # exception will be thrown to the web service.
158 com.openexchange.omf.target.mailfilter.skip.redirect.failures=true
159
160 # What should be the value of the LDAP attribute oxDeliveryStatus for dual-provisioned
    users?
161 # Default: ORIGINAL
162 #
163 # That value can be overridden by target brand.
```



```

164 # com.openexchange.omf.target.dualprovision.user.deliveryStatus.[brandName]=...
165 # e.g.:
166 # com.openexchange.omf.target.dualprovision.user.deliveryStatus.targetBrand1=ORIGINAL
167 # When no per-target-brand value is defined here, the value of
168 # com.openexchange.omf.target.dualprovision.user.deliveryStatus
169 # will be used as the default/fallback.
170 #
171 # Finally, both this property and the Target override can be overridden in the Source
172 # config with key "deliveryStatus"
173 #
174 com.openexchange.omf.target.dualprovision.user.deliveryStatus=ORIGINAL
175
176 ###
177 ### Database Migration Configuration
178 ###
179
180 # Define tables or conditions of what to not wipe in the pre-provisioned target database.
181 # E.g. some content might have to be kept because it has been added during pre-
182 # provisioning.
183 # In order to skip wiping complete tables, add the names to the setting named
184 # com.openexchange.omf.target.dontWipeTableNames
185 # e.g.:
186 # com.openexchange.omf.target.dontWipeTableNames=mycustomTable1,anotherCustomTable
187 #
188 # In addition, there are two possible ways to prevent the database wiper from wiping
189 # specific rows:
190 # 1. using exact match:
191 # com.openexchange.omf.target.dontWipeTable.[tableName].[columnName].eq=[columnValue]
192 # e.g. don't wipe rows in table contextAttribute where name is set to taxonomy/types
193 # com.openexchange.omf.target.dontWipeTable.contextAttribute.name.eq=taxonomy/types
194 # 2. using a mysql pattern match see e.g. https://dev.mysql.com/doc/refman/5.7/en/pattern-matching.html:
195 # com.openexchange.omf.target.dontWipeTable.[tableName].[columnName].like=[columnValue]
196 # e.g.:
197 # com.openexchange.omf.target.dontWipeTable.contextAttribute.name.like=taxonomy/%
198 com.openexchange.omf.target.dontWipeTable.contextAttribute.name.eq=taxonomy/types
199
200 # In case functional folder names on target should not be migrated from source, but kept
201 # as intended on target,
202 # uncomment the below.
203 # This is intended to be used together with
204 # com.openexchange.omf.worker.database.export.primaryMailAccount=true
205 # in the worker configuration.
206 #
207 # com.openexchange.omf.target.dontWipeTable.user_mail_account.id.eq=0

```

## File 2 /opt/open-xchange/etc/sql-client.d/omf-client-pools.yaml

```

1 # The top-level key is the identifier of the pool, which can be
2 # any string of text and is being used by the bundles and applications
3 # to access that pool configuration.
4 # Typically, those are fixed or need to be configured in the bundles
5 # that use this library.
6 #
7 # When Java Security Manager support is enabled, files that are referenced
8 # in these configuration files must be in a directory that is already
9 # whitelisted, or in a subdirectory thereof, such as
10 # /opt/open-xchange/etc/
11 #
12 # A good candidate would be something along the lines of
13 # /opt/open-xchange/etc/sql-files/
14 #
15 # Otherwise, the filename or its directory must be put into a new .list
16 # file in the folder
17 # /opt/open-xchange/etc/security/
18 # with e.g. the following content:
19 #

```

```

20 # file:/etc/trust.jks
21 #
22 # For a complete list of property values, read https://github.com/brettwooldridge/HikariCP
23 omf-migration:
24 # This property directs HikariCP to use "DriverManager-based" configuration.
25 # We feel that DataSource-based configuration (above) is superior for a variety of
    reasons (see below), but for many deployments there is little significant difference
    .
26 # When using this property with "old" drivers, you may also need to set the
    driverClassName property, but try it first without.
27 # Note that if this property is used, you may still use DataSource properties to
    configure your driver and is in fact recommended over driver parameters specified in
    the URL itself.
28 # Default: none
29 jdbcUrl: ${com.openexchange.omf.target.sql.migration.url}
30 # This property sets the default authentication username used when obtaining Connections
    from the underlying driver.
31 # Note that for DataSources this works in a very deterministic fashion by calling
    DataSource.getConnection(*username*, password) on the underlying DataSource.
32 # However, for Driver-based configurations, every driver is different.
33 # In the case of Driver-based, HikariCP will use this username property to set a user
    property in the Properties passed to the driver's DriverManager.getConnection(
    jdbcUrl, props) call.
34 # If this is not what you need, skip this method entirely and call addDataSourceProperty
    ("username", ...), for example.
35 # Default: none
36 username: ${com.openexchange.omf.target.sql.migration.user}
37 # sets the password of the connection
38 password: ${com.openexchange.omf.target.sql.migration.password}
39 # This property controls the minimum number of idle connections that HikariCP tries to
    maintain in the pool.
40 # If the idle connections dip below this value and total connections in the pool are
    less than maximumPoolSize, HikariCP will make a best effort to add additional
    connections quickly and efficiently.
41 # However, for maximum performance and responsiveness to spike demands, we recommend not
    setting this value and instead allowing HikariCP to act as a fixed size connection
    pool.
42 # Default: same as maximumPoolSize
43 minimumIdle: 0
44 # This property controls the maximum size that the pool is allowed to reach, including
    both idle and in-use connections.
45 # Basically this value will determine the maximum number of actual connections to the
    database backend. A reasonable value for this is best determined by your execution
    environment.
46 # When the pool reaches this size, and no idle connections are available, calls to
    getConnection() will block for up to connectionTimeout milliseconds before timing
    out.
47 # Default: 10
48 maximumPoolSize: 10
49 # This property controls the maximum number of milliseconds that a client
50 # (that's you) will wait for a connection from the pool. If this time is exceeded
51 # without a connection becoming available, a SQLException will be thrown. Lowest
52 # acceptable connection timeout is 250 ms. Default: 30000 (30 seconds)
53 connectionTimeout: 15000
54 # the dataSourceProperties configures the driver configured above using the jdbcUrl
55 # (some) networking related parameters don't seem to work using mysql (what we are using
    ), see
56 # https://github.com/brettwooldridge/HikariCP#popular-datasource-class-names
57 dataSourceProperties:
58     useUnicode: true
59     characterEncoding: UTF-8
60     useTimeZone: true
61     serverTimeZone: UTC
62     useSSL: false
63     requireSSL: false
64     verifyServerCertificate: false
65     enabledTLSProtocols: TLSv1,TLSv1.1,TLSv1.2

```

```

1  # The OMF Worker configuration mode.
2  #
3  # Options:
4  # 1. local - uses local configuration files. This is useful for single
5  #    worker node OMF platforms.
6  # 2. distributed - uses the Zookeeper distributed configuration
7  #    to distribute the same configuration among all workers in a group.
8  #    This provider creates a single connection to the Zookeeper worker
9  #    group config node and listens for updates.
10 #
11 # Default: "local"
12 #
13 com.openexchange.omf.worker.config.mode=
14
15 ###
16 ### ZooKeeper Configuration
17 ###
18
19 # The Zookeeper server address that the client will connect to
20 #
21 # This property is required
22 #
23 # Example: localhost:2181
24 #
25 com.openexchange.omf.worker.zookeeper.address=
26
27 # The Zookeeper worker group id. Identifies the group that this worker
28 # belongs to. All worker nodes servicing the same migration should
29 # use the same id. Worker group member nodes will be created here
30 # and the configuration for this group will be used for this worker.
31 #
32 # Default value: default
33 #
34 # Example: customer1
35 #
36 com.openexchange.omf.worker.zookeeper.group.id=
37
38 # The Worker's id. Identifies the worker within a group of workers.
39 # This should be unique within a worker group. This id will be used
40 # as the member id for the worker GroupMember management.
41 #
42 # Default value: the hostname
43 #
44 # Example: worker1
45 #
46 com.openexchange.omf.worker.zookeeper.member.id=
47
48 # The Zookeeper authentication user
49 #
50 # This property is optional
51 #
52 # Example: user
53 #
54 com.openexchange.omf.worker.zookeeper.auth.user=
55
56 # The Zookeeper authentication password
57 #
58 # This property is optional
59 #
60 # Example: password
61 #
62 com.openexchange.omf.worker.zookeeper.auth.password=
63
64 # Worker Status Publishing: when enabled (empty or > 0), this property controls
65 # after how long the Worker should post its status as being "IDLE" when attempting to
66 # retrieve the next Batch to process, and also whether it should update its status to
67 # the ID of the Batch that it starts processing.
68 #
69 # When disabled (<= 0), the Worker will not update its status.
70 #
71 # The status is kept in the ZooKeeper ZNode tree, under /omf/status/workers/{group}/{

```

```

    worker}
72 #
73 # This property is optional, and defaults to 20s.
74 # Syntax: <value>[d|h|m|s|ms]
75 # Example: com.openexchange.omf.idle.status.after=5s
76 com.openexchange.omf.idle.status.after=20s
77
78 ###
79 ### Sources
80 ###
81
82 # The source(s) that this worker services.
83 # This property tells the worker to collect migration batches for the
84 # specified source name(s) and determines the Kafka topics the worker
85 # listens on, each source name being prefixed with "omf-batch-" to translate
86 # into a topic name (e.g. a source named "source1" will cause the worker
87 # to listen on a Kafka topic "omf-batch-source1").
88 #
89 # This property is comma delimited and may contain whitespaces between
90 # entries.
91 # This property is required.
92 # It is applied dynamically upon configuration reloading.
93 # Acceptable values are zero, one or more source names (an empty string
94 # will be treated as an empty list).
95 #
96 # Example: source1, source2
97 #
98 com.openexchange.omf.worker.sources=
99
100 # Whether to allow dynamic source management, where the list of source topics
101 # to subscribe to can be overridden with a JSON array of source names in the
102 # ZooKeeper node /omf/assign/{groupId}/{workerId}
103 # When enabled, any change to that ZNode is immediately reflected in the Kafka
104 # consumer component (in the same way as when the configuration property above
105 # is reloaded).
106 # Note that when a JSON list or a non-empty JSON string is defined in that ZNode,
107 # it will always override the sources that are configured in the property
108 # com.openexchange.omf.worker.sources above.
109 # When the content of the ZNode is null (not set) or an empty JSON string,
110 # then the sources in com.openexchange.omf.worker.sources will be subscribed to.
111 # An empty JSON array, however, signifies that no sources are subscribed to.
112 #
113 # Optional, the default setting is to disable dynamic source configuration.
114 #
115 # Example:
116 # com.openexchange.omf.worker.enableDynamicSources=true
117 #
118 com.openexchange.omf.worker.enableDynamicSources=false
119
120 ###
121 ### Migration Database
122 ###
123 #
124 # Note that the following properties (com.openexchange.omf.worker.sql.migration.*)
125 # merely act as placeholders that are used in omf-client-pools.yaml
126 # Further customization of the database connections to the migration databases may
127 # be customized there and if these properties are not used as placeholders,
128 # changing them here won't have any effect.
129 #
130
131 # The JDBC URI to use to connect to the OMF worker migration database.
132 # Should be in the format jdbc:mysql://omf-migration-db/
133 # This property is mandatory and has no default value.
134 com.openexchange.omf.worker.sql.migration.url=
135
136 # The username to use to connect to the OMF worker migration database.
137 # This property is mandatory and has no default value.
138 com.openexchange.omf.worker.sql.migration.user=
139
140 # The password to use to connect to the OMF worker migration database.
141 # This property is mandatory and has no default value.
142 com.openexchange.omf.worker.sql.migration.password=

```

```
143
144 ###
145 ### HTTPS Client Settings
146 ###
147
148 # Location of the JKS trust store file that contains the certificates of the source and
149 # the target HTTPS endpoints.
150 # Note that this configuration setting is only applied when the URL to the source and/or
151 # the
152 # target App Suite endpoints are using the HTTPS protocol.
153 #
154 # The default value is empty, which causes the use of the CA certificates that are bundled
155 # with the Java Runtime Environment.
156 #
157 # Example:
158 # com.openexchange.omf.ssl.truststore.file=/opt/open-xchange/omf/worker-keystore.jks
159 #
160 # Example for using the bundled CA certificates:
161 # com.openexchange.omf.ssl.truststore.file=
162 # com.openexchange.omf.ssl.truststore.file=
163 #
164 # The password to use to open the JKS trust store file.
165 # Only relevant when the configuration parameter above has been set.
166 # Leave empty if no password is necessary (which is the common practice and, hence, the
167 # default).
168 #
169 # Example with no password being needed to access the trust store file:
170 # com.openexchange.omf.ssl.truststore.password=
171 # Another example where a password is needed to access the trust store file:
172 # com.openexchange.omf.ssl.truststore.password=secret
173 # com.openexchange.omf.ssl.truststore.password=
174 #
175 # The connect timeout for all outbound HTTP/REST requests.
176 #
177 # Example:
178 # com.openexchange.omf.http.connect.timeout=2m
179 #
180 # Defaults to 1m.
181 # com.openexchange.omf.http.connect.timeout=1m
182 #
183 # The read timeout for all outbound HTTP/REST requests.
184 #
185 # Example:
186 # com.openexchange.omf.http.read.timeout=10m
187 #
188 # Defaults to 5m.
189 # com.openexchange.omf.http.read.timeout=5m
190 #
191 # The write timeout for all outbound HTTP/REST requests.
192 #
193 # Example:
194 # com.openexchange.omf.http.write.timeout=10m
195 #
196 # Defaults to 5m.
197 # com.openexchange.omf.http.write.timeout=5m
198 #
199 # The read timeout for slow outbound HTTP/REST requests.
200 #
201 # Example:
202 # com.openexchange.omf.http.slow.read.timeout=20m
203 #
204 # Defaults to 30m.
205 # com.openexchange.omf.http.slow.read.timeout=30m
206 #
207 # The write timeout for slow outbound HTTP/REST requests.
208 #
209 # Example:
210 # com.openexchange.omf.http.slow.write.timeout=12m
211 #
212 # Defaults to 30m.
213 # com.openexchange.omf.http.slow.write.timeout=30m
```

```

213 ###
214 ### User Quota Settings (see also Cloud-Plugins Settings below)
215 ###
216
217 # When creating a context, keep the existing source context quota if present (<0).
218 # If false, then defaultQuota will be used. If defaultQuota is not defined, then
219 # this property has no effect.
220 # Default: true
221 com.openexchange.omf.worker.context.quota.keepIfPresent=true
222
223 # The default quota for a context if keepIfPresent=true or the existing quota is not
224 # present (<0).
225 # If it is not defined, then the existing context quota will always be used.
226 # There is not a default.
227 com.openexchange.omf.worker.context.quota.defaultQuota=
228
229 # The mode for user quota.
230 # Allowed values are user, context, keep
231 # If user is selected, user quota will be set during premigration and cutover of users
232 # If context quota is selected, no user quota will be set and existing user quota will be
233 # stripped
234 # If keep is selected, the user quota will not be touched and the existing value will be
235 # used on the target
236 # Default: user
237 com.openexchange.omf.worker.user.quota.mode=user
238
239 # Setting to control the behaviour when user.quota.mode is set to user.
240 # If set to true, will keep the existing value of the user if present and above 0
241 # if set to false, will use the configured default user.quota.defaultQuota
242 # Default: false
243 com.openexchange.omf.worker.user.quota.keepIfPresent=false
244
245 # The default Quota for a user, if the user.quota.mode is set to user
246 # Default: 1000L
247 com.openexchange.omf.worker.user.quota.defaultQuota=1000
248
249 # Should mail quota be set in case source is not cloud-plugins based.
250 # See also com.openexchange.omf.worker.cloudplugins.* in case source *is* cloud-plugins
251 # based.
252 # The settings here have precedence of the cloudplugins settings above since
253 # quota migration is executed almost at the end after mail and files have been transferred
254 # .
255 # true/false
256 # Default: false
257 com.openexchange.omf.worker.user.mail.quota.migration=false
258
259 # If true, set the mail quota to whatever the file quota will be set
260 # influenced by the quota settings above.
261 # Default: true
262 com.openexchange.omf.worker.user.mail.quota.sameAsFile=true
263
264 # If sameAsFile is set to false, what default should be used?
265 # use the below value
266 # Default: 1000
267 com.openexchange.omf.worker.user.mail.quota.defaultQuota=1000
268
269 # Before starting the (DMF) mail migration, set quota to this value
270 # or set it to '0' to disable that feature
271 # Default: 0
272 com.openexchange.omf.worker.user.mail.quota.overCommitValue=0
273
274 # What should be the value of the LDAP attribute oxDeliveryStatus for pre-provisioned
275 # users?
276 # Default: ORIGINAL
277 #
278 # This property can be overridden in the Source config with key "deliveryStatus"
279 #
280 com.openexchange.omf.worker.premigration.user.deliveryStatus=ORIGINAL
281
282 # That value can be overridden by target brand. Note that the Source config will
283 # override the target brand override for a Source.
284 # com.openexchange.omf.worker.premigration.user.deliveryStatus.[brandName]=...

```

```
279 # e.g.:
280 # com.openexchange.omf.worker.premigration.user.deliveryStatus.targetBrand1=ORIGINAL
281 # When no per-target-brand value is defined here, the value of
282 # com.openexchange.omf.worker.premigration.user.deliveryStatus
283 # will be used as the default/fallback.
284
285 ###
286 ### Kafka Configuration
287 ###
288 #
289 # OMF Workers are both Kafka Consumers and Producers:
290 # * the OMF Worker uses a Kafka Consumer to poll jobs from Kafka job
291 #   queues ("omf-batch-${sourceName}")
292 # * the OMF Worker uses a Kafka Producer to send job responses to the
293 #   job response queue ("omf-response")
294 #
295 # Use the official Apache Kafka configuration documentation
296 # for all required and optional properties as well as defaults:
297 #   Producer: https://kafka.apache.org/documentation/#producerconfigs
298 #   Consumer: https://kafka.apache.org/documentation/#consumerconfigs
299 #
300 # The following Producer properties are automatically set by the
301 # worker and cannot be used here:
302 #   - key.serializer
303 #   - value.serializer
304 #   - acks
305 #   - retries
306 #   - client.id
307 #   - enable.idempotence
308 #
309 # The following Consumer properties are automatically set by the
310 # worker and cannot be used here:
311 #   - key.deserializer
312 #   - value.deserializer
313 #   - enable.auto.commit
314 #   - max.poll.records
315 #   - auto.commit.interval.ms
316 #   - group.id
317 #   - group.instance.id
318 #   - client.id
319 #
320 # Properties of the OMF Producer are prefixed with "kafka.producer."
321 #   Ex: "kafka.producer.bootstrap.servers"
322 #
323 # Properties of the OMF Consumer are prefixed with "kafka.consumer."
324 #   Ex: "kafka.consumer.bootstrap.servers"
325 #
326 # Properties shared between the producer and consumer can either
327 # be set individually, or using the prefix "kafka.". However, if the
328 # property is set with the producer or consumer prefix, those will
329 # supersede the common property.
330 #   Ex: "kafka.bootstrap.servers"
331 #
332
333 ###
334 ### Cloud-Plugins Settings
335 ###
336
337 # The mode for user mail quota.
338 # Allowed values are user, remove, keep
339 # If user is selected, user mail quota will be set to a configurable default
340 # If remove quota is selected, no user mail quota will be set and existing user mail quota
341 #   will be stripped
342 # If keep is selected, the user mail quota will not be touched and the existing value will
343 #   be used on the target if present
344 # Default: user
345 com.openexchange.omf.worker.cloudplugins.user.quota.mode=user
346
347 # Setting to control the behaviour when user.quota.mode is set to user.
348 # If set to true, will keep the existing value of the user if present and above 0
349 # if set to false, will use the configured default user.quota.defaultQuota
350 # Default: true
```

```
349 com.openexchange.omf.worker.cloudplugins.user.quota.keepIfPresent=true
350
351 # The default mail quota for a user, if the user.quota.mode is set to user
352 # Default: 1000
353 com.openexchange.omf.worker.cloudplugins.user.quota.defaultQuota=1000
354
355 # During Cutover, set the LDAP user entities' classes of service to the
356 # list of values configured in this property.
357 #
358 # Note that if the property is missing or empty, then the classes of
359 # service attribute will not be set.
360 # Since this is a list, individual values are separated with "," or " ",
361 # or a combination thereof.
362 #
363 # Can be overridden using the Source config key "cos", and the Target config
364 # key "cos".
365 #
366 # Examples:
367 # com.openexchange.omf.worker.logic.classes.of.service=cloud_pim, cloud_nine
368 # com.openexchange.omf.worker.logic.classes.of.service=
369 #
370 # Default: empty: don't set the classes of service attribute
371 com.openexchange.omf.worker.logic.classes.of.service=
372
373 # As a performance optimization, if no Migration Status API is invoked, or if the
374 # Migration Status API endpoint does not modify the classes of service, then the
375 # following setting can be enabled to set the classes of service at the same time
376 # as the oxDeliveryStatus attribute in LDAP, which halves the number of per-user
377 # operations on the Target LDAP tree.
378 #
379 # But note that if the Migration Status API endpoint does set the classes of
380 # service, enabling this setting would overwrite those changes.
381 #
382 # When set to false, the classes of service attribute will be set in LDAP before
383 # the Migration Status API SUCCESS call occurs.
384 #
385 # If no Migration Status API endpoint is configured, or if the classes.of.service
386 # configuration setting above is empty, then this setting has no incidence.
387 #
388 # Can be overridden using the Source config key "setCosAfterMSA".
389 #
390 # When in doubt, leave as false.
391 #
392 # Default: false
393 com.openexchange.omf.worker.logic.setClassesOfServiceAfterMigrationStatusApi=false
394
395 # Whether to always set the oxDeliveryStatus attribute to HOLD prior to performing
396 # the cutoff (when set to "true"), or only doing so when the current value of the
397 # oxDeliveryStatus attribute is neither empty, OXAAS or BLOCKED (when set to "false").
398 # When this configuration setting is set to "false", and the oxDeliveryStatus
399 # attribute of at least one of the users of a context is set to OXAAS or empty,
400 # then that context will not be migrated.
401 # Use this to avoid overwriting already migrated contexts, as an additional verification
402 # to the context mapping table.
403 #
404 # Default: false
405 com.openexchange.omf.worker.cloudplugins.status.hold.override=false
406
407 # When the migration of a context fails during cutoff, its oxDeliveryStatus attribute
408 # is set back to its original value when
409 # com.openexchange.omf.worker.logic.keep.deliveryStatus
410 # is set to true.
411 #
412 # This attribute controls whether setting it back to OXAAS or empty should be allowed
413 # (when set to false), or whether its value should be overridden with another value
414 # (when set to true).
415 # When this configuration property is set to true, the value with which oxDeliveryStatus
416 # should be overridden in case of context cutoff migration failure when it's previous
417 # value was empty or OXAAS is defined in
418 # com.openexchange.omf.worker.cloudplugins.status.enforce.failed.migration.with
419 #
420 # Default: true
```



```
421 com.openexchange.omf.worker.cloudplugins.status.enforce.failed.migration=true
422
423 # The value with which to override the oxDeliveryStatus after a failed cutoff migration
424 # if its original value was empty or OXAAS and
425 # com.openexchange.omf.worker.cloudplugins.status.enforce.failed.migration
426 # is set to true.
427 #
428 # Default: ORIGINAL
429 com.openexchange.omf.worker.cloudplugins.status.enforce.failed.migration.with=ORIGINAL
430
431 ###
432 ### File Migration Settings
433 ###
434
435 # Whether to parallelize the various file/filestore related operations:
436 # - synchronizing (downloading and uploading) of files
437 # - updating of filestores quotas
438 # - updating of filestore references
439 # - updating of file references
440 #
441 # There are multiple options:
442 #
443 # 1. off: the file related operations are not parallelized and, instead,
444 #    executed sequentially (one context at a time);
445 #    example:
446 #    com.openexchange.omf.worker.files.parallel.threads=off
447 #
448 # 2. auto: the operations are parallelized, with as many threads in parallel
449 #    as there are CPU cores;
450 #    example:
451 #    com.openexchange.omf.worker.files.parallel.threads=auto
452 #
453 # 3. a number: the operations are parallelized, with as many threads in
454 #    parallel as specified with that number
455 #    example:
456 #    com.openexchange.omf.worker.files.parallel.threads=4
457 #
458 # Optional. Default: auto
459 com.openexchange.omf.worker.files.parallel.threads=auto
460
461 # Whether to check for missing files on source in the cutover phase
462 #
463 # When enabled, an error will be logged for missing files
464 #
465 # Note that the migration would be stopped anyway on a missing file on the
466 # source because the file could not be migrated as part of the normal preSync
467 # or cutover.
468 com.openexchange.omf.worker.files.check.source.missingFiles=false
469
470 # Whether to check for missing files on the target in the cutover phase
471 #
472 # When enabled, an error will be logged for missing files. The check
473 # will compare all fileRefs in the database with the configured fileStorage
474 # and if any of the fileRefs is missing, an exception is thrown.
475 com.openexchange.omf.worker.files.check.target.missingFiles=false
476
477 ###
478 ### Worker Behavior Configuration
479 ###
480
481 # Whether to update the oxDeliveryStatus attribute in oxCloudUser
482 # entities in the target LDAP (true) or not (false).
483 # Optional, defaults to true.
484 com.openexchange.omf.worker.logic.update.deliveryStatus=true
485
486 # When updating the oxDeliveryStatus is enabled (*), this flag configures
487 # whether, in case of the failure of the migration of a context, the
488 # oxDeliveryStatus attribute of all the users within that context should
489 # be set to:
490 # - true = their value prior to the migration (true),
491 # - false = the value 'ORIGINAL' (**)
492 #
```

```

493 # (*) see com.openexchange.omf.worker.logic.update.deliveryStatus above
494 # (**) or the value defined in com.openexchange.omf.worker.logic.failed.deliveryStatus
495 #
496 # Optional, defaults to false
497 com.openexchange.omf.worker.logic.keep.deliveryStatus=false
498
499 # When overwriting oxDeliveryStatus with a fixed value in case of a failed
500 # cutover of a context (*), this configuration setting indicates whether
501 # that oxDeliveryStatus value should be 'ORIGINAL' or another value.
502 #
503 # Note that if the value is different from ORIGINAL, OXAAS, HOLD
504 # or BLOCKED, it requires the use of a Cloud-Plugins version that supports
505 # arbitrary oxDeliveryStatus values -- see CP-259
506 #
507 # (*) com.openexchange.omf.worker.logic.keep.deliveryStatus=true
508 #
509 # Optional, defaults to ORIGINAL
510 com.openexchange.omf.worker.logic.failed.deliveryStatus=ORIGINAL
511
512 # Default maximum duration for a Batch, if it doesn't have a deadline
513 # attached to its Window.
514 # Set it to the value "none" to avoid applying a maximum duration (if there
515 # is no Window deadline), like so:
516 # com.openexchange.omf.worker.batch.default.max.duration=none
517 # Optional, defaults to 1h.
518 com.openexchange.omf.worker.batch.default.max.duration=1h
519
520 # Whether to unlock successfully migrated contexts on the source.
521 # Optional, defaults to false
522 com.openexchange.omf.worker.logic.unlock.successful.source=false
523
524 # Maximum amount of times we attempt to unlock the source contexts after
525 # a failed delta-sync Batch migration.
526 # Optional, defaults to 3
527 com.openexchange.omf.worker.logic.max.unlock.attempts=3
528
529 # Minimum amount of contexts that must survive a step in a batch
530 # disabled if set to 0
531 # Default: 1
532 com.openexchange.omf.worker.logic.keep.going.min=1
533
534 # Percentage of contexts that must succeed a step in a batch
535 # disabled if set to 0
536 # Must be between 0 and 100
537 # Default: 50
538 com.openexchange.omf.worker.logic.keep.going.percentage=50
539
540 # Used to determine how the context identifier should be found.
541 # Options:
542 # 1. <empty>: context identifier not used
543 # 2. contextName: uses the context name without the brand prefix
544 # This property can be overridden by the Source config with key contextIdentifier
545 com.openexchange.omf.worker.logic.context.identifier.mode=
546
547 ###
548 ### Mail Migration Properties
549 ###
550 # These contain several "source" based properties which
551 # are used by OMF to determine how to migrate a user based on
552 # the settings for the "source" that they belong to.
553 # The "source" is referred to as both the OMF "source" and the mail
554 # "source" which may be different. Some OMF source based properties
555 # are dependent on the DMF "brand". For instance, the mail source host
556 # default property value must be a source host that is configured in
557 # DMF for the "brand" that the source matches.
558
559 # The interval in ms that OMF will poll the DMF
560 # API to check the user migration status during
561 # presync
562 #
563 # This configuration property is optional.
564 #

```

```
565 # Default: 30000
566 #
567 # Example:
568 # com.openexchange.omf.worker.mail.presync.poll.interval.ms=30000
569 com.openexchange.omf.worker.mail.presync.poll.interval.ms=
570
571 # The interval in ms that OMF will poll the DMF
572 # API to check the user migration status during
573 # cutover
574 #
575 # This configuration property is optional.
576 #
577 # Default: 2000
578 #
579 # Example:
580 # com.openexchange.omf.worker.mail.cutover.poll.interval.ms=2000
581 com.openexchange.omf.worker.mail.cutover.poll.interval.ms=
582
583 # The amount of time in minutes to wait on a DMF job before marking the
584 # user as aborted because of too long of mail sync during presync.
585 # This does not abort the mail sync but provides a way to unblock a worker.
586 #
587 # This configuration property is optional.
588 #
589 # Default: 180
590 #
591 # Example:
592 # com.openexchange.omf.worker.mail.presync.abort.after.min=30
593 com.openexchange.omf.worker.mail.presync.abort.after.min=
594
595 # The amount of time in minutes to wait on a DMF job before marking the
596 # user as aborted because of too long of mail sync during cutover.
597 # This does not abort the mail sync but provides a way to unblock a worker.
598 #
599 # This configuration property is optional.
600 #
601 # Default: 20
602 #
603 # Example:
604 # com.openexchange.omf.worker.mail.cutover.abort.after.min=20
605 com.openexchange.omf.worker.mail.cutover.abort.after.min=
606
607 # The max amount of users that can be included in a request to DMF
608 # for getting/updating users.
609 #
610 # This configuration property is optional.
611 #
612 # Default: 50
613 #
614 # Example:
615 # com.openexchange.omf.worker.mail.max.users.in.payload=50
616 com.openexchange.omf.worker.mail.max.users.in.payload=
617
618 # Set the default source mail host per OMF source
619 #
620 # Use property names that start with
621 # "com.openexchange.omf.worker.mail.source.host."
622 # followed by the OMF source name.
623 #
624 # A source mail host is not required for any OMF source,
625 # however, if there is not a default and a host
626 # is not provided with the Appsuite source metadata then the
627 # migration will fail
628 #
629 # Example:
630 # com.openexchange.omf.worker.mail.source.host.source1=imap.host.name
631 # com.openexchange.omf.worker.mail.source.host.source2=imap.host.name
632
633 # Set the default source mail host port per OMF source
634 #
635 # Use property names that start with
636 # "com.openexchange.omf.worker.mail.source.port."
```

```
637 # followed by the OMF source name.
638 #
639 # A source mail host port is not required for any OMF source,
640 # and is only used to forward to DMF. It is possible that DMF
641 # is configured to not make use of the source host port option
642 # which would make this property useless for that OMF source.
643 #
644 # Example:
645 # com.openexchange.omf.worker.mail.source.port.source1=143
646 # com.openexchange.omf.worker.mail.source.port.source2=993
647
648 # Set the default source mail password per OMF source
649 #
650 # Use property names that start with
651 # "com.openexchange.omf.worker.mail.source.password."
652 # followed by the OMF source name.
653 #
654 # A source mail password is not required for any OMF source,
655 # and is only used to forward to DMF. It is possible that DMF
656 # is configured to not make use of the source password option
657 # which would make this property useless for that OMF source.
658 #
659 # Example:
660 # com.openexchange.omf.worker.mail.source.password.source1=secret
661 # com.openexchange.omf.worker.mail.source.password.source2=secret2
662
663 # Set the default imapc ssl option per OMF source
664 #
665 # Use property names that start with
666 # "com.openexchange.omf.worker.mail.imapc.ssl."
667 # followed by the OMF source name.
668 #
669 # There are 3 options:
670 # 1. "no"
671 # 2. "imaps"
672 # 3. "starttls"
673 #
674 # An imapc ssl option is not required for any OMF source,
675 # and is only used to forward to DMF. It is possible that DMF
676 # is configured to not make use of the imapc ssl option
677 # which would make this property useless for that OMF source.
678 #
679 # Example:
680 # com.openexchange.omf.worker.mail.imapc.ssl.source1=no
681 # com.openexchange.omf.worker.mail.imapc.ssl.source2=imaps
682
683 ###
684 ### DMF Client Properties
685 ###
686
687 # OMF talks to DMF via an apikey that is linked to a DMF "brand".
688 # An OMF "source" is one-one with a DMF "brand". This means that
689 # the apikey set for an OMF source should match up with the desired
690 # DMF brand.
691
692 # The DMF HTTP API URL. This is the URL without the API version.
693 # So if the versioned API URL is: https://dmf.host/dmf/v1
694 # then the URL to provide is "https://dmf.host/dmf"
695 #
696 # This configuration property is required.
697 #
698 com.openexchange.omf.worker.mail.dmf.url=
699
700 # Set the API key per source
701 #
702 # Use property names that start with
703 # "com.openexchange.omf.worker.mail.dmf.apikey."
704 # followed by the source name.
705 #
706 # An API key is required for any source that will be
707 # serviced by this OMF instance.
708 #
```

```

709 # Example:
710 # com.openexchange.omf.worker.mail.dmf.apikey.source1=XYZ
711 # com.openexchange.omf.worker.mail.dmf.apikey.source2=ABC
712
713 # Set the DMF CredentialSource per source. This is currently only needed
714 # if using com.openexchange.omf.worker.mailfilter.sendPassword=true.
715 # For instance, if you want OMF to use the email field of a DMF user to
716 # login to the Source Sieve server, then you can use "email".
717 #
718 # Use property names that start with
719 # "com.openexchange.omf.worker.mail.dmf.credentialSource."
720 # followed by the source name.
721 #
722 # Supported credential sources are:
723 # * sourceUId - uses the DMF sourceUId
724 # * email - uses the DMF email
725 #
726 # Default: sourceUId
727 #
728 # Example:
729 # com.openexchange.omf.worker.mail.dmf.credentialSource.source1=sourceUId
730 # com.openexchange.omf.worker.mail.dmf.credentialSource.source2=email
731
732 # When the target brand is configured as being dynamic ('*'), then the
733 # target brand must be provided by the source metadata.
734 # The following configuration properties can be used to map the brand
735 # names in the source metadata to different values before being used as
736 # the target brand name for preprovisioning.
737 #
738 # Syntax:
739 # com.openexchange.omf.worker.premigration.brand.map.<from>=<to>
740 #
741 # Example:
742 # com.openexchange.omf.worker.premigration.brand.map.brand1=reseller
743 #
744 # These properties are optional and the default behavior is to use the
745 # brand name in the source metadata as-is.
746 # com.openexchange.omf.worker.premigration.brand.map.<from>=<to>
747 #
748 # A default target brand to use when the target brand is configured as being
749 # dynamic ('*') and no target brand is specified in the source metadata.
750 #
751 # The property is optional and when not defined or blank, the brand must
752 # be part of the source metadata or the preprovisioning will fail.
753 #
754 com.openexchange.omf.worker.premigration.brand.default=
755
756 # Whether to parallelize the various premigration related operations:
757 # - creation of context
758 # - verification of contexts on the target
759 #
760 # There are multiple options:
761 #
762 # 1. off: the file related operations are not parallelized and, instead,
763 #    executed sequentially (one context at a time);
764 #    example:
765 #    com.openexchange.omf.worker.premigration.parallel.threads=off
766 #
767 # 2. auto: the operations are parallelized, with as many threads in parallel
768 #    as there are CPU cores;
769 #    example:
770 #    com.openexchange.omf.worker.premigration.threads=auto
771 #
772 # 3. a number: the operations are parallelized, with as many thrads in
773 #    parallel as specified with that number
774 #    example:
775 #    com.openexchange.omf.worker.premigration.threads=4
776 #
777 # Optional. Default: auto
778 com.openexchange.omf.worker.premigration.parallel.threads=auto
779
780 # Enable the OMF Mail Filter Migration Contributor.

```

```
781 # This should not be enabled if mail filters will not be migrated
782 # by OMF (ex: migration by doveadm)
783 #
784 # Default: false
785 #
786 # This property can be overridden by the Source config with key mailfilterEnabled
787 com.openexchange.omf.worker.mailfilter.enabled=false
788 #
789 # Enable importing black/whitelist from Sources.
790 #
791 # Default: true
792 #
793 # This property can be overridden by the Source config with key blackwhiteListEnabled
794 com.openexchange.omf.worker.blackwhitelist.enabled=true
795 #
796 # When using the OMF Mail Filter Migration Contributor, set this to true
797 # if you want OMF to always overwrite the mail filters on Target for
798 # a user, even when they have no filters.
799 #
800 # Default: true
801 #
802 # This property can be overridden by the Source config with key mailfilterWriteEmpty
803 com.openexchange.omf.worker.mailfilter.writeEmpty=true
804 #
805 # When using the OMF Mail Filter Migration Contributor, set this to true
806 # if you want OMF to collect the mailfilter username from DMF rather than
807 # have the Source determine the username based on configuration.
808 #
809 # Default: false
810 #
811 # This property can be overridden by the Source config with key mailfilterSendUsername
812 com.openexchange.omf.worker.mailfilter.sendUsername=false
813 #
814 # When using the OMF Mail Filter Migration Contributor, set this to true
815 # if you want OMF to collect the mailfilter password from DMF when master
816 # password is not used on the Source.
817 #
818 # Default: false
819 #
820 # This property can be overridden by the Source config with key mailfilterSendPassword
821 com.openexchange.omf.worker.mailfilter.sendPassword=true
822 #
823 # Migrate Guard master keys and update mKeyIndex on target accordingly
824 #
825 # Default: false
826 #
827 # This property can be overridden by the Source config.
828 com.openexchange.omf.worker.guard.enabled=false
829 #
830 # Set the black/white list size limit
831 # This is the limit for each list
832 # This can be overridden with the Source config key blackWhiteLimit.
833 com.openexchange.omf.worker.cloudplugins.blackwhite.limit=250
834 #
835 # Skip adding black/white list entries that go beyond the configured limit.
836 # The skipped entries will be added as a MigrationEvent.
837 # If set to false, then the migration will fail if the limit is hit.
838 # This can be overridden with the Source config key blackWhiteLimitSkip.
839 com.openexchange.omf.worker.cloudplugins.blackwhite.limit.skip=true
840 #
841 # Configure the Migration Status Contributor identifier
842 #
843 # Options:
844 # * <empty> or "none": Migration Status Contributor not used
845 # * "http": Uses the default HTTP Migration Status Contributor
846 # * "rest": Uses the REST Migration Status Contributor
847 #
848 # Default: <empty>
849 #
850 # This property can be overridden with the Source config with key statusContributor.
851 com.openexchange.omf.worker.migration.status.contributor=
852 #
```

```
853 # Example:
854 # com.openexchange.omf.worker.migration.status.contributor=rest
855
856 # Configure the HTTP/REST Migration Status Contributor URL.
857 # This is only used if
858 # com.openexchange.omf.worker.migration.status.contributor=http
859 # or
860 # com.openexchange.omf.worker.migration.status.contributor=rest
861 # (or equivalent Source config)
862 #
863 # Default: <empty>
864 #
865 # This property can be overridden with the Source config with key statusURL.
866 # com.openexchange.omf.worker.migration.status.url=
867
868 # Configure the HTTP or REST Migration Status Contributor HTTP API Key Header.
869 # This is only used if
870 # com.openexchange.omf.worker.migration.status.contributor=http
871 # or
872 # com.openexchange.omf.worker.migration.status.contributor=rest
873 # (or equivalent Source config)
874 #
875 # Default: X-API-KEY
876 #
877 # This property can be overridden with the Source config with key apiKeyHeader.
878 # com.openexchange.omf.worker.migration.status.apikey.header=
879
880 # Configure the HTTP or REST Migration Status Contributor HTTP API Key Token.
881 # This is only used if
882 # com.openexchange.omf.worker.migration.status.contributor=http
883 # or
884 # com.openexchange.omf.worker.migration.status.contributor=rest
885 # (or equivalent Source config)
886 #
887 # Default: <empty>
888 #
889 # This property can be overridden with the Source config with key apiKeyToken.
890 # com.openexchange.omf.worker.migration.status.apikey.token=
891
892 # Configure the REST Migration Status Contributor Basic Auth username,
893 # in order to use HTTP Basic Authentication.
894 #
895 # This is only used if
896 # com.openexchange.omf.worker.migration.status.contributor=rest
897 # (or equivalent Source config)
898 #
899 # Default: <empty>
900 #
901 # This property can be overridden with the Source config with key statusBasicAuthUsername
902 # com.openexchange.omf.worker.migration.status.basicauth.username
903
904 # Configure the REST Migration Status Contributor Basic Auth password,
905 # in order to use HTTP Basic Authentication.
906 #
907 # This is only used if
908 # com.openexchange.omf.worker.migration.status.contributor=rest
909 # (or equivalent Source config)
910 #
911 # Default: <empty>
912 #
913 # This property can be overridden with the Source config with key statusBasicAuthPassword.
914 # com.openexchange.omf.worker.migration.status.basicauth.password
915
916 # Configure the REST Migration Status Contributor HTTP method to use
917 #
918 # This is only used if
919 # com.openexchange.omf.worker.migration.status.contributor=rest
920 # (or equivalent Source config)
921 #
922 # Default: POST
923 #
924 # This property can be overridden with the Source config with key statusMethod.
```

```

925 # com.openexchange.omf.worker.migration.status.method
926
927 # Configure the REST Migration Status Contributor chunking factor for
928 # contexts to bundle per HTTP call.
929 #
930 # Possible values:
931 # <empty> or not set: send all contexts as a single HTTP request
932 # 0: send each context as its own HTTP request (using the "flat" JSON structure)
933 # number > 0: send chunks of n contexts in multiple HTTP requests (if needed)
934 #
935 # This is only used if
936 # com.openexchange.omf.worker.migration.status.contributor=rest
937 # (or equivalent Source config)
938 #
939 # Default: <empty> (send all contexts in a single HTTP request)
940 #
941 # Examples:
942 # com.openexchange.omf.worker.migration.status.contextsChunk=
943 # com.openexchange.omf.worker.migration.status.contextsChunk=0
944 # com.openexchange.omf.worker.migration.status.contextsChunk=20
945 #
946 # This property can be overridden with the Source config with key statusContextChunk.
947 # com.openexchange.omf.worker.migration.status.contextsChunk.
948
949 # Configure the REST Migration Status Contributor timeouts.
950 # Timeout values can be specified in one of three forms:
951 Truncation Warning! The next 227 lines are truncated by document limits...

```

#### File 4 /opt/open-xchange/etc/omf-feature-mapping.yml

```

1 # Permission and Configuration Cascade migration rules.
2 #
3 # defaultMappings are mandatory but may be empty.
4 # Optionally, per-target mappings or per-targetBrandName can be defined.
5 # Those inherit from the default mappings.
6 #
7 version: 2
8 defaultMappings:
9   # default rules apply to all targets and brands
10  permissionMappings:
11    # applied to each user:
12    # * permissionname: action
13    #   action := on/off
14    #   off := turn it off whether it was set or not
15    #   on := turn it on whether it was set or not
16    # * if not specified, keep as is.
17    #
18    # * all valid permission names:
19    #   webmail: on/off
20    #   calendar: on/off
21    #   contacts: on/off
22    #   tasks: on/off
23    #   infostore: on/off
24    #   projects: on/off
25    #   forum: on/off
26    #   pinboard_write_access: on/off
27    #   webdav_xml: on/off
28    #   webdav: on/off
29    #   ical: on/off
30    #   vcard: on/off
31    #   rss_bookmarks: on/off
32    #   rss_portal: on/off
33    #   mobility: on/off
34    #   edit_public_folders: on/off
35    #   read_create_shared_folders: on/off
36    #   delegate_tasks: on/off
37    #   edit_group: on/off
38    #   edit_resource: on/off

```



```

39 # edit_password: on/off
40 # collect_email_addresses: on/off
41 # multiple_mail_accounts: on/off
42 # subscription: on/off
43 # publication: on/off
44 # active_sync: on/off
45 # usm: on/off
46 # olox20: on/off
47 # denied_portal: on/off
48 # caldav: on/off
49 # carddav: on/off
50 configCascadeMappings:
51 # applied to each context and user:
52 # * redList and greenList are mutually exclusive; use one or the other, but not both
53 # redList:
54 #   # drop the capabilities that are mentioned below:
55 #   - config/com.openexchange.subscribe.crawler.yahoocom
56 #   - config/com.openexchange.subscribe.socialplugin.yahoo
57 #   - config/com.openexchange.subscribe.socialplugin.msn
58 # key/values that should be added if not present can be specified using the keywords
59 # - addAllList      := key/values that must be added to contexts and users
60 # - addUserList     :=              only added to users
61 # - addContextList :=              only added to contexts
62 # NOTE:
63 # * values already present will be overridden with the values provided here
64 # * adding the same key/value to users and contexts usually makes no sense,
65 #   since it is redundant information
66 # addAllList:
67 #   taxonomy/all: blue
68 #   taxonomy/numbers: 12345512342423423423
69 #   taxonomy/string: "Text"
70 # addUserList:
71 #   config/com.openexchange.unifiedquota.enabled: true
72 #   config/com.openexchange.myfeature.enabled: false
73 # addContextList:
74 #   config/com.openexchange.subscribe.socialplugin.tiktak: false
75 #   config/com.openexchange.subscribe.socialplugin.knocknock: false
76
77 # Some more mappings.
78 # Those inherit the mappings from the defaultMappings.
79 # NOTE: however, since red- and greenLists are mutually exclusive and thus cannot be used
80 #       at the same time, for inheritance that means that greenList items replace all
81 #       redList
82 #       items from the parent mappings and vice-versa
83
84 # anotherMappings:
85 #   appliesToTargetName:
86 #     - target1
87 #     - target2
88 #   permissionMappings:
89 #     calendar: on
90 #   configCascadeMappings:
91 #     # the greenList defined here overrides and suppresses the redList
92 #     # that is defined in defaultMappings
93 #     greenList:
94 #       # only migrate settings listed below
95 #       - config/com.openexchange.cloudplugins.unifiedquota
96 #       - config/com.openexchange.capability.drive
97 #     # add one additional key/value to contexts
98 #     addContextList:
99 #       custom/fancy//option: "1337"
100
101 # # targetBrandName rules inherit from default mappings as well
102 # evenMoreMappings:
103 #   appliesToTargetBrandName:
104 #     - targetBrand1
105 #     - targetBrand2
106 #   permissionMappings:
107 #     edit_resource: on
108 #   configCascadeMappings:
109 #     # the greenList defined here overrides and suppresses the redList
110 #     # that is defined in defaultMappings

```

```

110 #     greenList:
111 #         # only migrate settings listed below
112 #         - config/com.openexchange.cloudplugins.foo
113 #
114 # # some more targetBrandName rules
115 # yetAnotherMappings:
116 #     appliesToTargetBrandName:
117 #         - targetBrand3
118 #         - targetBrand4
119 #     permissionMappings:
120 #         edit_group: off
121 #     configCascadeMappings:
122 #         # Augments the redList defined in defaultMappings with additional
123 #         # redlisted capabilities:
124 #         redList:
125 #             - config/com.openexchange.subscribe.socialplugin.google
126 #
127 # # target- and brandname rules can be combined as well
128 # targetAndBrandCombined:
129 #     appliesToTargetBrandName:
130 #         - targetBrand10
131 #         - targetBrand20
132 #     appliesToTargetName:
133 #         - target10
134 #         - target20
135 #     permissionMappings:
136 #         multiple_mail_accounts: on
137 #     configCascadeMappings:
138 #         # Augments the redList defined in defaultMappings with additional
139 #         # redlisted capabilities:
140 #         redList:
141 #             - config/com.openexchange.subscribe.socialplugin.google
142 #
143 # noPermission:
144 #     appliesToTargetBrandName:
145 #         - targetBrand10
146 #         - targetBrand20
147 #     appliesToTargetName:
148 #         - target10
149 #         - target20
150 #     configCascadeMappings:
151 #         # Augments the redList defined in defaultMappings with additional
152 #         # redlisted capabilities:
153 #         redList:
154 #             - config/com.openexchange.subscribe.socialplugin.google
155 #
156 # noConfig:
157 #     appliesToTargetBrandName:
158 #         - targetBrand10
159 #         - targetBrand20
160 #     appliesToTargetName:
161 #         - target10
162 #         - target20
163 #     permissionMappings:
164 #         multiple_mail_accounts: on

```

#### File 5 /opt/open-xchange/etc/sql-client.d/omf-client-pools.yaml

```

1 # The top-level key is the identifier of the pool, which can be
2 # any string of text and is being used by the bundles and applications
3 # to access that pool configuration.
4 # Typically, those are fixed or need to be configured in the bundles
5 # that use this library.
6 #
7 # When Java Security Manager support is enabled, files that are referenced
8 # in these configuration files must be in a directory that is already
9 # whitelisted, or in a subdirectory thereof, such as
10 # /opt/open-xchange/etc/

```

```

11 #
12 # A good candidate would be something along the lines of
13 # /opt/open-xchange/etc/sql-files/
14 #
15 # Otherwise, the filename or its directory must be put into a new .list
16 # file in the folder
17 # /opt/open-xchange/etc/security/
18 # with e.g. the following content:
19 #
20 # file:/etc/trust.jks
21 #
22 # For a complete list of property values, read https://github.com/brettwooldridge/HikariCP
23 omf-migration:
24 # This property directs HikariCP to use "DriverManager-based" configuration.
25 # We feel that DataSource-based configuration (above) is superior for a variety of
    reasons (see below), but for many deployments there is little significant difference
    .
26 # When using this property with "old" drivers, you may also need to set the
    driverClassName property, but try it first without.
27 # Note that if this property is used, you may still use DataSource properties to
    configure your driver and is in fact recommended over driver parameters specified in
    the URL itself.
28 # Default: none
29 jdbcUrl: ${com.openexchange.omf.worker.sql.migration.url}
30 # This property sets the default authentication username used when obtaining Connections
    from the underlying driver.
31 # Note that for DataSources this works in a very deterministic fashion by calling
    DataSource.getConnection(*username*, password) on the underlying DataSource.
32 # However, for Driver-based configurations, every driver is different.
33 # In the case of Driver-based, HikariCP will use this username property to set a user
    property in the Properties passed to the driver's DriverManager.getConnection(
    jdbcUrl, props) call.
34 # If this is not what you need, skip this method entirely and call addDataSourceProperty
    ("username", ...), for example.
35 # Default: none
36 username: ${com.openexchange.omf.worker.sql.migration.user}
37 # sets the password of the connection
38 password: ${com.openexchange.omf.worker.sql.migration.password}
39 # This property controls the minimum number of idle connections that HikariCP tries to
    maintain in the pool.
40 # If the idle connections dip below this value and total connections in the pool are
    less than maximumPoolSize, HikariCP will make a best effort to add additional
    connections quickly and efficiently.
41 # However, for maximum performance and responsiveness to spike demands, we recommend not
    setting this value and instead allowing HikariCP to act as a fixed size connection
    pool.
42 # Default: same as maximumPoolSize
43 minimumIdle: 0
44 # This property controls the maximum size that the pool is allowed to reach, including
    both idle and in-use connections.
45 # Basically this value will determine the maximum number of actual connections to the
    database backend. A reasonable value for this is best determined by your execution
    environment.
46 # When the pool reaches this size, and no idle connections are available, calls to
    getConnection() will block for up to connectionTimeout milliseconds before timing
    out.
47 # Default: 10
48 maximumPoolSize: 10
49 # This property controls the maximum number of milliseconds that a client
50 # (that's you) will wait for a connection from the pool. If this time is exceeded
51 # without a connection becoming available, a SQLException will be thrown. Lowest
52 # acceptable connection timeout is 250 ms. Default: 30000 (30 seconds)
53 connectionTimeout: 15000
54 # the dataSourceProperties configures the driver configured above using the jdbcUrl
55 # (some) networking related parameters don't seem to work using mysql (what we are using
    ), see
56 # https://github.com/brettwooldridge/HikariCP#popular-datasource-class-names
57 dataSourceProperties:
58     useUnicode: true
59     characterEncoding: UTF-8
60     useTimezone: true
61     serverTimezone: UTC

```

```
62      useSSL: false
63      requireSSL: false
64      verifyServerCertificate: false
65      enabledTLSProtocols: TLSv1,TLSv1.1,TLSv1.2
```