



## **Release Notes for Patch Release #3489**

August 15, 2016

## Copyright notice

---

©2016 by OX Software GmbH. All rights reserved. Open-Xchange and the Open-Xchange logo are trademarks or registered trademarks of Open-Xchange AG. All other company and/or product names may be trademarks or registered trademarks of their owners. Information contained in this document is subject to change without notice.

## 1 Shipped Product and Version

Open-Xchange AppSuite backend 7.8.1-rev19  
Open-Xchange AppSuite frontend 7.8.1-rev17

Find more information about product versions and releases at [http://oxpedia.org/wiki/index.php?title=AppSuite:Versioning\\_and\\_Numbering](http://oxpedia.org/wiki/index.php?title=AppSuite:Versioning_and_Numbering)

## 2 Bugs fixed since previous Public Release

This section provides a summary of bugfixes and changes that have been applied subsequently to shipping Patch Release #3466.

### **46346 Smtplib account information not shown**

In the account settings for mail the smtp settings are displayed, but username and password were not shown.

Fixed an enum issue to solve this.

### **46677 While subscribing to mail-folders not all "subscribable" folders get displayed**

After a Appsuite refresh some "subscribable" folders disappeared.

This has been fixed by dropping "subfolders" attribute if all=false to avoid bad model updates.

### **46805 Special use folder ignored**

Special use folder were ignored because of a missing enhancement of the config cascade.

This has been solved by adding the missing enhancement.

### **46968 Upsell-Trigger within "onboarding-wizard" not working**

Upsell i-Frame for onboarding wizard didn't work.

Added missing capability file to solve this.

### **47182 Separate email addresses with semicolon not working**

Separate email addresses with semicolon after two or more were added as one didn't work.

This has been fixed by stopping edit more after first model update.

### **47348 Password dialog for external accounts after update**

For some users the "recovery/secret?action=check" call permanently signals that the currently used password is outdated and the new one is prompted.

Various DEBUG logging was added to class 'com.openexchange.secret.impl.CryptoSecretEncryptionService', which is supposed to be enabled to affected users using '/opt/open-xchange/sbin/lofconf' command-line tool, also did some other improvements for this. Also see Software Change 3482 below.

### **47429 Vacation rule jumps to top**

The position of the vacation notice was reset to the top if this rule has changed.

Now the position is kept if the rule was edited.

### **47438 Open-xchange-manage-group-resource: standard group guest delete and edit buttons active**

Standard group guest delete and edit buttons were active.

Now edit or delete for guest group is disabled.

### **47467 Menu is displayed wrong**

Email option menu was displayed wrong if the topbanner was active.

This has been fixed by adding proper z-index to top banner.

### **47510 Mobile Web ui only: Mail folder can not be added on Root-Level**

Adding an IMAP folder via Mobile Web UI on root level (beside INBOX) does not work.

This has been fixed by changing check for virtual folders to allow contextmenu and deny pagechange.

**47576 Rename of OX6 distribution lists not fully working in appsuite**

OX6 sets display name and last name while creating a new distribution list.

Solution for distribution lists: if display name is updated last name is set to the same value.

**47583 Cast error after returning to same node after split with 7.8.1**

Restored working version of PortableSession class with support for class representations of Java primitive types to solve this issue.

**47656 Sort menu not fully visible in horizontal mode**

Sort menu was hidden by mail detail view if this part was too small.

Now the menu is always on top.

## 3 Changes relevant for Administrators

### 3.1 Changes of Configuration Files

**Change #3482 Added property to enable/disable the fast crypt token check**

Enhanced file 'secret.properties' by the property "`com.openexchange.secret.recovery.fast.enabled`" to control whether fast crypt token check is enabled or not.

That mechanism is used to check the validity of user's current secret in a fast manner and is used when triggering the "`recovery/secret?action=check`" call. Default is "true".

## 4 Tests

Not all defects that got resolved could be reproduced within the lab. Therefore, we advise guided and close monitoring of the reported defect when deploying to a staging or production environment. Defects which have not been fully verified, are marked as such.

To avoid side effects, the shipped packages have gone through automated regression test on both, a Continuous Integration System and a dedicated server setup for system and integration testing.

All changes have been checked for potential side-effects and effect on behavior. Unless explicitly stated within this document, we do not expect any side-effects.

## 5 Fixed Bugs

46346, 46677, 46805, 46968, 47182, 47348, 47429, 47438, 47467, 47510, 47576, 47583, 47656,