



Release Notes for Patch Release #3597

October 10, 2016

Copyright notice

©2016 by OX Software GmbH. All rights reserved. Open-Xchange and the Open-Xchange logo are trademarks or registered trademarks of Open-Xchange AG. All other company and/or product names may be trademarks or registered trademarks of their owners. Information contained in this document is subject to change without notice.

1 Shipped Product and Version

Open-Xchange AppSuite backend 7.8.2-rev12
Open-Xchange AppSuite frontend 7.8.2-rev13
Open-Xchange AppSuite EAS 7.8.2-rev5
Open-Xchange AppSuite USM 7.8.2-rev6
Open-Xchange frontend6 6.22.12-rev5

Find more information about product versions and releases at http://oxpedia.org/wiki/index.php?title=AppSuite:Versioning_and_Numbering

2 Bugs fixed since previous Public Release

This section provides a summary of bugfixes and changes that have been applied subsequently to shipping Patch Release #3572.

46443 Multiple forwarded mail is empty

Sequence id for nested messages and attachments above level 2 were not calculated correctly. This has been solved by calculating the correct sequence-id by storing the initializers id and taking it into consideration when calculating the new sequence-ids for nested messages and attachments.

48109 Reset of special use folders after OX login

The property has not prevented the setmetadata command for existing folders. Prevent setmetadata for existing folders now.

48195 External appointment "You have confirmed this appointment", but is not accepted

New external appointments were displayed as accepted, but are not accepted. Now new external appointments are not displayed as accepted.

48344 User is not able to sent email to users on the same cluster after account is added as external

No filtering based on transport_url for added email accounts. Only list sender addresses from accounts that have a transport_url now.

48349 'AVERAGE_USER_SIZE' not found in file /opt/open-xchange/etc

The method getProperties was used. This was fixed by using getUserProperties.

48663 No signature selected in settings after upgrade

Missing signature handling for update. Introduced central helper function which considers the different states, value of defaultSignature (compose/reply) is now used as new default value for 'defaultReplyForwardSignature'.

48687 Carddav data with xD at the end of all lines

The underlying org.jdom library adjusts line endings during serialization, for inline vCards in multi-status responses this led to duplicated carriage return characters. While usually the receiving side is in charge to normalize line endings during parsing, one particular client is not able to do so. Solution: Serialize inline vCards in CARDDAV:address-data property as CDATA.

48748 Distribution list view inconsistent, saving such a list does not work

The error is caused by two update operations on a contact off the distribution list. If a contact off the distribution list is within the addressbook of the user, then the entry within the distribution list will reference this contact. In case the email address referenced by the distribution list is removed the entry within the distribution list is also updated (now empty). If then in a next step the contact is deleted the entry within the distribution list will be changed to a contact without a reference. In this case the mail address within the distribution list will be used, which is still empty. In this

case the distribution list is invalid because of this missing mail address.

The exception message now tells the user which contact is causing the error and therefore he is able to solve the issue himself.

48778 Addressbook Tab opens with ~20 Seconds Delay, Display-Errors after Tab Change Addressbook to Calendar and back

The new user setting "Start in global address book" (default: true) conflicts with an extremely slow loading of address book.

This has been solved by checking if the user setting is configurable. If not, the user doesn't see the setting. This fix neither accelerates the loading process nor does it avoid the invalid UI state if users go back and forth.

48883 logconf -l com.openexchange.usm does not filter for UID/CID

The logback filtering works in conjunction with the MDC properties, meaning that in order for a log filter to work, the `userId`, `contextId` and (optionally) `sessionId` have to be present in the MDC. In this case, the previous mentioned MDC properties were only applied upon a login request, hence the only DEBUG log entry that was visible in the log was that of the login request.

This has been fixed by applying the MDC properties `'userId'`, `'contextId'` and `'sessionId'` (that is the USM session id and not OX session id) to the MDC when getting the USM session from the Session-Storage (which happens on every USM/EAS request).

48940 Autologout setting is not hidden when protected

Not all settings are implemented to configure via yml-File.

Now this setting is supported for property- and yml-file.

48949 Sometimes printing fails with "Drucken ist beim Starten des Druckvorgangs fehlgeschlagen." on Preview

Only affects calendar views as they are external, i.e. loaded from the server and was quite rare.

This has been solved by implementing a delay to let the browser breathe. The delay is not really perceivable so it won't annoy end-users.

3 Tests

Not all defects that got resolved could be reproduced within the lab. Therefore, we advise guided and close monitoring of the reported defect when deploying to a staging or production environment. Defects which have not been fully verified, are marked as such.

To avoid side effects, the shipped packages have gone through automated regression test on both, a Continuous Integration System and a dedicated server setup for system and integration testing.

All changes have been checked for potential side-effects and effect on behavior. Unless explicitly stated within this document, we do not expect any side-effects.

4 Fixed Bugs

46443, 48109, 48195, 48344, 48349, 48663, 48687, 48748, 48778, 48883, 48940, 48949,