



**Release Notes for Patch Release #4789**  
2018-06-25

**Security Patch Release**

This Patch Release addresses critical vulnerabilities; please consider deploying it as soon as possible. Not deploying this Patch Release may result in remote service exploitation, security threats to users and exposure of sensitive data.

Detailed vulnerability descriptions will be publicly disclosed no earlier than fifteen (15) working days after public availability of this Patch Release. There is no indication that one or more of these vulnerabilities are already getting exploited or that information about them is publicly circulating.

## Copyright notice

---

©2018 by OX Software GmbH. All rights reserved. Open-Xchange and the Open-Xchange logo are trademarks or registered trademarks of OX Software GmbH. All other company and/or product names may be trademarks or registered trademarks of their owners. Information contained in this document is subject to change without notice.

## 1 Shipped Product and Version

Open-Xchange AppSuite backend 7.6.3-rev39  
Open-Xchange AppSuite frontend 7.6.3-rev33  
Open-Xchange Documentconverter 7.6.3-rev4  
Open-Xchange Readerengine 7.6.3-rev4

Find more information about product versions and releases at [http://oxpedia.org/wiki/index.php?title=AppSuite:Versioning\\_and\\_Numbering](http://oxpedia.org/wiki/index.php?title=AppSuite:Versioning_and_Numbering) and <http://documentation.open-xchange.com/>.

## 2 Vulnerabilities fixed since previous Public Release

This section provides a summary of bug fixes and changes that have been applied subsequently to shipping Patch Release #4750. Solutions for vulnerabilities have been provided for the existing code-base via Patch Releases.

### 58096 CVE-2018-9997

CVSS: 4.3

### 58226 CVE-2018-12611

CVSS: 4.3

### 58256 CVE-2018-12611

CVSS: 5.4

### 58282 CVE-2018-12611

CVSS: 4.3

### 58874 CVE-2018-12609

CVSS: 6.5

## 3 Changes relevant for Operators

### 3.1 Changes of Configuration Files

#### Change #SCR-175 Added new property `com.openexchange.server.migrationRedirectURL` to `server.properties`

From the `server.properties`:

#Specifies the redirect URI/URL during cluster migration to which a client is redirected in case it landed on a unsuitable node (running incompatible application code).

#E.g. a user gets routed to a node running application code in version X, but that account has already been migrated to application code in version Y, e. g.: `http://1.2.3.4`

#No default value

`com.openexchange.server.migrationRedirectURL=`

## 4 Fixed Bugs

58096, 58226, 58256, 58282, 58874,